AUTHOR INDEX VOLUME 191

A

Abbas, A.K. *See* Dahl, Klein, Andres, London, Lodge, Mulligan, and Abbas.

Abe, R. *See* Blair, Riley, Harlan, Abe, Tadaki, Hoffmann, White, Francomano, Perfetto, Kirk, and June.

Abraham, K.M. *See* Lin, Longo, Wang, Hewitt, and Abraham.

Affolter, M. *See* Labéta, Vidal, Rey Nores, Arias, Vita, Morgan, Guillemot, Loyaux, Ferrara, Schmid, Affolter, Borysiewicz, Donnet-Hughes, and Schiffrin.

Agis, F. *See* Pique, Ureta-Vidal, Gessain, Chancerel, Gout, Tamouza, Agis, and Dokhélar.

Aguet, M. *See* Radtke, Ferrero, Wilson, Lees, Aguet, and MacDonald.

Ahmed, R. *See* Harrington, Galvan, Baum, Altman, and Ahmed.

Akiba, H., Miyahira, Y., Atsuta, M., Takeda, K., Nohara, C., Futagawa, T., Matsuda, H., Aoki, T., Yagita, H., and Okumura, K. Critical contribution of OX40 ligand to T helper cell type 2 differentiation in experimental leishmaniasis. 375.

Akira, S. *See* Yokozeki, Ghoreishi, Takagawa, Takayama, Satoh, Katayama, Takeda, Akira, and Nishioka.

Albert, M.L. *See* Sauter, Albert, Francisco, Larsson, Somersan, and Bhardwaj.

Albertoni, M. *See* Tenan, Fulci, Albertoni, Diserens, Hamou, El Atifi-Borel, Feige, Pepper, and Van Meir.

Alcami, A. *See* Parry, Simas, Smith, Stewart, Minson, Efstathiou, and Alcami.

Alderson, M.R., Bement, T., Day, C.H., Zhu, L., Molesh, D., Skeiky, Y.A.W., Coler, R., Lewinsohn, D.M., Reed, S.G., and Dillon, D.C. Expression cloning of an immunodominant family of *Mycobacterium tuberculosis* antigens using human CD4$^+$ T cells. 551.

Alisa, A. *See* Maini, Boni, Lee, Larrubia, Reignat, Ogg, King, Herberg, Gilson, Alisa, Williams, Vergani, Naoumov, Ferrari, and Bertoletti.

Allen, L.-A.H. Modulating phagocyte activation: the pros and cons of *Helicobacter pylori* virulence factors. 1451.

—, Schlesinger, L.S., and Kang, B. Virulent strains of *Helicobacter pylori* demonstrate delayed phagocytosis and stimulate homotypic phagosome fusion in macrophages. 115.

Allen, M., Svensson, L., Roach, M., Hambor, J., McNeish, J., and Gabel, C.A. Deficiency of the stress kinase p38α results in embryonic lethality: characterization of the kinase dependence of stress responses of enzyme-deficient embryonic stem cells. 859.

Alouani, S. *See* Chvatchko, Hoogewerf, Meyer, Alouani, Juillard, Buser, Conquet, Proudfoot, Wells, and Power.

Altieri, M. *See* Wen, Wong, Tang, Chen, Altieri, David, Flavell, and Sherwin.

Altman, J.D. *See* Harrington, Galvan, Baum, Altman, and Ahmed.

Alvarez, I. *See* Yagüe, Alvarez, Rognan, Ramos, Vázquez, and López de Castro.

Alzari, P.M. *See* Eckenberg, Rose, Moreau, Weil, Gesbert, Dubois, Tello, Bossus, Gras, Tartar, Bertoglio, Chouaïb, Goldberg, Jacques, Alzari, and Thèze.

Andersen, P.S. *See* Churchill, Andersen, Parke, Mariuzza, and Kranz.

Anderson, A.C., Nicholson, L.B., Legge, K.L., Turchin, V., Zaghouani, H., and Kuchroo, V.K. High frequency of autoreactive myelin proteolipid protein–specific T cells in the periphery of naive mice: mechanisms of selection of the self-reactive repertoire. 761.

Anderson, P. *See* Li, Chen, Xu, Sundstedt, Paulsson, Anderson, Karlsson, Sjögren, and Wang.

Andersson, J. *See* Rolink, Winkler, Melchers, and Andersson.

Andres, P.G. *See* Dahl, Klein, Andres, London, Lodge, Mulligan, and Abbas.

Andreu, E.J. *See* Horita, Andreu, Benito, Arbona, Sanz, Benet, Prosper, and Fernandez-Luna.

Ang, S.-M. *See* Smith, Light, O'Reilly, Ang, Strasser, and Tarlinton.

Angelisová, P. *See* Brdička, Pavlištová, Leo, Bruyns, Kořínek, Angelisová, Scherer, Shevchenko, Shevchenko, Hilgert, Černý, Drbal, Kuramitsu, Kornacker, Hořejší, and Schraven.

Aoki, T. *See* Akiba, Miyahira, Atsuta, Takeda, Nohara, Futagawa, Matsuda, Aoki, Yagita, and Okumura.

Arand, M. *See* Jäger, Jäger, Karbach, Chen, Ritter, Nagata, Gnjatic, Stockert, Arand, Old, and Knuth.

Arbona, C. *See* Horita, Andreu, Benito, Arbona, Sanz, Benet, Prosper, and Fernandez-Luna.

Arcos-Fajardo, M. *See* Launay, Grossetête, Arcos-Fajardo, Gaudin, Torres, Beaudoin, Patey-Mariaud de Serre, Lehuen, and Monteiro.

Arentz-Hansen, H., Körner, R., Molberg, Ø., Quarsten, H., Vader, W., Kooy, Y.M.C., Lundin, K.E.A., Koning, F., Roepstorff, P., Sollid, L.M., and McAdam, S.N. The intestinal T cell response to α-gliadin in adult celiac disease is focused on a single deamidated glutamine targeted by tissue transglutaminase. 603.

Arias, M. *See* Labéta, Vidal, Rey Nores, Arias, Vita, Morgan, Guillemot, Loyaux, Ferrara, Schmid, Affolter, Borysiewicz, Donnet-Hughes, and Schiffrin.

Ariel, A. *See* Levite, Cahalon, Peretz, Hershkoviz, Sobko, Ariel, Desai, Attali, and Lider.

Arnold, W. *See* Janke, Schlüter, Jandrig, Theile, Kölble, Arnold, Grinstein, Schwartz, Estevéz-Schwarz, Schlag, Jockusch, and Scherneck.

Arnold-Schild, D. *See* Singh-Jasuja, Toes, Spee, Münz, Hilf, Schoenberger, Ricciardi-Castagnoli, Neefjes, Rammensee, Arnold-Schild, and Schild.

Arpaia, E., Benveniste, P., Di Cristofano, A., Gu, Y., Dalal, I., Kelly, S., Hershfield, M., Pandolfi, P.P., Roifman, C.M., and Cohen, A. Mitochondrial basis for immune deficiency: evidence from purine nucleoside phosphorylase–deficient mice. 2197.

Arstila, T., Arstila, T.P., Calbo, S., Selz, F., Malassis-Seris, M., Vassalli, P., Kourilsky, P., and Guy-Grand, D. Identical T cell clones are located within the mouse gut epithelium and lamina propria and circulate in the thoracic duct lymph. 823.

Arstila, T.P. *See* Arstila, Arstila, Calbo, Selz, Malassis-Seris, Vassalli, Kourilsky, and Guy-Grand.

Arudchandran, R., Brown, M.J., Peirce, M.J., Song, J.S., Zhang, J., Siraganian, R.P., Blank, U., and Rivera, J. The Src homology 2 domain of Vav is required for its compartmentation to the plasma membrane and activation of c-Jun NH_2-terminal kinase 1. 47.

Asahi, M., Azuma, T., Ito, S., Ito, Y., Suto, H., Nagai, Y., Tsubokawa, M., Tohyama, Y., Maeda, S., Omata, M., Suzuki, T., and Sasakawa, C. *Helicobacter pylori* CagA protein can be tyrosine phosphorylated in gastric epithelial cells. 593.

Asano, M. *See* Horai, Saijo, Tanioka, Nakae, Sudo, Okahara, Ikuse, Asano, and Iwakura.

Ashe, J.M. *See* Bosselut, Zhang, Ashe, Kopacz, Samelson, and Singer.

Ash-Shaheed, B. *See* He, Gurunathan, Iwasaki, Ash-Shaheed, and Kelsall.

Atsuta, M. *See* Akiba, Miyahira, Atsuta, Takeda, Nohara, Futagawa, Matsuda, Aoki, Yagita, and Okumura.

Attali, B. *See* Levite, Cahalon, Peretz, Hershkoviz, Sobko, Ariel, Desai, Attali, and Lider.

Azuma, T. *See* Asahi, Azuma, Ito, Ito, Suto, Nagai, Tsubokawa, Tohyama, Maeda, Omata, Suzuki, and Sasakawa.

B

Bacci, A. *See* Fe d'Ostiani, Del Sero, Bacci, Montagnoli, Spreca, Mencacci, Ricciardi-Castagnoli, and Romani.

Bae, H. *See* Ranger, Gerstenfeld, Wang, Kon, Bae, Gravallese, Glimcher, and Glimcher.

Bajpai, U.D., Zhang, K., Teutsch, M., Sen, R., and Wortis, H.H. Bruton's tyrosine kinase links the B cell receptor to nuclear factor κB activation. 1735.
Ball, J. *See* García de Vinuesa, Cook, Ball, Drew, Sunners, Cascalho, Wabl, Klaus, and MacLennan.
Ballard, D.W. *See* Petro, Rahman, Ballard, and Khan.
Banchereau, J. *See* Wilson, Wilson, Liu, Banchereau, Pascual, and Capra.
Barbic, J. *See* Leef, Elkins, Barbic, and Shahin.
Barry, M. *See* Everett, Barry, Lee, Sun, Graham, Stone, Bleackley, and McFadden.
Bartke, I. *See* Villoslada, Hauser, Bartke, Unger, Heald, Rosenberg, Cheung, Mobley, Fisher, and Genain.
Barton, J.L. *See* Nicklin, Hughes, Barton, Ure, and Duff.
Bauer, D.E. *See* Metzner, Jin, Lee, Gettie, Bauer, Di Mascio, Perelson, Marx, Ho, Kostrikis, and Connor.
Baum, L.G. *See* Harrington, Galvan, Baum, Altman, and Ahmed.
Baur, A.S. *See* Müschen, Rajewsky, Bräuninger, Baur, Oudejans, Roers, Hansmann, and Küppers.
Beaudet, A.L. *See* Collins, Velji, Guevara, Hicks, Chan, and Beaudet.
Beaudoin, L. *See* Launay, Grossetête, Arcos-Fajardo, Gaudin, Torres, Beaudoin, Patey-Mariaud de Serre, Lehuen, and Monteiro.
Beavis, A. *See* Benlagha, Weiss, Beavis, Teyton, and Bendelac.
Beck-Engeser, G.B. *See* Siegel, Schreiber, Meredith, Beck-Engeser, Lancki, Lazarski, Fu, Rowley, and Schreiber.
Beech, J.T. *See* Maverakis, Beech, Wilson, Quinn, Pedersen, and Sercarz.
Behrens, T.W. *See* Hippen, Tze, and Behrens.
Belardelli, F. *See* Santini, Lapenta, Logozzi, Parlato, Spada, Di Pucchio, and Belardelli.
Bell, J.J. *See* Legge, Min, Bell, Caprio, Li, Gregg, and Zaghouani.
Bement, T. *See* Alderson, Bement, Day, Zhu, Molesh, Skeiky, Coler, Lewinsohn, Reed, and Dillon.
Bendelac, A. *See* Benlagha, Weiss, Beavis, Teyton, and Bendelac.
Bender, J. *See* Teague, Schaefer, Hildeman, Bender, Mitchell, Kappler, and Marrack.
Benet, I. *See* Horita, Andreu, Benito, Arbona, Sanz, Benet, Prosper, and Fernandez-Luna.
Benito, A. *See* Horita, Andreu, Benito, Arbona, Sanz, Benet, Prosper, and Fernandez-Luna.
Benlagha, K., Weiss, A., Beavis, A., Teyton, L., and Bendelac, A. In vivo identification of glycolipid antigen–specific T cells using fluorescent CD1d tetramers. 1895.
Benoist, C. *See* Witherden, van Oers, Waltzinger, Weiss, Benoist, and Mathis.
Benschop, R.J. *See* Brauweiler, Tamir, Dal Porto, Benschop, Helgason, Humphries, Freed, and Cambier.
Benveniste, P. *See* Arpaia, Benveniste, Di Cristofano, Gu, Dalal, Kelly, Hershfield, Pandolfi, Roifman, and Cohen.
Bergstrom, J.D. *See* Wright, Burton, Hernandez, Hassing, Montenegro, Mundt, Patel, Card, Hermanowski-Vosatka, Bergstrom, Sparrow, Detmers, and Chao.
Bertoglio, J. *See* Eckenberg, Rose, Moreau, Weil, Gesbert, Dubois, Tello, Bossus, Gras, Tartar, Bertoglio, Chouaïb, Goldberg, Jacques, Alzari, and Thèze.
Bertoletti, A. *See* Maini, Boni, Lee, Larrubia, Reignat, Ogg, King, Herberg, Gilson, Alisa, Williams, Vergani, Naoumov, Ferrari, and Bertoletti.
Bevec, D. *See* Kruse, Rosorius, Krätzer, Bevec, Kuhnt, Steinkasserer, Schuler, and Hauber.
Bhardwaj, N. *See* Sauter, Albert, Francisco, Larsson, Somersan, and Bhardwaj.
Bickham, K.L. *See* Münz, Bickham, Subklewe, Tsang, Chahroudi, Kurilla, Zhang, O'Donnell, and Steinman.
Billadeau, D.D. *See* Lou, Jevremovic, Billadeau, and Leibson.
Bilo, K. *See* Taylor, Cross, and Bilo.
Bishop, A.C. *See* Weintraub, Jun, Bishop, Shokat, Thomas, and Goodnow.
Bjorkman, P.J. *See* Liu, Chirino, Misulovin, Leteux, Feizi, Nussenzweig, and Bjorkman.
Blair, P.J., Riley, J.L., Harlan, D.M., Abe, R., Tadaki, D.K., Hoffmann, S.C., White, L., Francomano, T., Perfetto, S.J., Kirk, A.D., and June, C.H. CD40 ligand (CD154) triggers a short-term $CD4^+$ T cell activation response that results in secretion of immunomodulatory cytokines and apoptosis. 651.
— *See* Riley, Schlienger, Blair, Carreno, Craighead, Kim, Carroll, and June.
Blanchong, C.A., Zhou, B., Rupert, K.L., Chung, E.K., Jones, K.N., Sotos, J.F., Zipf, W.B., Rennebohm, R.M., and Yu, C.Y. Deficiencies of human complement component C4A and C4B and heterozygosity in length variants of *RP-C4-CYP21-TNX* (RCCX) modules in caucasians: the load of RCCX genetic diversity on major histocompatibility complex–associated disease. 2183.
Blanco, J.C.G., Contursi, C., Salkowski, C.A., DeWitt, D.L., Ozato, K., and Vogel, S.N. Interferon regulatory factor (IRF)-1 and IRF-2 regulate interferon γ–dependent cyclooxygenase 2 expression. 2131.
Blander, J.M., Sant'Angelo, D.B., Bottomly, K., and Janeway, C.A., Jr. Alteration at a single amino acid residue in the T cell receptor α chain complementarity determining region 2 changes the differentiation of naive CD4 T cells in response to antigen from T helper cell type 1 (Th1) to Th2. 2065.
Blank, U. *See* Arudchandran, Brown, Peirce, Song, Zhang, Siraganian, Blank, and Rivera.
Bleackley, R.C. *See* Everett, Barry, Lee, Sun, Graham, Stone, Bleackley, and McFadden.
Blum, J.S. *See* Lich, Elliott, and Blum.
Boesen, T.P. *See* Lüttichau, Stine, Boesen, Johnsen, Chantry, Gerstoft, and Schwartz.
Bogdan, C., Donhauser, N., Döring, R., Röllinghoff, M., Diefenbach, A., and Rittig, M.G. Fibroblasts as host cells in latent leishmaniosis. 2121.
Boni, C. *See* Maini, Boni, Lee, Larrubia, Reignat, Ogg, King, Herberg, Gilson, Alisa, Williams, Vergani, Naoumov, Ferrari, and Bertoletti.
Bonnard, M. *See* Jones, Parsons, Bonnard, Chan, Yeh, Woodgett, and Ohashi.
Boone, D.L. *See* Ma, Boone, and Lodolce.
Bordoli, R.S. *See* Zhou, Sayad, Simmons, Jones, Maika, Satumtira, Dorris, Gaskell, Bordoli, Sartor, Slaughter, Richardson, Hammer, and Taurog.
Borysiewicz, L.K. *See* Labéta, Vidal, Rey Nores, Arias, Vita, Morgan, Guillemot, Loyaux, Ferrara, Schmid, Affolter, Borysiewicz, Donnet-Hughes, and Schiffrin.
Bosma, G.C. *See* Ruetsch, Bosma, and Bosma.
Bosma, M.J. *See* Ruetsch, Bosma, and Bosma.
Bosselut, R., Zhang, W., Ashe, J.M., Kopacz, J.L., Samelson, L.E., and Singer, A. Association of the adaptor molecule LAT with CD4 and CD8 coreceptors identifies a new coreceptor function in T cell receptor signal transduction [190(10):1517]: Correction. 585.
Bossus, M. *See* Eckenberg, Rose, Moreau, Weil, Gesbert, Dubois, Tello, Bossus, Gras, Tartar, Bertoglio, Chouaïb, Goldberg, Jacques, Alzari, and Thèze.
Bottomly, K. *See* Blander, Sant'Angelo, Bottomly, and Janeway.
Boucher, P.E. *See* Castellino, Boucher, Eichelberg, Mayhew, Rothman, Houghton, and Germain.
Bourque, K. *See* Li, Zhang, Kovacic, Long, Bourque, Wood, and Choi.
Bowman, E.P., Campbell, J.J., Soler, D., Dong, Z., Manlongat, N., Picarella, D., Hardy, R.R., and Butcher, E.C. Developmental switches in chemokine response profiles during B cell differentiation and maturation. 1303.
Braciale, T.J. *See* Spencer and Braciale.
Brasel, K. *See* Kennedy, Glaccum, Brown, Butz, Viney, Embers, Matsuki, Charrier, Sedger, Willis, Brasel, Morrissey, Stocking, Schuh, Joyce, and Peschon.
Bräuninger, A. *See* Jungnickel, Staratschek-Jox, Bräuninger, Spieker, Wolf, Diehl, Hansmann, Rajewsky, and Küppers.
— *See* Müschen, Rajewsky, Bräuninger, Baur, Oudejans, Roers, Hansmann, and Küppers.
Brauweiler, A., Tamir, I., Dal Porto, J., Benschop, R.J., Helgason, C.D., Humphries, R.K., Freed, J.H., and Cambier, J.C. Differential regulation of B cell development, activation, and death by the Src homology 2 domain–containing 5′ inositol phosphatase (SHIP). 1545.
Brdička, T., Pavlištová, D., Leo, A., Bruyns, E., Kořínek, V., Angelisová, P., Scherer, J., Shevchenko, A., Shevchenko,

A., Hilgert, I., Černý, J., Drbal, K., Kuramitsu, Y., Kornacker, B., Hořejší, V., and Schraven, B. Phosphoprotein associated with glycosphingolipid-enriched microdomains (PAG), a novel ubiquitously expressed transmembrane adaptor protein, binds the protein tyrosine kinase Csk and is involved in regulation of T cell activation. 1591.

Breathnach, R. *See* Moreau-Aubry, Le Guiner, Labarrière, Gesnel, Jotereau, and Breathnach.

Brennan, R.G. *See* Brown, Schumacher, Wiens, Brennan, and Rittenberg.

Brenner, M.B. *See* Spada, Grant, Peters, Sugita, Melián, Leslie, Lee, van Donselaar, Hanson, Krensky, Majdic, Porcelli, Morita, and Brenner.

— *See* Taraszka, Higgins, Tan, Mandelbrot, Wang, and Brenner.

Briand, J.P. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.

Bromberg, J.S. *See* Ding, Qin, Kotenko, Pestka, and Bromberg.

Bromme, D. *See* Shi, Bryant, Riese, Verhelst, Driessen, Li, Bromme, Ploegh, and Chapman.

Brosnan, C. *See* Falk, Rötzschke, Santambrogio, Dorf, Brosnan, and Strominger.

Brown, M., Schumacher, M.A., Wiens, G.D., Brennan, R.G., and Rittenberg, M.B. The structural basis of repertoire shift in an immune response to phosphocholine. 2101.

Brown, M.A. *See* Secor, Secor, Gutekunst, and Brown.

Brown, M.J. *See* Arudchandran, Brown, Peirce, Song, Zhang, Siraganian, Blank, and Rivera.

— *See* Komoriya, Packard, Brown, Wu, and Henkart.

Brown, S.N. *See* Kennedy, Glaccum, Brown, Butz, Viney, Embers, Matsuki, Charrier, Sedger, Willis, Brasel, Morrissey, Stocking, Schuh, Joyce, and Peschon.

Brunmark, A. *See* Hwang, Huang, Kishimoto, Brunmark, Peterson, Jackson, Surh, Cai, and Sprent.

Bruyns, E. *See* Brdička, Pavlištová, Leo, Bruyns, Kořínek, Angelisová, Scherer, Shevchenko, Shevchenko, Hilgert, Černý, Drbal, Kuramitsu, Kornacker, Hořejší, and Schraven.

Bryant, R.A.R. *See* Shi, Bryant, Riese, Verhelst, Driessen, Li, Bromme, Ploegh, and Chapman.

Bucana, C. *See* Moodycliffe, Shreedhar, Ullrich, Walterscheid, Bucana, Kripke, and Flores-Romo.

Bueler, H. *See* Klein, Bueler, and Mulligan.

Bullock, T.N.J. *See* Colella, Bullock, Russell, Mullins, Overwijk, Luckey, Pierce, Restifo, and Engelhard.

Burkhart, C. *See* Maloy, Burkhart, Junt, Odermatt, Oxenius, Piali, Zinkernagel, and Hengartner.

Burton, C. *See* Wright, Burton, Hernandez, Hassing, Montenegro, Mundt, Patel, Card, Hermanowski-Vosatka, Bergstrom, Sparrow, Detmers, and Chao.

Buser, R. *See* Chvatchko, Hoogewerf, Meyer, Alouani, Juillard, Buser, Conquet, Proudfoot, Wells, and Power.

Butcher, E.C. *See* Bowman, Campbell, Soler, Dong, Manlongat, Picarella, Hardy, and Butcher.

— *See* Warnock, Campbell, Dorf, Matsuzawa, McEvoy, and Butcher.

Butz, E.A. *See* Kennedy, Glaccum, Brown, Butz, Viney, Embers, Matsuki, Charrier, Sedger, Willis, Brasel, Morrissey, Stocking, Schuh, Joyce, and Peschon.

C

Cahalon, L. *See* Levite, Cahalon, Peretz, Hershkoviz, Sobko, Ariel, Desai, Attali, and Lider.

Cai, Z. *See* Hwang, Huang, Kishimoto, Brunmark, Peterson, Jackson, Surh, Cai, and Sprent.

Calbo, S. *See* Arstila, Arstila, Calbo, Selz, Malassis-Seris, Vassalli, Kourilsky, and Guy-Grand.

Cambier, J.C. *See* Brauweiler, Tamir, Dal Porto, Benschop, Helgason, Humphries, Freed, and Cambier.

Campbell, J.J. *See* Bowman, Campbell, Soler, Dong, Manlongat, Picarella, Hardy, and Butcher.

— *See* Warnock, Campbell, Dorf, Matsuzawa, McEvoy, and Butcher.

Canella, B. *See* Krogsgaard, Wucherpfennig, Canella, Hansen, Svejgaard, Pyrdol, Ditzel, Raine, Engberg, and Fugger.

Cantrell, D. *See* Matthews, Rozengurt, and Cantrell.

Cao, Z. *See* Schwandner, Yamaguchi, and Cao.

Caplan, A.I., and Dennis, J.E. Genetically linked scientists: the one-two punch for NFATp knockout. 1.

Capra, J.D. *See* Wilson, Wilson, Liu, Banchereau, Pascual, and Capra.

Caprio, J.C. *See* Legge, Min, Bell, Caprio, Li, Gregg, and Zaghouani.

Card, D.J. *See* Wright, Burton, Hernandez, Hassing, Montenegro, Mundt, Patel, Card, Hermanowski-Vosatka, Bergstrom, Sparrow, Detmers, and Chao.

Carding, S.R. *See* Egan and Carding.

Carreno, B. *See* Riley, Schlienger, Blair, Carreno, Craighead, Kim, Carroll, and June.

Carroll, R.G. *See* Riley, Schlienger, Blair, Carreno, Craighead, Kim, Carroll, and June.

Carsetti, R. The development of B cells in the bone marrow is controlled by the balance between cell-autonomous mechanisms and signals from the microenvironment. 5.

Cascalho, M. *See* García de Vinuesa, Cook, Ball, Drew, Sunners, Cascalho, Wabl, Klaus, and MacLennan.

Castellino, F., Boucher, P.E., Eichelberg, K., Mayhew, M., Rothman, J.E., Houghton, A.N., and Germain, R.N. Receptor-mediated uptake of antigen/heat shock protein complexes results in major histocompatibility complex class I antigen presentation via two distinct processing pathways. 1957.

Černý, J. *See* Brdička, Pavlištová, Leo, Bruyns, Kořínek, Angelisová, Scherer, Shevchenko, Shevchenko, Hilgert, Černý, Drbal, Kuramitsu, Kornacker, Hořejší, and Schraven.

Cesarman, E., Mesri, E.A., and Gershengorn, M.C. Viral G protein–coupled receptor and Kaposi's sarcoma: a model of paracrine neoplasia? 417.

Chahroudi, A. *See* Münz, Bickham, Subklewe, Tsang, Chahroudi, Kurilla, Zhang, O'Donnell, and Steinman.

Chai, W. *See* Leteux, Chai, Loveless, Yuen, Uhlin-Hansen, Combarnous, Jankovic, Maric, Misulovin, Nussenzweig, and Feizi.

Chan, L. *See* Collins, Velji, Guevara, Hicks, Chan, and Beaudet.

Chan, S.M. *See* Garza, Chan, Suri, Nguyen, Odermatt, Schoenberger, and Ohashi.

Chan, V.S.F. *See* Jones, Parsons, Bonnard, Chan, Yeh, Woodgett, and Ohashi.

Chancerel, B. *See* Pique, Ureta-Vidal, Gessain, Chancerel, Gout, Tamouza, Agis, and Dokhélar.

Chang, P.W. *See* Gresham, Dale, Potter, Chang, Vines, Lowell, Lagenaur, and Willman.

Chang, Y.C., Wickes, B.L., Miller, G.F., Penoyer, L.A., and Kwon-Chung, K.J. *Cryptococcus neoformans STE12*α regulates virulence but is not essential for mating. 871.

Chantry, D. *See* Lüttichau, Stine, Boesen, Johnsen, Chantry, Gerstoft, and Schwartz.

Chao, Y.-S. *See* Wright, Burton, Hernandez, Hassing, Montenegro, Mundt, Patel, Card, Hermanowski-Vosatka, Bergstrom, Sparrow, Detmers, and Chao.

Chapman, H.A. *See* Shi, Bryant, Riese, Verhelst, Driessen, Li, Bromme, Ploegh, and Chapman.

Chapman, R. *See* Lechner, Wong, Dunbar, Chapman, Chung, Dohrenwend, Robbins, Phillips, Klenerman, and Walker.

Chappel, S.M. *See* Helgason, Kalberer, Damen, Chappel, Pineault, Krystal, and Humphries.

Charland, C. *See* Diehl, Enslen, Fortner, Merritt, Stetson, Charland, Flavell, Davis, and Rincón.

Charrier, K. *See* Kennedy, Glaccum, Brown, Butz, Viney, Embers, Matsuki, Charrier, Sedger, Willis, Brasel, Morrissey, Stocking, Schuh, Joyce, and Peschon.

Chen, N.-Y. *See* Wen, Wong, Tang, Chen, Altieri, David, Flavell, and Sherwin.

Chen, R. *See* Song, Ma, Chen, and Stein.

Chen, S. *See* Li, Chen, Xu, Sundstedt, Paulson, Anderson, Karlsson, Sjögren, and Wang.

Chen, S.-C. *See* Yang, Chen, Leach, Manfra, Homey, Wiekowski, Sullivan, Jenh, Narula, Chensue, and Lira.

Chen, X. *See* Cunningham, Rondeau, Chen, Coughlin, Holdsworth, and Tipping.

Chen, X.P. *See* Liu, Khanna, Chen, Fink, and Hendricks.

Chen, Y. *See* Song, Chen, Göke, Wilmen, Seidel, Göke, Hilliard, and Chen.

Chen, Y.-T. *See* Jäger, Jäger, Karbach, Chen, Ritter, Nagata, Gnjatic, Stockert, Arand, Old, and Knuth.
Cheng, E. *See* Halaban, Cheng, Smicun, and Germino.
Chensue, S.W. *See* Yang, Chen, Leach, Manfra, Homey, Wiekowski, Sullivan, Jenh, Narula, Chensue, and Lira.
Cheshier, S.H. *See* Domen, Cheshier, and Weissman.
Cheung, S.W. *See* Villoslada, Hauser, Bartke, Unger, Heald, Rosenberg, Cheung, Mobley, Fisher, and Genain.
Chiang, N., Fierro, I.M., Gronert, K., and Serhan, C.N. Activation of lipoxin A_4 receptors by aspirin-triggered lipoxins and select peptides evokes ligand-specific responses in inflammation. 1197.
Chicheportiche, Y. *See* Fossati-Jimack, Ioan-Facsinay, Reininger, Chicheportiche, Watanabe, Saito, Hofhuis, Gessner, Schiller, Schmidt, Honjo, Verbeek, and Izui.
Chintalacharuvu, K.R. *See* Rifai, Fadden, Morrison, and Chintalacharuvu.
Chirino, A.J. *See* Liu, Chirino, Misulovin, Leteux, Feizi, Nussenzweig, and Bjorkman.
Chisari, F.V. *See* Guidotti, McClary, Loudis, and Chisari.
Choi, Y. *See* Josien, Li, Ingulli, Sarma, Wong, Vologodskaia, Steinman, and Choi.
Choi, Y.S. *See* Li, Zhang, Kovacic, Long, Bourque, Wood, and Choi.
Chouaïb, S. *See* Eckenberg, Rose, Moreau, Weil, Gesbert, Dubois, Tello, Bossus, Gras, Tartar, Bertoglio, Chouaïb, Goldberg, Jacques, Alzari, and Thèze.
Chuang, H.H. *See* Smith, Chuang, Wang, Salcedo, Heusel, and Yokoyama.
Chung, E.K. *See* Blanchong, Zhou, Rupert, Chung, Jones, Sotos, Zipf, Rennebohm, and Yu.
Chung, R.T. *See* Lechner, Wong, Dunbar, Chapman, Chung, Dohrenwend, Robbins, Phillips, Klenerman, and Walker.
Churchill, H.R.O., Andersen, P.S., Parke, E.A., Mariuzza, R.A., and Kranz, D.M. Mapping the energy of superantigen *Staphylococcus* enterotoxin C3 recognition of an α/β T cell receptor using alanine scanning mutagenesis. 835.
— *See* Lee, Churchill, Daniels, Jameson, and Kranz.
Chvatchko, Y., Hoogewerf, A.J., Meyer, A., Alouani, S., Juillard, P., Buser, R., Conquet, F., Proudfoot, A.E.I., Wells, T.N.C., and Power, C.A. A key role for CC chemokine receptor 4 in lipopolysaccharide-induced endotoxic shock. 1755.
Clapp, D.W. *See* Ingram, Yang, Travers, Wenning, Hiatt, New, Hood, Shannon, Williams, and Clapp.
Clark, E.A. *See* Marshall, Niiro, Lerner, Yun, Thomas, Disteche, and Clark.
Cohen, A. *See* Arpaia, Benveniste, Di Cristofano, Gu, Dalal, Kelly, Hershfield, Pandolfi, Roifman, and Cohen.
Cointe, D. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.
Colella, T.A., Bullock, T.N.J., Russell, L.B., Mullins, D.W., Overwijk, W.W., Luckey, C.J., Pierce, R.A., Restifo, N.P., and Engelhard, V.H. Self-tolerance to the murine homologue of a tyrosinase-derived melanoma antigen: implications for tumor immunotherapy. 1221.
Coler, R. *See* Alderson, Bement, Day, Zhu, Molesh, Skeiky, Coler, Lewinsohn, Reed, and Dillon.
Collins, R.G., Velji, R., Guevara, N.V., Hicks, M.J., Chan, L., and Beaudet, A.L. P-selectin or intercellular adhesion molecule (ICAM)-1 deficiency substantially protects against atherosclerosis in apolipoprotein E–deficient mice. 189.
Colmenares, M. *See* Kima, Constant, Hannum, Colmenares, Lee, Haberman, Shlomchik, and McMahon-Pratt.
Combarnous, Y. *See* Leteux, Chai, Loveless, Yuen, Uhlin-Hansen, Combarnous, Jankovic, Maric, Misulovin, Nussenzweig, and Feizi.
Connor, R.I. *See* Metzner, Jin, Lee, Gettie, Bauer, Di Mascio, Perelson, Marx, Ho, Kostrikis, and Connor.
Conquet, F. *See* Chvatchko, Hoogewerf, Meyer, Alouani, Juillard, Buser, Conquet, Proudfoot, Wells, and Power.
Constant, S.L. *See* Kima, Constant, Hannum, Colmenares, Lee, Haberman, Shlomchik, and McMahon-Pratt.
Contursi, C. *See* Blanco, Contursi, Salkowski, DeWitt, Ozato, and Vogel.
Cook, H.T. *See* Ehrenstein, Cook, and Neuberger.
Cook, M.C. *See* García de Vinuesa, Cook, Ball, Drew, Sunners, Cascalho, Wabl, Klaus, and MacLennan.
Cool, M. *See* McHeyzer-Williams, Cool, and McHeyzer-Williams.
Corver, W.E. *See* Koopman, Corver, van der Slik, Giphart, and Fleuren.
Costantini, P. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.
Coughlin, S.R. *See* Cunningham, Rondeau, Chen, Coughlin, Holdsworth, and Tipping.
Coureau, C. *See* Foucras, Gapin, Coureau, Kanellopoulos, and Guéry.
Covacci, A., and Rappuoli, R. Tyrosine-phosphorylated bacterial proteins: Trojan horses for the host cell. 587.
Coyle, A.J. *See* Lloyd, Delaney, Nguyen, Tian, Martinez-A, Coyle, and Gutierrez-Ramos.
Craighead, N. *See* Riley, Schlienger, Blair, Carreno, Craighead, Kim, Carroll, and June.
Cretney, E. *See* Körner, Cretney, Wilhelm, Kelly, Röllinghoff, Sedgwick, and Smyth.
— *See* Smyth, Thia, Street, Cretney, Trapani, Taniguchi, Kawano, Pelikan, Crowe, and Godfrey.
Cross, H.F. *See* Taylor, Cross, and Bilo.
Crowe, N.Y. *See* Smyth, Thia, Street, Cretney, Trapani, Taniguchi, Kawano, Pelikan, Crowe, and Godfrey.
Crowley, M.T. *See* Fitzer-Attas, Lowry, Crowley, Finn, Meng, DeFranco, and Lowell.
Cunningham, M.A., Rondeau, E., Chen, X., Coughlin, S.R., Holdsworth, S.R., and Tipping, P.G. Protease-activated receptor 1 mediates thrombin-dependent, cell-mediated renal inflammation in crescentic glomerulonephritis. 455.

D

Dahl, A.M., Klein, C., Andres, P.G., London, C.A., Lodge, M.P., Mulligan, R.C., and Abbas, A.K. Expression of Bcl-X_L restores cell survival, but not proliferation and effector differentiation, in CD28-deficient T lymphocytes. 2031.
Dalal, I. *See* Arpaia, Benveniste, Di Cristofano, Gu, Dalal, Kelly, Hershfield, Pandolfi, Roifman, and Cohen.
Dale, B.M. *See* Gresham, Dale, Potter, Chang, Vines, Lowell, Lagenaur, and Willman.
Dal Porto, J. *See* Brauweiler, Tamir, Dal Porto, Benschop, Helgason, Humphries, Freed, and Cambier.
Damen, J.E. *See* Helgason, Kalberer, Damen, Chappel, Pineault, Krystal, and Humphries.
Daniels, M. *See* Lee, Churchill, Daniels, Jameson, and Kranz.
Daniels, M.A., and Jameson, S.C. Critical role for CD8 in T cell receptor binding and activation by peptide/major histocompatibility complex multimers. 335.
Daugas, E. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.
David, C. *See* Wen, Wong, Tang, Chen, Altieri, David, Flavell, and Sherwin.
Davis, R.J. *See* Diehl, Enslen, Fortner, Merritt, Stetson, Charland, Flavell, Davis, and Rincón.
— *See* Weiss, Whitmarsh, Yang, Rincón, Davis, and Flavell.
Day, C.H. *See* Alderson, Bement, Day, Zhu, Molesh, Skeiky, Coler, Lewinsohn, Reed, and Dillon.
de Baey, A., and Lanzavecchia, A. The role of aquaporins in dendritic cell macropinocytosis. 743.
DeFranco, A.L. *See* Fitzer-Attas, Lowry, Crowley, Finn, Meng, DeFranco, and Lowell.
Delaney, T. *See* Lloyd, Delaney, Nguyen, Tian, Martinez-A, Coyle, and Gutierrez-Ramos.
Del Giudice, G. *See* Satin, Del Giudice, Della Bianca, Dusi, Laudanna, Tonello, Kelleher, Rappuoli, Montecucco, and Rossi.
Della Bianca, V. *See* Satin, Del Giudice, Della Bianca, Dusi, Laudanna, Tonello, Kelleher, Rappuoli, Montecucco, and Rossi.
Delovitch, T.L. *See* Zhang, Gao, Salojin, Shao, Grattan, Meagher, Laird, and Delovitch.
Del Sero, G. *See* Fe d'Ostiani, Del Sero, Bacci, Montagnoli, Spreca, Mencacci, Ricciardi-Castagnoli, and Romani.

Denis, C.V. *See* Frenette, Denis, Weiss, Jurk, Subbarao, Kehrel, Hartwig, Vestweber, and Wagner.
Denning, G.M. *See* Malik, Denning, and Kusner.
Dennis, J.E. *See* Caplan and Dennis.
Desai, R. *See* Levite, Cahalon, Peretz, Hershkoviz, Sobko, Ariel, Desai, Attali, and Lider.
Detmers, P.A. *See* Wright, Burton, Hernandez, Hassing, Montenegro, Mundt, Patel, Card, Hermanowski-Vosatka, Bergstrom, Sparrow, Detmers, and Chao.
DeWitt, D.L. *See* Blanco, Contursi, Salkowski, DeWitt, Ozato, and Vogel.
Di Cristofano, A. *See* Arpaia, Benveniste, Di Cristofano, Gu, Dalal, Kelly, Hershfield, Pandolfi, Roifman, and Cohen.
Diefenbach, A. *See* Bogdan, Donhauser, Döring, Röllinghoff, Diefenbach, and Rittig.
Diehl, N.L., Enslen, H., Fortner, K.A., Merritt, C., Stetson, N., Charland, C., Flavell, R.A., Davis, R.J., and Rincón, M. Activation of the p38 mitogen-activated protein kinase pathway arrests cell cycle progression and differentiation of immature thymocytes in vivo. 321.
Diehl, V. *See* Jungnickel, Staratschek-Jox, Bräuninger, Spieker, Wolf, Diehl, Hansmann, Rajewsky, and Küppers.
Dillon, D.C. *See* Alderson, Bement, Day, Zhu, Molesh, Skeiky, Coler, Lewinsohn, Reed, and Dillon.
Di Mascio, M. *See* Metzner, Jin, Lee, Gettie, Bauer, Di Mascio, Perelson, Marx, Ho, Kostrikis, and Connor.
Ding, Y., Qin, L., Kotenko, S.V., Pestka, S., and Bromberg, J.S. A single amino acid determines the immunostimulatory activity of interleukin 10. 213.
Di Pucchio, T. *See* Santini, Lapenta, Logozzi, Parlato, Spada, Di Pucchio, and Belardelli.
Diserens, A.-C. *See* Tenan, Fulci, Albertoni, Diserens, Hamou, El Atifi-Borel, Feige, Pepper, and Van Meir.
Disteche, C.M. *See* Marshall, Niiro, Lerner, Yun, Thomas, Disteche, and Clark.
Ditzel, H. *See* Krogsgaard, Wucherpfennig, Canella, Hansen, Svejgaard, Pyrdol, Ditzel, Raine, Engberg, and Fugger.
Dixit, V.M. *See* Sosinowski, Pandey, Dixit, and Weiss.
Dohrenwend, P. *See* Lechner, Wong, Dunbar, Chapman, Chung, Dohrenwend, Robbins, Phillips, Klenerman, and Walker.
Dokhélar, M.-C. *See* Pique, Ureta-Vidal, Gessain, Chancerel, Gout, Tamouza, Agis, and Dokhélar.
Domen, J., Cheshier, S.H., and Weissman, I.L. The role of apoptosis in the regulation of hematopoietic stem cells: overexpression of *BCL-2* increases both their number and repopulation potential. 253.
Dong, Z. *See* Bowman, Campbell, Soler, Dong, Manlongat, Picarella, Hardy, and Butcher.
Donhauser, N. *See* Bogdan, Donhauser, Döring, Röllinghoff, Diefenbach, and Rittig.
Donnet-Hughes, A. *See* Labéta, Vidal, Rey Nores, Arias, Vita, Morgan, Guillemot, Loyaux, Ferrara, Schmid, Affolter, Borysiewicz, Donnet-Hughes, and Schiffrin.
Dorf, M.E. *See* Falk, Rötzschke, Santambrogio, Dorf, Brosnan, and Strominger.
— *See* Stein, Rot, Luo, Narasimhaswamy, Nakano, Gunn, Matsuzawa, Quackenbush, Dorf, and von Andrian.
— *See* Warnock, Campbell, Dorf, Matsuzawa, McEvoy, and Butcher.
Döring, R. *See* Bogdan, Donhauser, Döring, Röllinghoff, Diefenbach, and Rittig.
Dorris, M.L. *See* Zhou, Sayad, Simmons, Jones, Maika, Satumtira, Dorris, Gaskell, Bordoli, Sartor, Slaughter, Richardson, Hammer, and Taurog.
Drbal, K. *See* Brdička, Pavlištová, Leo, Bruyns, Kořínek, Angelisová, Scherer, Shevchenko, Shevchenko, Hilgert, Černý, Drbal, Kuramitsu, Kornacker, Hořejší, and Schraven.
Drew, M. *See* García de Vinuesa, Cook, Ball, Drew, Sunners, Cascalho, Wabl, Klaus, and MacLennan.
Driessen, C. *See* Shi, Bryant, Riese, Verhelst, Driessen, Li, Bromme, Ploegh, and Chapman.
Druillennec, S. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.
Dubois, S. *See* Eckenberg, Rose, Moreau, Weil, Gesbert, Dubois, Tello, Bossus, Gras, Tartar, Bertoglio, Chouaïb, Goldberg, Jacques, Alzari, and Thèze.
Duff, G.W. *See* Nicklin, Hughes, Barton, Ure, and Duff.
Dunbar, P.R. *See* Lechner, Wong, Dunbar, Chapman, Chung, Dohrenwend, Robbins, Phillips, Klenerman, and Walker.
Durum, S.D. *See* Schlissel, Durum, and Muegge.
Dusi, S. *See* Satin, Del Giudice, Della Bianca, Dusi, Laudanna, Tonello, Kelleher, Rappuoli, Montecucco, and Rossi.

E

Eckenberg, R., Rose, T., Moreau, J.-L., Weil, R., Gesbert, F., Dubois, S., Tello, D., Bossus, M., Gras, H., Tartar, A., Bertoglio, J., Chouaïb, S., Goldberg, M., Jacques, Y., Alzari, P.M., and Thèze, J. The first α helix of interleukin (IL)-2 folds as a homotetramer, acts as an agonist of the IL-2 receptor β chain, and induces lymphokine-activated killer cells. 529.
Edelmann, W. *See* Wiesendanger, Kneitz, Edelmann, and Scharff.
Efstathiou, S. *See* Parry, Simas, Smith, Stewart, Minson, Efstathiou, and Alcami.
Egan, P.J., and Carding, S.R. Downmodulation of the inflammatory response to bacterial infection by γδ T cells cytotoxic for activated macrophages. 2145.
Ehrenstein, M.R., Cook, H.T., and Neuberger, M.S. Deficiency in serum immunoglobulin (Ig)M predisposes to development of IgG autoantibodies. 1253.
Ehrhardt, R.O. *See* Nishikomori, Ehrhardt, and Strober.
Eichelberg, K. *See* Castellino, Boucher, Eichelberg, Mayhew, Rothman, Houghton, and Germain.
Eichmann, K. *See* Lucchiari-Hartz, van Endert, Lauvau, Maier, Meyerhans, Mann, Eichmann, and Niedermann.
Eisen, H.N. *See* Huang, Richmond, Suzue, Eisen, and Young.
El Atifi-Borel, M. *See* Tenan, Fulci, Albertoni, Diserens, Hamou, El Atifi-Borel, Feige, Pepper, and Van Meir.
El Khoury, J. *See* Thomas, Li, Kodama, Suzuki, Silverstein, and El Khoury.
Elkins, K.L. *See* Leef, Elkins, Barbic, and Shahin.
Elliott, J.F. *See* Lich, Elliott, and Blum.
Eloranta, M.-L. *See* Glas, Frankssson, Une, Eloranta, Öhlén, Örn, and Kärre.
Embers, M. *See* Kennedy, Glaccum, Brown, Butz, Viney, Embers, Matsuki, Charrier, Sedger, Willis, Brasel, Morrissey, Stocking, Schuh, Joyce, and Peschon.
Engberg, J. *See* Krogsgaard, Wucherpfennig, Canella, Hansen, Svejgaard, Pyrdol, Ditzel, Raine, Engberg, and Fugger.
Engelhard, V.H. *See* Colella, Bullock, Russell, Mullins, Overwijk, Luckey, Pierce, Restifo, and Engelhard.
Enslen, H. *See* Diehl, Enslen, Fortner, Merritt, Stetson, Charland, Flavell, Davis, and Rincón.
Eshima, K. *See* Green, Wong, Eshima, Mora, and Flavell.
Estevéz-Schwarz, L. *See* Janke, Schlüter, Jandrig, Theile, Kölble, Arnold, Grinstein, Schwartz, Estevéz-Schwarz, Schlag, Jockusch, and Scherneck.
Everett, H., Barry, M., Lee, S.F., Sun, X., Graham, K., Stone, J., Bleackley, R.C., and McFadden, G. M11L: a novel mitochondria-localized protein of myxoma virus that blocks apoptosis of infected leukocytes. 1487.

F

Fadden, K. *See* Rifai, Fadden, Morrison, and Chintalacharuvu.
Fagarasan, S., Shinkura, R., Kamata, T., Nogaki, F., Ikuta, K., Tashiro, K., and Honjo, T. Alymphoplasia (*aly*)-type nuclear factor κB–inducing kinase (NIK) causes defects in secondary lymphoid tissue chemokine receptor signaling and homing of peritoneal cells to the gut-associated lymphatic tissue system. 1477.
Falk, K., Rötzschke, O., Santambrogio, L., Dorf, M.E., Brosnan, C., and Strominger, J.L. Induction and suppression of an autoimmune disease by oligomerized T cell epitopes: enhanced in vivo potency of encephalitogenic peptides. 717.
Fallon, P.G. *See* Townsend, Fallon, Matthews, Jolin, and McKenzie.
Fan, P. *See* Zhong, Liu, Fan, Fan, and Ji.
Fan, T. *See* Zhong, Liu, Fan, Fan, and Ji.

Fe d'Ostiani, C., Del Sero, G., Bacci, A., Montagnoli, C., Spreca, A., Mencacci, A., Ricciardi-Castagnoli, P., and Romani, L. Dendritic cells discriminate between yeasts and hyphae of the fungus *Candida albicans*: implications for initiation of T helper cell immunity in vitro and in vivo. 1661.

Feige, J.-J. *See* Tenan, Fulci, Albertoni, Diserens, Hamou, El Atifi-Borel, Feige, Pepper, and Van Meir.

Feizi, T. *See* Leteux, Chai, Loveless, Yuen, Uhlin-Hansen, Combarnous, Jankovic, Maric, Misulovin, Nussenzweig, and Feizi.

— *See* Liu, Chirino, Misulovin, Leteux, Feizi, Nussenzweig, and Bjorkman.

Fernandez-Luna, J.L. *See* Horita, Andreu, Benito, Arbona, Sanz, Benet, Prosper, and Fernandez-Luna.

Ferrara, P. *See* Labéta, Vidal, Rey Nores, Arias, Vita, Morgan, Guillemot, Loyaux, Ferrara, Schmid, Affolter, Borysiewicz, Donnet-Hughes, and Schiffrin.

Ferrari, C. *See* Maini, Boni, Lee, Larrubia, Reignat, Ogg, King, Herberg, Gilson, Alisa, Williams, Vergani, Naoumov, Ferrari, and Bertoletti.

Ferrero, I. *See* Radtke, Ferrero, Wilson, Lees, Aguet, and MacDonald.

Ferri, K.F. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.

Fierro, I.M. *See* Chiang, Fierro, Gronert, and Serhan.

Fink, D.J. *See* Liu, Khanna, Chen, Fink, and Hendricks.

Finn, A.J. *See* Fitzer-Attas, Lowry, Crowley, Finn, Meng, DeFranco, and Lowell.

Fisher, S. *See* Villoslada, Hauser, Bartke, Unger, Heald, Rosenberg, Cheung, Mobley, Fisher, and Genain.

Fitch, D. *See* Lee, Fitch, Flajnik, and Hsu.

Fitzer-Attas, C.J., Lowry, M., Crowley, M.T., Finn, A.J., Meng, F., DeFranco, A.L., and Lowell, C.A. Fcγ receptor–mediated phagocytosis in macrophages lacking the Src family tyrosine kinases Hck, Fgr, and Lyn. 669.

Flajnik, M.F. *See* Lee, Fitch, Flajnik, and Hsu.

Flavell, R. *See* Wen, Wong, Tang, Chen, Altieri, David, Flavell, and Sherwin.

Flavell, R.A. *See* Diehl, Enslen, Fortner, Merritt, Stetson, Charland, Flavell, Davis, and Rincón.

— *See* Green, Wong, Eshima, Mora, and Flavell.

— *See* Pierre, Shachar, Matza, Gatti, Flavell, and Mellman.

— *See* Weiss, Whitmarsh, Yang, Rincón, Davis, and Flavell.

Fleuren, G.J. *See* Koopman, Corver, van der Slik, Giphart, and Fleuren.

Flores-Romo, L. *See* Moodycliffe, Shreedhar, Ullrich, Walterscheid, Bucana, Kripke, and Flores-Romo.

Fortner, K.A. *See* Diehl, Enslen, Fortner, Merritt, Stetson, Charland, Flavell, Davis, and Rincón.

Fossati-Jimack, L., Ioan-Facsinay, A., Reininger, L., Chicheportiche, Y., Watanabe, N., Saito, T., Hofhuis, F.M.A., Gessner, J.E., Schiller, C., Schmidt, R.E., Honjo, T., Verbeek, J.S., and Izui, S. Markedly different pathogenicity of four immunoglobulin G isotype-switch variants of an antierythrocyte autoantibody is based on their capacity to interact in vivo with the low-affinity Fcγ receptor III. 1293.

Foster, D. *See* Young, Sukhova, Foster, Kisiel, Libby, and Schönbeck.

Foucras, G., Gapin, L., Coureau, C., Kanellopoulos, J.M., and Guéry, J.-C. Interleukin 4–producing CD4 T cells arise from different precursors depending on the conditions of antigen exposure in vivo. 683.

Francisco, L. *See* Sauter, Albert, Francisco, Larsson, Somersan, and Bhardwaj.

Francomano, T. *See* Blair, Riley, Harlan, Abe, Tadaki, Hoffmann, White, Francomano, Perfetto, Kirk, and June.

Franksson, L. *See* Glas, Franksson, Une, Eloranta, Öhlén, Örn, and Kärre.

Fraser, J.D. *See* Proft, Moffatt, Weller, Paterson, Martin, and Fraser.

Freed, J.H. *See* Brauweiler, Tamir, Dal Porto, Benschop, Helgason, Humphries, Freed, and Cambier.

Frenette, P.S., Denis, C.V., Weiss, L., Jurk, K., Subbarao, S., Kehrel, B., Hartwig, J.H., Vestweber, D., and Wagner, D.D. P-selectin glycoprotein ligand 1 (PSGL-1) is expressed on platelets and can mediate platelet–endothelial interactions in vivo. 1413.

Friedman, H.M. *See* Lubinski, Wang, Mastellos, Sahu, Lambris, and Friedman.

Fu, Y.-X. *See* Siegel, Schreiber, Meredith, Beck-Engeser, Lancki, Lazarski, Fu, Rowley, and Schreiber.

Fugger, L. *See* Krogsgaard, Wucherpfennig, Canella, Hansen, Svejgaard, Pyrdol, Ditzel, Raine, Engberg, and Fugger.

Fulci, G. *See* Tenan, Fulci, Albertoni, Diserens, Hamou, El Atifi-Borel, Feige, Pepper, and Van Meir.

Futagawa, T. *See* Akiba, Miyahira, Atsuta, Takeda, Nohara, Futagawa, Matsuda, Aoki, Yagita, and Okumura.

G

Gabel, C.A. *See* Allen, Svensson, Roach, Hambor, McNeish, and Gabel.

Galvan, M. *See* Harrington, Galvan, Baum, Altman, and Ahmed.

Gao, J.-X. *See* Zhang, Gao, Salojin, Shao, Grattan, Meagher, Laird, and Delovitch.

Gapin, L. *See* Foucras, Gapin, Coureau, Kanellopoulos, and Guéry.

Garceau, N., Kosaka, Y., Masters, S., Hambor, J., Shinkura, R., Honjo, T., and Noelle, R.J. Lineage-restricted function of nuclear factor κB–inducing kinase (NIK) in transducing signals via CD40. 381.

García de Vinuesa, C., Cook, M.C., Ball, J., Drew, M., Sunners, Y., Cascalho, M., Wabl, M., Klaus, G.G.B., and MacLennan, I.C.M. Germinal centers without T cells. 485.

Garza, K.M., Chan, S.M., Suri, R., Nguyen, L.T., Odermatt, B., Schoenberger, S.P., and Ohashi, P.S. Role of antigen-presenting cells in mediating tolerance and autoimmunity. 2021.

Gaskell, S.J. *See* Zhou, Sayad, Simmons, Jones, Maika, Satumtira, Dorris, Gaskell, Bordoli, Sartor, Slaughter, Richardson, Hammer, and Taurog.

Gatti, E. *See* Pierre, Shachar, Matza, Gatti, Flavell, and Mellman.

Gaudin, E. *See* Launay, Grossetête, Arcos-Fajardo, Gaudin, Torres, Beaudoin, Patey-Mariaud de Serre, Lehuen, and Monteiro.

Gautam, N., Herwald, H., Hedqvist, P., Lindbom, L. Signaling via β_2 integrins triggers neutrophil-dependent alteration in endothelial barrier function. 1829.

Gejyo, F. *See* Kaneko, Harada, Kawano, Yamashita, Shibata, Gejyo, Nakayama, and Taniguchi.

Genain, C.P. *See* Villoslada, Hauser, Bartke, Unger, Heald, Rosenberg, Cheung, Mobley, Fisher, and Genain.

Germain, R.N. *See* Castellino, Boucher, Eichelberg, Mayhew, Rothman, Houghton, and Germain.

— *See* Inaba, Turley, Iyoda, Yamaide, Shimoyama, Reis e Sousa, Germain, Mellman, and Steinman.

Germino, J. *See* Halaban, Cheng, Smicun, and Germino.

Gerondakis, S. *See* Grumont and Gerondakis.

Gershengorn, M.C. *See* Cesarman, Mesri, and Gershengorn.

Gerstenfeld, L.C. *See* Ranger, Gerstenfeld, Wang, Kon, Bae, Gravallese, Glimcher, and Glimcher.

Gerstoft, J. *See* Lüttichau, Stine, Boesen, Johnsen, Chantry, Gerstoft, and Schwartz.

Gesbert, F. *See* Eckenberg, Rose, Moreau, Weil, Gesbert, Dubois, Tello, Bossus, Gras, Tartar, Bertoglio, Chouaïb, Goldberg, Jacques, Alzari, and Thèze.

Gesnel, M.-C. *See* Moreau-Aubry, Le Guiner, Labarrière, Gesnel, Jotereau, and Breathnach.

Gessain, A. *See* Pique, Ureta-Vidal, Gessain, Chancerel, Gout, Tamouza, Agis, and Dokhélar.

Gessner, J.E. *See* Fossati-Jimack, Ioan-Facsinay, Reininger, Chicheportiche, Watanabe, Saito, Hofhuis, Gessner, Schiller, Schmidt, Honjo, Verbeek, and Izui.

Gettie, A. *See* Metzner, Jin, Lee, Gettie, Bauer, Di Mascio, Perelson, Marx, Ho, Kostrikis, and Connor.

Ghoreishi, M. *See* Yokozeki, Ghoreishi, Takagawa, Takayama, Satoh, Katayama, Takeda, Akira, and Nishioka.

Gilson, R. *See* Maini, Boni, Lee, Larrubia, Reignat, Ogg, King, Herberg, Gilson, Alisa, Williams, Vergani, Naoumov, Ferrari, and Bertoletti.

Giphart, M.J. *See* Koopman, Corver, van der Slik, Giphart, and Fleuren.

Glaccum, M. *See* Kennedy, Glaccum, Brown, Butz, Viney, Embers, Matsuki, Charrier, Sedger, Willis, Brasel, Morrissey, Stocking, Schuh, Joyce, and Peschon.

Glas, R., Franksson, L., Une, C., Eloranta, M.-L., Öhlén, C., Örn, A., and Kärre, K. Recruitment and activation of natural killer (NK) cells in vivo determined by the target cell phenotype: an adaptive component of NK cell–mediated responses. 129.

Glimcher, L.H. *See* Ranger, Gerstenfeld, Wang, Kon, Bae, Gravallese, Glimcher, and Glimcher.
Glimcher, M.J. *See* Ranger, Gerstenfeld, Wang, Kon, Bae, Gravallese, Glimcher, and Glimcher.
Gnjatic, S. *See* Jäger, Jäger, Karbach, Chen, Ritter, Nagata, Gnjatic, Stockert, Arand, Old, and Knuth.
Godfrey, D.I. *See* Smyth, Thia, Street, Cretney, Trapani, Taniguchi, Kawano, Pelikan, Crowe, and Godfrey.
Göke, A. *See* Song, Chen, Göke, Wilmen, Seidel, Göke, Hilliard, and Chen.
Göke, R. *See* Song, Chen, Göke, Wilmen, Seidel, Göke, Hilliard, and Chen.
Goldberg, M. *See* Eckenberg, Rose, Moreau, Weil, Gesbert, Dubois, Tello, Bossus, Gras, Tartar, Bertoglio, Chouaïb, Goldberg, Jacques, Alzari, and Thèze.
Gonzalez-Aseguinolaza, G. *See* Nagaoka, Gonzalez-Aseguinolaza, Tsuji, and Nussenzweig.
Goodnow, C.C. *See* Pogue and Goodnow.
— *See* Weintraub, Jun, Bishop, Shokat, Thomas, and Goodnow.
Gout, O. *See* Pique, Ureta-Vidal, Gessain, Chancerel, Gout, Tamouza, Agis, and Dokhélar.
Goverman, J. *See* Huseby and Goverman.
Graham, K. *See* Everett, Barry, Lee, Sun, Graham, Stone, Bleackley, and McFadden.
Grant, E.P. *See* Spada, Grant, Peters, Sugita, Melián, Leslie, Lee, van Donselaar, Hanson, Krensky, Majdic, Porcelli, Morita, and Brenner.
Gras, H. *See* Eckenberg, Rose, Moreau, Weil, Gesbert, Dubois, Tello, Bossus, Gras, Tartar, Bertoglio, Chouaïb, Goldberg, Jacques, Alzari, and Thèze.
Grattan, M. *See* Zhang, Gao, Salojin, Shao, Grattan, Meagher, Laird, and Delovitch.
Gravallese, E.M. *See* Ranger, Gerstenfeld, Wang, Kon, Bae, Gravallese, Glimcher, and Glimcher.
Gray, D. *See* White and Gray.
Green, E.A., Wong, F.S., Eshima, K., Mora, C., and Flavell, R.A. Neonatal tumor necrosis factor α promotes diabetes in non-obese diabetic mice by CD154-independent antigen presentation to $CD8^+$ T cells. 225.
Gregg, R.K. *See* Legge, Min, Bell, Caprio, Li, Gregg, and Zaghouani.
Gresham, H.D., Dale, B.M., Potter, J.W., Chang, P.W., Vines, C.M., Lowell, C.A., Lagenaur, C.F., and Willman, C.L. Negative regulation of phagocytosis in murine macrophages by the Src kinase family member, Fgr. 515.
Gress, R.E. *See* Lucas, Kim, Melby, and Gress.
Grinstein, E. *See* Janke, Schlüter, Jandrig, Theile, Kölble, Arnold, Grinstein, Schwartz, Estevéz-Schwarz, Schlag, Jockusch, and Scherneck.
Gronert, K. *See* Chiang, Fierro, Gronert, and Serhan.
Grossetête, B. *See* Launay, Grossetête, Arcos-Fajardo, Gaudin, Torres, Beaudoin, Patey-Mariaud de Serre, Lehuen, and Monteiro.
Grumont, R.J., and Gerondakis, S. Rel induces interferon regulatory factor 4 (*IRF-4*) expression in lymphocytes: modulation of interferon-regulated gene expression by Rel/nuclear factor κB. 1281.
Grüneberg, U. *See* van Ham, van Lith, Lillemeier, Tjin, Grüneberg, Rahman, Pastoors, van Meijgaarden, Roucard, Trowsdale, Ottenhoff, Pappin, and Neefjes.
Gu, Y. *See* Arpaia, Benveniste, Di Cristofano, Gu, Dalal, Kelly, Hershfield, Pandolfi, Roifman, and Cohen.
Guéry, J.-C. *See* Foucras, Gapin, Coureau, Kanellopoulos, and Guéry.
Guevara, N.V. *See* Collins, Velji, Guevara, Hicks, Chan, and Beaudet.
Guidotti, L.G., McClary, H., Loudis, J.M., and Chisari, F.V. Nitric oxide inhibits hepatitis B virus replication in the livers of transgenic mice. 1247.
Guillemot, J.C. *See* Labéta, Vidal, Rey Nores, Arias, Vita, Morgan, Guillemot, Loyaux, Ferrara, Schmid, Affolter, Borysiewicz, Donnet-Hughes, and Schiffrin.
Gunn, M.D. *See* Stein, Rot, Luo, Narasimhaswamy, Nakano, Gunn, Matsuzawa, Quackenbush, Dorf, and von Andrian.
Günthert, U. *See* Wittig, Johansson, Zöller, Schwärzler, and Günthert.
Guo, A. *See* Zhong, Salomoni, Ronchetti, Guo, Ruggero, and Pandolfi.
Gurunathan, S. *See* He, Gurunathan, Iwasaki, Ash-Shaheed, and Kelsall.
Gutekunst, C.-A. *See* Secor, Secor, Gutekunst, and Brown.
Gutierrez-Ramos, J.-C. *See* Lloyd, Delaney, Nguyen, Tian, Martinez-A, Coyle, and Gutierrez-Ramos.
Guy-Grand, D. *See* Arstila, Arstila, Calbo, Selz, Malassis-Seris, Vassalli, Kourilsky, and Guy-Grand.

H

Haberman, A.M. *See* Kima, Constant, Hannum, Colmenares, Lee, Haberman, Shlomchik, and McMahon-Pratt.
Halaban, R., Cheng, E., Smicun, Y., and Germino, J. Deregulated E2F transcriptional activity in autonomously growing melanoma cells. 1005.
Hambor, J. *See* Allen, Svensson, Roach, Hambor, McNeish, and Gabel.
— *See* Garceau, Kosaka, Masters, Hambor, Shinkura, Honjo, and Noelle.
Hammer, R.E. *See* Zhou, Sayad, Simmons, Jones, Maika, Satumtira, Dorris, Gaskell, Bordoli, Sartor, Slaughter, Richardson, Hammer, and Taurog.
Hamou, M.-F. *See* Tenan, Fulci, Albertoni, Diserens, Hamou, El Atifi-Borel, Feige, Pepper, and Van Meir.
Hannum, L. *See* Kima, Constant, Hannum, Colmenares, Lee, Haberman, Shlomchik, and McMahon-Pratt.
Hansen, B.E. *See* Krogsgaard, Wucherpfennig, Canella, Hansen, Svejgaard, Pyrdol, Ditzel, Raine, Engberg, and Fugger.
Hansmann, M.-L. *See* Jungnickel, Staratschek-Jox, Bräuninger, Spieker, Wolf, Diehl, Hansmann, Rajewsky, and Küppers.
— *See* Müschen, Rajewsky, Bräuninger, Baur, Oudejans, Roers, Hansmann, and Küppers.
Hanson, D.A. *See* Spada, Grant, Peters, Sugita, Melián, Leslie, Lee, van Donselaar, Hanson, Krensky, Majdic, Porcelli, Morita, and Brenner.
Harada, M. *See* Kaneko, Harada, Kawano, Yamashita, Shibata, Gejyo, Nakayama, and Taniguchi.
Haraguchi, M., Torii, S., Matsuzawa, S.-i., Xie, Z., Kitada, S., Krajewski, S., Yoshida, H., Mak, T.W., and Reed, J.C. Apoptotic protease activating factor 1 (Apaf-1)–independent cell death suppression by Bcl-2. 1709.
Hardy, R.R. *See* Bowman, Campbell, Soler, Dong, Manlongat, Picarella, Hardy, and Butcher.
Harlan, D.M. *See* Blair, Riley, Harlan, Abe, Tadaki, Hoffmann, White, Francomano, Perfetto, Kirk, and June.
Harrington, L.E., Galvan, M., Baum, L.G., Altman, J.D., and Ahmed, R. Differentiating between memory and effector CD8 T cells by altered expression of cell surface O-glycans. 1241.
Hartwig, J.H. *See* Frenette, Denis, Weiss, Jurk, Subbarao, Kehrel, Hartwig, Vestweber, and Wagner.
Hassing, H. *See* Wright, Burton, Hernandez, Hassing, Montenegro, Mundt, Patel, Card, Hermanowski-Vosatka, Bergstrom, Sparrow, Detmers, and Chao.
Hauber, J. *See* Kruse, Rosorius, Krätzer, Bevec, Kuhnt, Steinkasserer, Schuler, and Hauber.
Hauser, S.L. *See* Villoslada, Hauser, Bartke, Unger, Heald, Rosenberg, Cheung, Mobley, Fisher, and Genain.
He, J., Gurunathan, S., Iwasaki, A., Ash-Shaheed, B., and Kelsall, B.L. Primary role for Gi protein signaling in the regulation of interleukin 12 production and the induction of T helper cell type 1 responses. 1605.
Heald, N. *See* Villoslada, Hauser, Bartke, Unger, Heald, Rosenberg, Cheung, Mobley, Fisher, and Genain.
Hedqvist, P. *See* Gautam, Herwald, Hedqvist, and Lindbom.
Helgason, C.D., Kalberer, C.P., Damen, J.E., Chappel, S.M., Pineault, N., Krystal, G., and Humphries, R.K. A dual role for Src homology 2 domain–containing inositol-5-phosphatase (SHIP) in immunity: aberrant development and enhanced function of B lymphocytes in $SHIP^{-/-}$ mice. 781.
— *See* Brauweiler, Tamir, Dal Porto, Benschop, Helgason, Humphries, Freed, and Cambier.
Hendricks, R.L. *See* Liu, Khanna, Chen, Fink, and Hendricks.
Hengartner, H. *See* Ludewig, Ochsenbein, Odermatt, Paulin, Hengartner, and Zinkernagel.
— *See* Maloy, Burkhart, Junt, Odermatt, Oxenius, Piali, Zinkernagel, and Hengartner.
Henkart, P.A. *See* Komoriya, Packard, Brown, Wu, and Henkart.

Herberg, J. *See* Maini, Boni, Lee, Larrubia, Reignat, Ogg, King, Herberg, Gilson, Alisa, Williams, Vergani, Naoumov, Ferrari, and Bertoletti.

Hermanowski-Vosatka, A. *See* Wright, Burton, Hernandez, Hassing, Montenegro, Mundt, Patel, Card, Hermanowski-Vosatka, Bergstrom, Sparrow, Detmers, and Chao.

Hernandez, M. *See* Wright, Burton, Hernandez, Hassing, Montenegro, Mundt, Patel, Card, Hermanowski-Vosatka, Bergstrom, Sparrow, Detmers, and Chao.

Hershfield, M. *See* Arpaia, Benveniste, Di Cristofano, Gu, Dalal, Kelly, Hershfield, Pandolfi, Roifman, and Cohen.

Hershkoviz, R. *See* Levite, Cahalon, Peretz, Hershkoviz, Sobko, Ariel, Desai, Attali, and Lider.

Herwald, H. *See* Gautam, Herwald, Hedqvist, and Lindbom.

Heusel, J.W. *See* Smith, Chuang, Wang, Salcedo, Heusel, and Yokoyama.

Hewitt, J.A. *See* Lin, Longo, Wang, Hewitt, and Abraham.

Heyman, B. *See* Kleinau, Martinsson, and Heyman.

Hiatt, K. *See* Ingram, Yang, Travers, Wenning, Hiatt, New, Hood, Shannon, Williams, and Clapp.

Hicks, M.J. *See* Collins, Velji, Guevara, Hicks, Chan, and Beaudet.

Higashio, K. *See* Kobayashi, Takahashi, Jimi, Udagawa, Takami, Kotake, Nakagawa, Kinosaki, Yamaguchi, Shima, Yasuda, Morinaga, Higashio, Martin, and Suda.

Higgins, J.M.G. *See* Taraszka, Higgins, Tan, Mandelbrot, Wang, and Brenner.

Hildeman, D. *See* Teague, Schaefer, Hildeman, Bender, Mitchell, Kappler, and Marrack.

Hilf, N. *See* Singh-Jasuja, Toes, Spee, Münz, Hilf, Schoenberger, Ricciardi-Castagnoli, Neefjes, Rammensee, Arnold-Schild, and Schild.

Hilgert, I. *See* Brdička, Pavlištová, Leo, Bruyns, Kořínek, Angelisová, Scherer, Shevchenko, Shevchenko, Hilgert, Černý, Drbal, Kuramitsu, Kornacker, Hořejší, and Schraven.

Hilliard, B. *See* Song, Chen, Göke, Wilmen, Seidel, Göke, Hilliard, and Chen.

Hippen, K.L., Tze, L.E., and Behrens, T.W. CD5 maintains tolerance in anergic B cells. 883.

Hironaka, K. *See* Yasuda, Maeda, Kurosaki, Tezuka, Hironaka, Yamamoto, and Kurosaki.

Ho, D.D. *See* Metzner, Jin, Lee, Gettie, Bauer, Di Mascio, Perelson, Marx, Ho, Kostrikis, and Connor.

Hoebeke, J. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.

Hoffmann, S.C. *See* Blair, Riley, Harlan, Abe, Tadaki, Hoffmann, White, Francomano, Perfetto, Kirk, and June.

Hofhuis, F.M.A. *See* Fossati-Jimack, Ioan-Facsinay, Reininger, Chicheportiche, Watanabe, Saito, Hofhuis, Gessner, Schiller, Schmidt, Honjo, Verbeek, and Izui.

Hohlbaum, A.M., Moe, S., and Marshak-Rothstein, A. Opposing effects of transmembrane and soluble Fas ligand expression on inflammation and tumor cell survival. 1209.

Holdsworth, S.R. *See* Cunningham, Rondeau, Chen, Coughlin, Holdsworth, and Tipping.

Homey, B. *See* Yang, Chen, Leach, Manfra, Homey, Wiekowski, Sullivan, Jenh, Narula, Chensue, and Lira.

Honjo, T. *See* Fagarasan, Shinkura, Kamata, Nogaki, Ikuta, Tashiro, and Honjo.

— *See* Fossati-Jimack, Ioan-Facsinay, Reininger, Chicheportiche, Watanabe, Saito, Hofhuis, Gessner, Schiller, Schmidt, Honjo, Verbeek, and Izui.

— *See* Garceau, Kosaka, Masters, Hambor, Shinkura, Honjo, and Noelle.

— *See* Nishimura, Honjo, and Minato.

Hood, A. *See* Ingram, Yang, Travers, Wenning, Hiatt, New, Hood, Shannon, Williams, and Clapp.

Hoogewerf, A.J. *See* Chvatchko, Hoogewerf, Meyer, Alouani, Juillard, Buser, Conquet, Proudfoot, Wells, and Power.

Horai, R., Saijo, S., Tanioka, H., Nakae, S., Sudo, K., Okahara, A., Ikuse, T., Asano, M., and Iwakura, Y. Development of chronic inflammatory arthropathy resembling rheumatoid arthritis in interleukin 1 receptor antagonist–deficient mice. 313.

Hořejší, V. *See* Brdička, Pavlištová, Leo, Bruyns, Kořínek, Angelisová, Scherer, Shevchenko, Shevchenko, Hilgert, Černý, Drbal, Kuramitsu, Kornacker, Hořejší, and Schraven.

Horita, M., Andreu, E.J., Benito, A., Arbona, C., Sanz, C., Benet, I., Prosper, F., and Fernandez-Luna, J.L. Blockade of the Bcr-Abl kinase activity induces apoptosis of chronic myelogenous leukemia cells by suppressing signal transducer and activator of transcription 5–dependent expression of Bcl-x_L. 977.

Houghton, A.N. *See* Castellino, Boucher, Eichelberg, Mayhew, Rothman, Houghton, and Germain.

Hsu, E. *See* Lee, Fitch, Flajnik, and Hsu.

Huang, F.-P., Platt, N., Wykes, M., Major, J.R., Powell, T.J., Jenkins, C.D., and MacPherson, G.G. A discrete subpopulation of dendritic cells transports apoptotic intestinal epithelial cells to T cell areas of mesenteric lymph nodes. 435.

Huang, J.-F. *See* Hwang, Huang, Kishimoto, Brunmark, Peterson, Jackson, Surh, Cai, and Sprent.

Huang, L. Price, Ou, Jiang, Huang, and Moskophidis.

Huang, Q., Richmond, J.F.L., Suzue, K., Eisen, H.N., and Young, R.A. In vivo cytotoxic T lymphocyte elicitation by mycobacterial heat shock protein 70 fusion proteins maps to a discrete domain and is $CD4^+$ T cell independent. 403.

Hughes, D.E. *See* Nicklin, Hughes, Barton, Ure, and Duff.

Humphries, R.K. *See* Brauweiler, Tamir, Dal Porto, Benschop, Helgason, Humphries, Freed, and Cambier.

— *See* Helgason, Kalberer, Damen, Chappel, Pineault, Krystal, and Humphries.

Huseby, E.S., and Goverman, J. Tolerating the nervous system: a delicate balance. 757.

Hwang, I., Huang, J.-F., Kishimoto, H., Brunmark, A., Peterson, P.A., Jackson, M.R., Surh, C.D., Cai, Z., and Sprent, J. T cells can use either T cell receptor or CD28 receptors to absorb and internalize cell surface molecules derived from antigen-presenting cells. 1137.

I

Ikuse, T. *See* Horai, Saijo, Tanioka, Nakae, Sudo, Okahara, Ikuse, Asano, and Iwakura.

Ikuta, K. *See* Fagarasan, Shinkura, Kamata, Nogaki, Ikuta, Tashiro, and Honjo.

Inaba, K., Turley, S., Iyoda, T., Yamaide, F., Shimoyama, S., Reis e Sousa, C., Germain, R.N., Mellman, I., and Steinman, R.M. The formation of immunogenic major histocompatibility complex class II–peptide ligands in lysosomal compartments of dendritic cells is regulated by inflammatory stimuli. 927.

— *See* Steinman, Turley, Mellman, and Inaba.

Ingram, D.A., Yang, F.-C., Travers, J.B., Wenning, M.J., Hiatt, K., New, S., Hood, A., Shannon, K., Williams, D.A., and Clapp, D.W. Genetic and biochemical evidence that haploinsufficiency of the *Nf1* tumor suppressor gene modulates melanocyte and mast cell fates in vivo. 181.

Ingulli, E. *See* Josien, Li, Ingulli, Sarma, Wong, Vologodskaia, Steinman, and Choi.

Ioan-Facsinay, A. *See* Fossati-Jimack, Ioan-Facsinay, Reininger, Chicheportiche, Watanabe, Saito, Hofhuis, Gessner, Schiller, Schmidt, Honjo, Verbeek, and Izui.

Irinopoulou, T. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.

Ishii, N. *See* Murata, Ishii, Takano, Miura, Ndhlovu, Nose, Noda, and Sugamura.

Ishikawa, H. *See* Laky, Lefrançois, Lingenheld, Ishikawa, Lewis, Olson, Suzuki, Tigelaar, and Puddington.

Itano, K. *See* Nishimura, Yajima, Naiki, Tsunobuchi, Umemura, Itano, Matsuguchi, Suzuki, Ohashi, and Yoshikai.

Ito, S. *See* Asahi, Azuma, Ito, Ito, Suto, Nagai, Tsubokawa, Tohyama, Maeda, Omata, Suzuki, and Sasakawa.

Ito, Y. *See* Asahi, Azuma, Ito, Ito, Suto, Nagai, Tsubokawa, Tohyama, Maeda, Omata, Suzuki, and Sasakawa.

Iwakura, Y. *See* Horai, Saijo, Tanioka, Nakae, Sudo, Okahara, Ikuse, Asano, and Iwakura.

Iwasaki, A., and Kelsall, B.L. Localization of distinct Peyer's patch dendritic cell subsets and their recruitment by chemokines macrophage inflammatory protein (MIP)-3α, MIP-3β, and secondary lymphoid organ chemokine. 1381.
— *See* He, Gurunathan, Iwasaki, Ash-Shaheed, and Kelsall.
Iwashima, M. *See* Yamashita, Katsumata, Iwashima, Kimura, Shimizu, Kamata, Shin, Seki, Suzuki, Taniguchi, and Nakayama.
Iyoda, T. *See* Inaba, Turley, Iyoda, Yamaide, Shimoyama, Reis e Sousa, Germain, Mellman, and Steinman.
Izui, S. *See* Fossati-Jimack, Ioan-Facsinay, Reininger, Chicheportiche, Watanabe, Saito, Hofhuis, Gessner, Schiller, Schmidt, Honjo, Verbeek, and Izui.

J

Jackson, M.R. *See* Hwang, Huang, Kishimoto, Brunmark, Peterson, Jackson, Surh, Cai, and Sprent.
Jacotot, E., Ravagnan, L., Loeffler, M., Ferri, K.F., Vieira, H.L.A., Zamzami, N., Costantini, P., Druillennec, S., Hoebeke, J., Briand, J.P., Irinopoulou, T., Daugas, E., Susin, S.A., Cointe, D., Xie, Z.H., Reed, J.C., Roques, B.P., and Kroemer, G. The HIV-1 viral protein R induces apoptosis via a direct effect on the mitochondrial permeability transition pore. 33.
Jacques, Y. *See* Eckenberg, Rose, Moreau, Weil, Gesbert, Dubois, Tello, Bossus, Gras, Tartar, Bertoglio, Chouaïb, Goldberg, Jacques, Alzari, and Thèze.
Jäger, D. *See* Jäger, Jäger, Karbach, Chen, Ritter, Nagata, Gnjatic, Stockert, Arand, Old, and Knuth.
Jäger, E., Jäger, D., Karbach, J., Chen, Y.-T., Ritter, G., Nagata, Y., Gnjatic, S., Stockert, E., Arand, M., Old, L.J., and Knuth, A. Identification of NY-ESO-1 epitopes presented by human histocompatibility antigen (HLA)-DRB4*0101–0103 and recognized by $CD4^+$ T lymphocytes of patients with NY-ESO-1–expressing melanoma. 625.
Jameson, S.C. *See* Daniels and Jameson.
— *See* Lee, Churchill, Daniels, Jameson, and Kranz.
Jandrig, B. *See* Janke, Schlüter, Jandrig, Theile, Kölble, Arnold, Grinstein, Schwartz, Estevéz-Schwarz, Schlag, Jockusch, and Scherneck.
Janeway, C.A., Jr. *See* Blander, Sant'Angelo, Bottomly, and Janeway.
Janke, J., Schlüter, K., Jandrig, B., Theile, M., Kölble, K., Arnold, W., Grinstein, E., Schwartz, A., Estevéz-Schwarz, L., Schlag, P.M., Jockusch, B.M., and Scherneck, S. Suppression of tumorigenicity in breast cancer cells by the microfilament protein profilin 1. 1675.
Jankovic, M. *See* Leteux, Chai, Loveless, Yuen, Uhlin-Hansen, Combarnous, Jankovic, Maric, Misulovin, Nussenzweig, and Feizi.
Jenh, C.-H. *See* Yang, Chen, Leach, Manfra, Homey, Wiekowski, Sullivan, Jenh, Narula, Chensue, and Lira.
Jenkins, C.D. *See* Huang, Platt, Wykes, Major, Powell, Jenkins, and MacPherson.
Jenkinson, E.J. *See* Suniara, Jenkinson, and Owen.
Jevremovic, D. *See* Lou, Jevremovic, Billadeau, and Leibson.
Ji, H. *See* Zhong, Liu, Fan, Fan, and Ji.
Jiang, H. Price, Ou, Jiang, Huang, and Moskophidis.
Jimi, E. *See* Kobayashi, Takahashi, Jimi, Udagawa, Takami, Kotake, Nakagawa, Kinosaki, Yamaguchi, Shima, Yasuda, Morinaga, Higashio, Martin, and Suda.
Jin, X. *See* Metzner, Jin, Lee, Gettie, Bauer, Di Mascio, Perelson, Marx, Ho, Kostrikis, and Connor.
Jockusch, B.M. *See* Janke, Schlüter, Jandrig, Theile, Kölble, Arnold, Grinstein, Schwartz, Estevéz-Schwarz, Schlag, Jockusch, and Scherneck.
Johansson, B. *See* Wittig, Johansson, Zöller, Schwärzler, and Günthert.
Johnsen, A.H. *See* Lüttichau, Stine, Boesen, Johnsen, Chantry, Gerstoft, and Schwartz.
Jolin, H.E. *See* Townsend, Fallon, Matthews, Jolin, and McKenzie.
Jones, K.N. *See* Blanchong, Zhou, Rupert, Chung, Jones, Sotos, Zipf, Rennebohm, and Yu.
Jones, R.C. *See* Zhou, Sayad, Simmons, Jones, Maika, Satumtira, Dorris, Gaskell, Bordoli, Sartor, Slaughter, Richardson, Hammer, and Taurog.
Jones, R.G., Parsons, M., Bonnard, M., Chan, V.S.F., Yeh, W.-C., Woodgett, J.R., and Ohashi, P.S. Protein kinase B regulates T lymphocyte survival, nuclear factor κB activation, and Bcl-X_L levels in vivo. 1721.
Josien, R., Li, H.-L., Ingulli, E., Sarma, S., Wong, B.R., Vologodskaia, M., Steinman, R.M., and Choi, Y. TRANCE, a tumor necrosis factor family member, enhances the longevity and adjuvant properties of dendritic cells in vivo. 495.
Jotereau, F. *See* Moreau-Aubry, Le Guiner, Labarrière, Gesnel, Jotereau, and Breathnach.
Joyce, S. *See* Kennedy, Glaccum, Brown, Butz, Viney, Embers, Matsuki, Charrier, Sedger, Willis, Brasel, Morrissey, Stocking, Schuh, Joyce, and Peschon.
Juillard, P. *See* Chvatchko, Hoogewerf, Meyer, Alouani, Juillard, Buser, Conquet, Proudfoot, Wells, and Power.
Jun, J.E. *See* Weintraub, Jun, Bishop, Shokat, Thomas, and Goodnow.
June, C.H. *See* Blair, Riley, Harlan, Abe, Tadaki, Hoffmann, White, Francomano, Perfetto, Kirk, and June.
— *See* Riley, Schlienger, Blair, Carreno, Craighead, Kim, Carroll, and June.
Jungnickel, B., Staratschek-Jox, A., Bräuninger, A., Spieker, T., Wolf, J., Diehl, V., Hansmann, M.-L., Rajewsky, K., and Küppers, R. Clonal deleterious mutations in the IκBα gene in the malignant cells in Hodgkin's lymphoma. 395.
Junt, T.M. *See* Maloy, Burkhart, Junt, Odermatt, Oxenius, Piali, Zinkernagel, and Hengartner.
Jurk, K. *See* Frenette, Denis, Weiss, Jurk, Subbarao, Kehrel, Hartwig, Vestweber, and Wagner.

K

Kalberer, C.P. *See* Helgason, Kalberer, Damen, Chappel, Pineault, Krystal, and Humphries.
Kamata, T. *See* Fagarasan, Shinkura, Kamata, Nogaki, Ikuta, Tashiro, and Honjo.
— *See* Yamashita, Katsumata, Iwashima, Kimura, Shimizu, Kamata, Shin, Seki, Suzuki, Taniguchi, and Nakayama.
Kaneko, Y., Harada, M., Kawano, T., Yamashita, M., Shibata, Y., Gejyo, F., Nakayama, T., and Taniguchi, M. Augmentation of Vα14 NKT cell–mediated cytotoxicity by interleukin 4 in an autocrine mechanism resulting in the development of concanavalin A–induced hepatitis. 105.
Kanellopoulos, J.M. *See* Foucras, Gapin, Coureau, Kanellopoulos, and Guéry.
Kang, B. *See* Allen, Schlesinger, and Kang.
Kappler, J.W. *See* Teague, Schaefer, Hildeman, Bender, Mitchell, Kappler, and Marrack.
Karasuyama, H. *See* Maki, Nagata, Kitamura, Takemori, and Karasuyama.
Karbach, J. *See* Jäger, Jäger, Karbach, Chen, Ritter, Nagata, Gnjatic, Stockert, Arand, Old, and Knuth.
Karlsson, S. *See* Li, Chen, Xu, Sundstedt, Paulsson, Anderson, Karlsson, Sjögren, and Wang.
Karpatkin, S. *See* Nardi and Karpatkin.
Kärre, K. *See* Glas, Franksson, Une, Eloranta, Öhlén, Örn, and Kärre.
Kashiwakura, J.-i., Suzuki, N., Nagafuchi, H., Takeno, M., Takeba, Y., Shimoyama, Y., and Sakane, T. Txk, a nonreceptor tyrosine kinase of the Tec family, is expressed in T helper type 1 cells and regulates interferon γ production in human T lymphocytes [190(8):1147]: Correction. 409.
Katayama, I. *See* Yokozeki, Ghoreishi, Takagawa, Takayama, Satoh, Katayama, Takeda, Akira, and Nishioka.
Katsumata, M. *See* Yamashita, Katsumata, Iwashima, Kimura, Shimizu, Kamata, Shin, Seki, Suzuki, Taniguchi, and Nakayama.
Kawano, T. *See* Kaneko, Harada, Kawano, Yamashita, Shibata, Gejyo, Nakayama, and Taniguchi.
— *See* Smyth, Thia, Street, Cretney, Trapani, Taniguchi, Kawano, Pelikan, Crowe, and Godfrey.
Kehrel, B. *See* Frenette, Denis, Weiss, Jurk, Subbarao, Kehrel, Hartwig, Vestweber, and Wagner.
Kelleher, D. *See* Satin, Del Giudice, Della Bianca, Dusi, Laudanna, Tonello, Kelleher, Rappuoli, Montecucco, and Rossi.

Kelly, D.A., Young, A.R., McGregor, J.M., Seed, P.T., Potten, C.S., and Walker, S.L. Sensitivity to sunburn is associated with susceptibility to ultraviolet radiation–induced suppression of cutaneous cell–mediated immunity. 561.

Kelly, J.M. *See* Körner, Cretney, Wilhelm, Kelly, Röllinghoff, Sedgwick, and Smyth.

Kelly, S. *See* Arpaia, Benveniste, Di Cristofano, Gu, Dalal, Kelly, Hershfield, Pandolfi, Roifman, and Cohen.

Kelsall, B.L. *See* He, Gurunathan, Iwasaki, Ash-Shaheed, and Kelsall.
— *See* Iwasaki and Kelsall.

Kennedy, M.K., Glaccum, M., Brown, S.N., Butz, E.A., Viney, J.L., Embers, M., Matsuki, N., Charrier, K., Sedger, L., Willis, C.R., Brasel, K., Morrissey, P.J., Stocking, K., Schuh, J.C.L., Joyce, S., and Peschon, J.J. Reversible defects in natural killer and memory CD8 T cell lineages in interleukin 15–deficient mice. 771.

Kenter, A.L. *See* Shanmugam, Shi, Yauch, Stavnezer, and Kenter.

Khan, W.N. *See* Petro, Rahman, Ballard, and Khan.

Khanna, K.M. *See* Liu, Khanna, Chen, Fink, and Hendricks.

Kim, D. *See* Riley, Schlienger, Blair, Carreno, Craighead, Kim, Carroll, and June.

Kim, S.-J. *See* Lucas, Kim, Melby, and Gress.

Kima, P.E., Constant, S.L., Hannum, L., Colmenares, M., Lee, K.S., Haberman, A.M., Shlomchik, M.J., and McMahon-Pratt, D. Internalization of *Leishmania mexicana* complex amastigotes via the Fc receptor is required to sustain infection in murine cutaneous leishmaniasis. 1063.

Kimura, M. *See* Yamashita, Katsumata, Iwashima, Kimura, Shimizu, Kamata, Shin, Seki, Suzuki, Taniguchi, and Nakayama.

King, A.S. *See* Maini, Boni, Lee, Larrubia, Reignat, Ogg, King, Herberg, Gilson, Alisa, Williams, Vergani, Naoumov, Ferrari, and Bertoletti.

Kinosaki, M. *See* Kobayashi, Takahashi, Jimi, Udagawa, Takami, Kotake, Nakagawa, Kinosaki, Yamaguchi, Shima, Yasuda, Morinaga, Higashio, Martin, and Suda.

Kirk, A.D. *See* Blair, Riley, Harlan, Abe, Tadaki, Hoffmann, White, Francomano, Perfetto, Kirk, and June.

Kishimoto, H. *See* Hwang, Huang, Kishimoto, Brunmark, Peterson, Jackson, Surh, Cai, and Sprent.

Kisiel, W. *See* Young, Sukhova, Foster, Kisiel, Libby, and Schönbeck.

Kitada, S. *See* Haraguchi, Torii, Matsuzawa, Xie, Kitada, Krajewski, Yoshida, Mak, and Reed.

Kitamura, F. *See* Maki, Nagata, Kitamura, Takemori, and Karasuyama.

Klaus, G.G.B. *See* García de Vinuesa, Cook, Ball, Drew, Sunners, Cascalho, Wabl, Klaus, and MacLennan.

Klein, C., Bueler, H., and Mulligan, R.C. Comparative analysis of genetically modified dendritic cells and tumor cells as therapeutic cancer vaccines. 1699.
— *See* Dahl, Klein, Andres, London, Lodge, Mulligan, and Abbas.

Kleinau, S., Martinsson, P., and Heyman, B. Induction and suppression of collagen-induced arthritis is dependent on distinct Fcγ receptors. 1611.

Klenerman, P. *See* Lechner, Wong, Dunbar, Chapman, Chung, Dohrenwend, Robbins, Phillips, Klenerman, and Walker.

Kloetzel, P.-M. *See* Sijts, Ruppert, Rehermann, Schmidt, Koszinowski, and Kloetzel.

Klopfer, K. *See* Obst, Netuschil, Klopfer, Stevanović, and Rammensee.

Kneitz, B. *See* Wiesendanger, Kneitz, Edelmann, and Scharff.

Knuth, A. *See* Jäger, Jäger, Karbach, Chen, Ritter, Nagata, Gnjatic, Stockert, Arand, Old, and Knuth.

Kobayashi, K., Takahashi, N., Jimi, E., Udagawa, N., Takami, M., Kotake, S., Nakagawa, N., Kinosaki, M., Yamaguchi, K., Shima, N., Yasuda, H., Morinaga, T., Higashio, K., Martin, T.J., and Suda, T. Tumor necrosis factor α stimulates osteoclast differentiation by a mechanism independent of the ODF/RANKL–RANK interaction. 275.

Kodama, T. *See* Thomas, Li, Kodama, Suzuki, Silverstein, and El Khoury.

Kölble, K. *See* Janke, Schlüter, Jandrig, Theile, Kölble, Arnold, Grinstein, Schwartz, Estevéz-Schwarz, Schlag, Jockusch, and Scherneck.

Komoriya, A., Packard, B.Z., Brown, M.J., Wu, M.-L., and Henkart, P.A. Assessment of caspase activities in intact apoptotic thymocytes using cell-permeable fluorogenic caspase substrates. 1819.

Kon, T. *See* Ranger, Gerstenfeld, Wang, Kon, Bae, Gravallese, Glimcher, and Glimcher.

Koning, F. *See* Arentz-Hansen, Körner, Molberg, Quarsten, Vader, Kooy, Lundin, Koning, Roepstorff, Sollid, and McAdam.

Koopman, L.A., Corver, W.E., van der Slik, A., Giphart, M.J., and Fleuren, G.J. Multiple genetic alterations cause frequent and heterogeneous human histocompatibility leukocyte antigen class I loss in cervical cancer. 961.

Kooy, Y.M.C. *See* Arentz-Hansen, Körner, Molberg, Quarsten, Vader, Kooy, Lundin, Koning, Roepstorff, Sollid, and McAdam.

Kopacz, J.L. *See* Bosselut, Zhang, Ashe, Kopacz, Samelson, and Singer.

Kořínek, V. *See* Brdička, Pavlištová, Leo, Bruyns, Kořínek, Angelisová, Scherer, Shevchenko, Shevchenko, Hilgert, Černý, Drbal, Kuramitsu, Kornacker, Hořejší, and Schraven.

Kornacker, B. *See* Brdička, Pavlištová, Leo, Bruyns, Kořínek, Angelisová, Scherer, Shevchenko, Shevchenko, Hilgert, Černý, Drbal, Kuramitsu, Kornacker, Hořejší, and Schraven.

Körner, H., Cretney, E., Wilhelm, P., Kelly, J.M., Röllinghoff, M., Sedgwick, J.D., and Smyth, M.J. Tumor necrosis factor sustains the generalized lymphoproliferative disorder (*gld*) phenotype. 89. Correction. 1449.

Körner, R. *See* Arentz-Hansen, Körner, Molberg, Quarsten, Vader, Kooy, Lundin, Koning, Roepstorff, Sollid, and McAdam.

Kosaka, Y. *See* Garceau, Kosaka, Masters, Hambor, Shinkura, Honjo, and Noelle.

Kostrikis, L.G. *See* Metzner, Jin, Lee, Gettie, Bauer, Di Mascio, Perelson, Marx, Ho, Kostrikis, and Connor.

Koszinowski, U. *See* Sijts, Ruppert, Rehermann, Schmidt, Koszinowski, and Kloetzel.

Kotake, S. *See* Kobayashi, Takahashi, Jimi, Udagawa, Takami, Kotake, Nakagawa, Kinosaki, Yamaguchi, Shima, Yasuda, Morinaga, Higashio, Martin, and Suda.

Kotenko, S.V. *See* Ding, Qin, Kotenko, Pestka, and Bromberg.

Kourilsky, P. *See* Arstila, Arstila, Calbo, Selz, Malassis-Seris, Vassalli, Kourilsky, and Guy-Grand.

Kovacic, S. *See* Li, Zhang, Kovacic, Long, Bourque, Wood, and Choi.

Krajewski, S. *See* Haraguchi, Torii, Matsuzawa, Xie, Kitada, Krajewski, Yoshida, Mak, and Reed.

Kranz, D.M. *See* Churchill, Andersen, Parke, Mariuzza, and Kranz.
— *See* Lee, Churchill, Daniels, Jameson, and Kranz.

Krätzer, F. *See* Kruse, Rosorius, Krätzer, Bevec, Kuhnt, Steinkasserer, Schuler, and Hauber.

Krensky, A.M. *See* Spada, Grant, Peters, Sugita, Melián, Leslie, Lee, van Donselaar, Hanson, Krensky, Majdic, Porcelli, Morita, and Brenner.

Kripke, M.L. *See* Moodycliffe, Shreedhar, Ullrich, Walterscheid, Bucana, Kripke, and Flores-Romo.

Kroemer, G. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.

Krogsgaard, M., Wucherpfennig, K.W., Canella, B., Hansen, B.E., Svejgaard, A., Pyrdol, J., Ditzel, H., Raine, C., Engberg, J., and Fugger, L. Visualization of myelin basic protein (MBP) T cell epitopes in multiple sclerosis lesions using a monoclonal antibody specific for the human histocompatibility leukocyte antigen (HLA)-DR2–MBP 85–99 complex. 1395.

Kruse, M., Rosorius, O., Krätzer, F., Bevec, D., Kuhnt, C., Steinkasserer, A., Schuler, G., and Hauber, J. Inhibition of CD83 cell surface expression during dendritic cell maturation by interference with nuclear export of CD83 mRNA. 1581.

Krystal, G. *See* Helgason, Kalberer, Damen, Chappel, Pineault, Krystal, and Humphries.

Kuchroo, V.K. *See* Anderson, Nicholson, Legge, Turchin, Zaghouani, and Kuchroo.

Kuhnt, C. *See* Kruse, Rosorius, Krätzer, Bevec, Kuhnt, Steinkasserer, Schuler, and Hauber.

Künstle, G. *See* Latta, Künstle, Leist, and Wendel.

Küppers, R. *See* Jungnickel, Staratschek-Jox, Bräuninger, Spieker, Wolf, Diehl, Hansmann, Rajewsky, and Küppers.
— *See* Müschen, Rajewsky, Bräuninger, Baur, Oudejans, Roers, Hansmann, and Küppers.

Kuramitsu, Y. *See* Brdička, Pavlištová, Leo, Bruyns, Kořínek, Angelisová, Scherer, Shevchenko, Shevchenko, Hilgert, Černý, Drbal, Kuramitsu, Kornacker, Hořejší, and Schraven.

Kurilla, M.G. *See* Münz, Bickham, Subklewe, Tsang, Chahroudi, Kurilla, Zhang, O'Donnell, and Steinman.
Kurosaki, M. *See* Yasuda, Maeda, Kurosaki, Tezuka, Hironaka, Yamamoto, and Kurosaki.
Kurosaki, T. *See* Yasuda, Maeda, Kurosaki, Tezuka, Hironaka, Yamamoto, and Kurosaki.
Kusner, D.J. *See* Malik, Denning, and Kusner.
Kwon-Chung, K.J. *See* Chang, Wickes, Miller, Penoyer, and Kwon-Chung.

L

Labarrière, N. *See* Moreau-Aubry, Le Guiner, Labarrière, Gesnel, Jotereau, and Breathnach.
Labéta, M.O., Vidal, K., Rey Nores, J.E., Arias, M., Vita, N., Morgan, B.P., Guillemot, J.C., Loyaux, D., Ferrara, P., Schmid, D., Affolter, M., Borysiewicz, L.K., Donnet-Hughes, A., and Schiffrin, E.J. Innate recognition of bacteria in human milk is mediated by a milk-derived highly expressed pattern recognition receptor, soluble CD14. 1807.
Lagenaur, C.F. *See* Gresham, Dale, Potter, Chang, Vines, Lowell, Lagenaur, and Willman.
Laird, D.W. *See* Zhang, Gao, Salojin, Shao, Grattan, Meagher, Laird, and Delovitch.
Laky, K., Lefrançois, L., Lingenheld, E.G., Ishikawa, H., Lewis, J.M., Olson, S., Suzuki, K., Tigelaar, R.E., and Puddington, L. Enterocyte expression of interleukin 7 induces development of γδ T cells and Peyer's patches. 1569.
Lambris, J.D. *See* Lubinski, Wang, Mastellos, Sahu, Lambris, and Friedman.
Lancki, D.W. *See* Siegel, Schreiber, Meredith, Beck-Engeser, Lancki, Lazarski, Fu, Rowley, and Schreiber.
Lane, P. Role of OX40 signals in coordinating CD4 T cell selection, migration, and cytokine differentiation in T helper (Th)1 and Th2 cells. 201.
Lanier, L.L. Turning on natural killer cells. 1259.
Lanzavecchia, A. *See* de Baey and Lanzavecchia.
Lapenta, C. *See* Santini, Lapenta, Logozzi, Parlato, Spada, Di Pucchio, and Belardelli.
Larrubia, J.R. *See* Maini, Boni, Lee, Larrubia, Reignat, Ogg, King, Herberg, Gilson, Alisa, Williams, Vergani, Naoumov, Ferrari, and Bertoletti.
Larsson, M. *See* Sauter, Albert, Francisco, Larsson, Somersan, and Bhardwaj.
Latta, M., Künstle, G., Leist, M., and Wendel, A. Metabolic depletion of ATP by fructose inversely controls CD95- and tumor necrosis factor receptor 1–mediated hepatic apoptosis. 1975.
Laudanna, C. *See* Satin, Del Giudice, Della Bianca, Dusi, Laudanna, Tonello, Kelleher, Rappuoli, Montecucco, and Rossi.
Launay, P., Grossetête, B., Arcos-Fajardo, M., Gaudin, E., Torres, S.P., Beaudoin, L., Patey-Mariaud de Serre, N., Lehuen, A., and Monteiro, R.C. Fcα receptor (CD89) mediates the development of immunoglobulin A (IgA) nephropathy (Berger's disease): evidence for pathogenic soluble receptor–IgA complexes in patients and CD89 transgenic mice. 1999.
Lauvau, G. *See* Lucchiari-Hartz, van Endert, Lauvau, Maier, Meyerhans, Mann, Eichmann, and Niedermann.
Lazarski, C.A. *See* Siegel, Schreiber, Meredith, Beck-Engeser, Lancki, Lazarski, Fu, Rowley, and Schreiber.
Leach, M.W. *See* Yang, Chen, Leach, Manfra, Homey, Wiekowski, Sullivan, Jenh, Narula, Chensue, and Lira.
Lechner, F., Wong, D.K.H., Dunbar, P.R., Chapman, R., Chung, R.T., Dohrenwend, P., Robbins, G., Phillips, R., Klenerman, P., and Walker, B.D. Analysis of successful immune responses in persons infected with hepatitis C virus. 1499.
Lee, C.K. *See* Maini, Boni, Lee, Larrubia, Reignat, Ogg, King, Herberg, Gilson, Alisa, Williams, Vergani, Naoumov, Ferrari, and Bertoletti.
Lee, F.V. *See* Metzner, Jin, Lee, Gettie, Bauer, Di Mascio, Perelson, Marx, Ho, Kostrikis, and Connor.
Lee, H.K. *See* Spada, Grant, Peters, Sugita, Melián, Leslie, Lee, van Donselaar, Hanson, Krensky, Majdic, Porcelli, Morita, and Brenner.
Lee, K.S. *See* Kima, Constant, Hannum, Colmenares, Lee, Haberman, Shlomchik, and McMahon-Pratt.
Lee, P.U.Y., Churchill, H.R.O., Daniels, M., Jameson, S.C., and Kranz, D.M. Role of 2C T cell receptor residues in the binding of self– and allo–major histocompatibility complexes. 1355.
Lee, S.F. *See* Everett, Barry, Lee, Sun, Graham, Stone, Bleackley, and McFadden.
Lee, S.S., Fitch, D., Flajnik, M.F., and Hsu, E. Rearrangement of immunoglobulin genes in shark germ cells. 1637.
Leef, M., Elkins, K.L., Barbic, J., and Shahin, R.D. Protective immunity to *Bordetella pertussis* requires both B cells and $CD4^+$ T cells for key functions other than specific antibody production. 1841.
Lees, R. *See* Radtke, Ferrero, Wilson, Lees, Aguet, and MacDonald.
Lefrançois, L. *See* Laky, Lefrançois, Lingenheld, Ishikawa, Lewis, Olson, Suzuki, Tigelaar, and Puddington.
Legge, K.L., Min, B., Bell, J.J., Caprio, J.C., Li, L., Gregg, R.K., and Zaghouani, H. Coupling of peripheral tolerance to endogenous interleukin 10 promotes effective modulation of myelin-activated T cells and ameliorates experimental allergic encephalomyelitis. 2039.
— *See* Anderson, Nicholson, Legge, Turchin, Zaghouani, and Kuchroo.
Le Guiner, S. *See* Moreau-Aubry, Le Guiner, Labarrière, Gesnel, Jotereau, and Breathnach.
Lehuen, A. *See* Launay, Grossetête, Arcos-Fajardo, Gaudin, Torres, Beaudoin, Patey-Mariaud de Serre, Lehuen, and Monteiro.
Leibson, P.J. *See* Lou, Jevremovic, Billadeau, and Leibson.
Leist, M. *See* Latta, Künstle, Leist, and Wendel.
Leo, A. *See* Brdička, Pavlištová, Leo, Bruyns, Kořínek, Angelisová, Scherer, Shevchenko, Shevchenko, Hilgert, Černý, Drbal, Kuramitsu, Kornacker, Hořejší, and Schraven.
Lerner, C.G. *See* Marshall, Niiro, Lerner, Yun, Thomas, Disteche, and Clark.
Leslie, D.S. *See* Spada, Grant, Peters, Sugita, Melián, Leslie, Lee, van Donselaar, Hanson, Krensky, Majdic, Porcelli, Morita, and Brenner.
Leteux, C., Chai, W., Loveless, R.W., Yuen, C.-T., Uhlin-Hansen, L., Combarnous, Y., Jankovic, M., Maric, S.C., Misulovin, Z., Nussenzweig, M.C., and Feizi, T. The cysteine-rich domain of the macrophage mannose receptor is a multispecific lectin that recognizes chondroitin sulfates A and B and sulfated oligosaccharides of blood group $Lewis^a$ and $Lewis^x$ types in addition to the sulfated *N*-glycans of lutropin. 1117.
— *See* Liu, Chirino, Misulovin, Leteux, Feizi, Nussenzweig, and Bjorkman.
Levite, M., Cahalon, L., Peretz, A., Hershkoviz, R., Sobko, A., Ariel, A., Desai, R., Attali, B., and Lider, O. Extracellular K^+ and opening of voltage-gated potassium channels activate T cell integrin function: physical and functional association between Kv1.3 channels and β1 integrins. 1167.
Levitsky, H.I. *See* Lu, Yuan, Zhou, Sotomayor, Levitsky, and Pardoll.
Lewinsohn, D.M. *See* Alderson, Bement, Day, Zhu, Molesh, Skeiky, Coler, Lewinsohn, Reed, and Dillon.
Lewis, J.M. *See* Laky, Lefrançois, Lingenheld, Ishikawa, Lewis, Olson, Suzuki, Tigelaar, and Puddington.
Lewis, S.M., and Wu, G.E. The old and the restless. 1631.
Li, H.-L. *See* Josien, Li, Ingulli, Sarma, Wong, Vologodskaia, Steinman, and Choi.
Li, L., Zhang, X., Kovacic, S., Long, A.J., Bourque, K., Wood, C.R., and Choi, Y.S. Identification of a human follicular dendritic cell molecule that stimulates germinal center B cell growth. 1077.
— *See* Legge, Min, Bell, Caprio, Li, Gregg, and Zaghouani.
Li, S., Chen, S., Xu, X., Sundstedt, A., Paulsson, K.M., Anderson, P., Karlsson, S., Sjögren, H.-O., and Wang, P. Cytokine-induced Src homology 2 proteins (CIS) promotes T cell receptor–mediated proliferation and prolongs survival of activated T cells. 985.
Li, Y. *See* Thomas, Li, Kodama, Suzuki, Silverstein, and El Khoury.
Li, Z. *See* Shi, Bryant, Riese, Verhelst, Driessen, Li, Bromme, Ploegh, and Chapman.
Libby, P. *See* Young, Sukhova, Foster, Kisiel, Libby, and Schönbeck.
Lich, J.D., Elliott, J.F., and Blum, J.S. Cytoplasmic processing is a prerequisite for presentation of an endogenous antigen by major histocompatibility complex class II proteins. 1513.

Lider, O. *See* Levite, Cahalon, Peretz, Hershkoviz, Sobko, Ariel, Desai, Attali, and Lider.
Light, A. *See* Smith, Light, O'Reilly, Ang, Strasser, and Tarlinton.
Lillemeier, B. *See* van Ham, van Lith, Lillemeier, Tjin, Grüneberg, Rahman, Pastoors, van Meijgaarden, Roucard, Trowsdale, Ottenhoff, Pappin, and Neefjes.
Lin, K., Longo, N.S., Wang, X., Hewitt, J.A., and Abraham, K.M. Lck domains differentially contribute to pre–T cell receptor (TCR)– and TCR-α/β–regulated developmental transitions. 703.
Lindbom, L. *See* Gautam, Herwald, Hedqvist, and Lindbom.
Lingenheld, E.G. *See* Laky, Lefrançois, Lingenheld, Ishikawa, Lewis, Olson, Suzuki, Tigelaar, and Puddington.
Lira, S.A. *See* Yang, Chen, Leach, Manfra, Homey, Wiekowski, Sullivan, Jenh, Narula, Chensue, and Lira.
Liu, L. *See* Zhong, Liu, Fan, Fan, and Ji.
Liu, T., Khanna, K.M., Chen, X.P., Fink, D.J., and Hendricks, R.L. $CD8^+$ T cells can block herpes simplex virus type 1 (HSV-1) reactivation from latency in sensory neurons. 1459.
Liu, Y., Chirino, A.J., Misulovin, Z., Leteux, C., Feizi, T., Nussenzweig, M.C., and Bjorkman, P.J. Crystal structure of the cysteine-rich domain of mannose receptor complexed with a sulfated carbohydrate ligand. 1105.
Liu, Y.-J. *See* Wilson, Wilson, Liu, Banchereau, Pascual, and Capra.
Lloyd, C.M., Delaney, T., Nguyen, T., Tian, J., Martinez-A, C., Coyle, A.J., and Gutierrez-Ramos, J.-C. CC chemokine receptor (CCR)3/eotaxin is followed by CCR4/monocyte-derived chemokine in mediating pulmonary T helper lymphocyte type 2 recruitment after serial antigen challenge in vivo. 265.
Locksley, R.M. *See* Shinkai and Locksley.
Lodge, M.P. *See* Dahl, Klein, Andres, London, Lodge, Mulligan, and Abbas.
Lodolce, J.P. *See* Ma, Boone, and Lodolce.
Loeffler, M. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.
Logozzi, M. *See* Santini, Lapenta, Logozzi, Parlato, Spada, Di Pucchio, and Belardelli.
London, C.A. *See* Dahl, Klein, Andres, London, Lodge, Mulligan, and Abbas.
Long, A.J. *See* Li, Zhang, Kovacic, Long, Bourque, Wood, and Choi.
Long, E.O. *See* Rajagoplan and Long.
Longo, N.S. *See* Lin, Longo, Wang, Hewitt, and Abraham.
López de Castro, J.A. *See* Yagüe, Alvarez, Rognan, Ramos, Vázquez, and López de Castro.
Lou, Z., Jevremovic, D., Billadeau, D.D., and Leibson, P.J. A balance between positive and negative signals in cytotoxic lymphocytes regulates the polarization of lipid rafts during the development of cell-mediated killing. 347.
Loudis, J.M. *See* Guidotti, McClary, Loudis, and Chisari.
Loveless, R.W. *See* Leteux, Chai, Loveless, Yuen, Uhlin-Hansen, Combarnous, Jankovic, Maric, Misulovin, Nussenzweig, and Feizi.
Lowell, C.A. *See* Fitzer-Attas, Lowry, Crowley, Finn, Meng, DeFranco, and Lowell.
— *See* Gresham, Dale, Potter, Chang, Vines, Lowell, Lagenaur, and Willman.
Lowry, M. *See* Fitzer-Attas, Lowry, Crowley, Finn, Meng, DeFranco, and Lowell.
Loyaux, D. *See* Labéta, Vidal, Rey Nores, Arias, Vita, Morgan, Guillemot, Loyaux, Ferrara, Schmid, Affolter, Borysiewicz, Donnet-Hughes, and Schiffrin.
Lu, Z., Yuan, L., Zhou, X., Sotomayor, E., Levitsky, H.I., and Pardoll, D.M. CD40-independent pathways of T cell help for priming of $CD8^+$ cytotoxic T lymphocytes. 541.
Lubinski, J., Wang, L., Mastellos, D., Sahu, A., Lambris, J.D., and Friedman, H.M. In vivo role of complement-interacting domains of herpes simplex virus type 1 glycoprotein gC [190(11): 1637]: Correction. 751.
Lucas, P.J., Kim, S.-J., Melby, S.J., and Gress, R.E. Disruption of T cell homeostasis in mice expressing a T cell–specific dominant negative transforming growth factor β II receptor. 1187.
Lucchiari-Hartz, M., van Endert, P.M., Lauvau, G., Maier, R., Meyerhans, A., Mann, D., Eichmann, K., and Niedermann, G. Cytotoxic T lymphocyte epitopes of HIV-1 Nef: generation of multiple definitive major histocompatibility complex class I ligands by proteasomes. 239.
Luckey, C.J. *See* Colella, Bullock, Russell, Mullins, Overwijk, Luckey, Pierce, Restifo, and Engelhard.
Ludewig, B., Ochsenbein, A.F., Odermatt, B., Paulin, D., Hengartner, H., and Zinkernagel, R.M. Immunotherapy with dendritic cells directed against tumor antigens shared with normal host cells results in severe autoimmune disease. 795.
Lundin, K.E.A. *See* Arentz-Hansen, Körner, Molberg, Quarsten, Vader, Kooy, Lundin, Koning, Roepstorff, Sollid, and McAdam.
Luo, Y. *See* Stein, Rot, Luo, Narasimhaswamy, Nakano, Gunn, Matsuzawa, Quackenbush, Dorf, and von Andrian.
Lüttichau, H.R., Stine, J., Boesen, T.P., Johnsen, A.H., Chantry, D., Gerstoft, J., and Schwartz, T.W. A highly selective CC chemokine receptor (CCR)8 antagonist encoded by the poxvirus molluscum contagiosum. 171.

M

Ma, A., Boone, D.L., and Lodolce, J.P. The pleiotropic functions of interleukin 15: not so interleukin 2–like after all. 753.
Ma, L. *See* Song, Ma, Chen, and Stein.
MacDonald, H.R. *See* Radtke, Ferrero, Wilson, Lees, Aguet, and MacDonald.
MacLennan, I.C.M. *See* García de Vinuesa, Cook, Ball, Drew, Sunners, Cascalho, Wabl, Klaus, and MacLennan.
MacPherson, G.G. *See* Huang, Platt, Wykes, Major, Powell, Jenkins, and MacPherson.
Maeda, A. *See* Yasuda, Maeda, Kurosaki, Tezuka, Hironaka, Yamamoto, and Kurosaki.
Maeda, S. *See* Asahi, Azuma, Ito, Ito, Suto, Nagai, Tsubokawa, Tohyama, Maeda, Omata, Suzuki, and Sasakawa.
Maier, R. *See* Lucchiari-Hartz, van Endert, Lauvau, Maier, Meyerhans, Mann, Eichmann, and Niedermann.
Maika, S.D. *See* Zhou, Sayad, Simmons. Jones, Maika, Satumtira, Dorris, Gaskell, Bordoli, Sartor, Slaughter, Richardson, Hammer, and Taurog.
Maini, M.K., Boni, C., Lee, C.K., Larrubia, J.R., Reignat, S., Ogg, G.S., King, A.S., Herberg, J., Gilson, R., Alisa, A., Williams, R., Vergani, D., Naoumov, N.V., Ferrari, C., and Bertoletti, A. The role of virus-specific $CD8^+$ cells in liver damage and viral control during persistent hepatitis B virus infection. 1269.
Majdic, O. *See* Spada, Grant, Peters, Sugita, Melián, Leslie, Lee, van Donselaar, Hanson, Krensky, Majdic, Porcelli, Morita, and Brenner.
Major, J.R. *See* Huang, Platt, Wykes, Major, Powell, Jenkins, and MacPherson.
Mak, T.W. *See* Haraguchi, Torii, Matsuzawa, Xie, Kitada, Krajewski, Yoshida, Mak, and Reed.
Maki, K., Nagata, K., Kitamura, F., Takemori, T., and Karasuyama, H. Immunoglobulin β signaling regulates locus accessibility for ordered immunoglobulin gene rearrangements. 1333.
Malassis-Seris, M. *See* Arstila, Arstila, Calbo, Selz, Malassis-Seris, Vassalli, Kourilsky, and Guy-Grand.
Malik, Z.A., Denning, G.M., and Kusner, D.J. Inhibition of Ca^{2+} signaling by *Mycobacterium tuberculosis* is associated with reduced phagosome–lysosome fusion and increased survival within human macrophages. 287.
Maloy, K.J., Burkhart, C., Junt, T.M., Odermatt, B., Oxenius, A., Piali, L., Zinkernagel, R.M., and Hengartner, H. $CD4^+$ T cell subsets during virus infection: protective capacity depends on effector cytokine secretion and on migratory capability. 2159.
Mandelbrot, D.A. *See* Taraszka, Higgins, Tan, Mandelbrot, Wang, and Brenner.
Manfra, D. *See* Yang, Chen, Leach, Manfra, Homey, Wiekowski, Sullivan, Jenh, Narula, Chensue, and Lira.
Manlongat, N. *See* Bowman, Campbell, Soler, Dong, Manlongat, Picarella, Hardy, and Butcher.
Mann, D. *See* Lucchiari-Hartz, van Endert, Lauvau, Maier, Meyerhans, Mann, Eichmann, and Niedermann.

Maric, S.C. *See* Leteux, Chai, Loveless, Yuen, Uhlin-Hansen, Combarnous, Jankovic, Maric, Misulovin, Nussenzweig, and Feizi.
Mariuzza, R.A. *See* Churchill, Andersen, Parke, Mariuzza, and Kranz.
Marrack, P. *See* Teague, Schaefer, Hildeman, Bender, Mitchell, Kappler, and Marrack.
Marshak-Rothstein, A. *See* Hohlbaum, Moe, and Marshak-Rothstein.
Marshall, A.J., Niiro, H., Lerner, C.G., Yun, T.J., Thomas, S., Disteche, C.M., and Clark, E.A. A novel B lymphocyte–associated adaptor protein, Bam32, regulates antigen receptor signaling downstream of phosphatidylinositol 3-kinase. 1319.
Martin, D. *See* Proft, Moffatt, Weller, Paterson, Martin, and Fraser.
Martin, T.J. *See* Kobayashi, Takahashi, Jimi, Udagawa, Takami, Kotake, Nakagawa, Kinosaki, Yamaguchi, Shima, Yasuda, Morinaga, Higashio, Martin, and Suda.
Martinez-A, C. *See* Lloyd, Delaney, Nguyen, Tian, Martinez-A, Coyle, and Gutierrez-Ramos.
Martinsson, P. *See* Kleinau, Martinsson, and Heyman.
Marx, P.A. *See* Metzner, Jin, Lee, Gettie, Bauer, Di Mascio, Perelson, Marx, Ho, Kostrikis, and Connor.
Mastellos, D. *See* Lubinski, Wang, Mastellos, Sahu, Lambris, and Friedman.
Masters, S. *See* Garceau, Kosaka, Masters, Hambor, Shinkura, Honjo, and Noelle.
Mathis, D. *See* Witherden, van Oers, Waltzinger, Weiss, Benoist, and Mathis.
Matsuda, H. *See* Akiba, Miyahira, Atsuta, Takeda, Nohara, Futagawa, Matsuda, Aoki, Yagita, and Okumura.
Matsuguchi, T. *See* Nishimura, Yajima, Naiki, Tsunobuchi, Umemura, Itano, Matsuguchi, Suzuki, Ohashi, and Yoshikai.
Matsuki, N. *See* Kennedy, Glaccum, Brown, Butz, Viney, Embers, Matsuki, Charrier, Sedger, Willis, Brasel, Morrissey, Stocking, Schuh, Joyce, and Peschon.
Matsuzawa, A. *See* Stein, Rot, Luo, Narasimhaswamy, Nakano, Gunn, Matsuzawa, Quackenbush, Dorf, and von Andrian.
— *See* Warnock, Campbell, Dorf, Matsuzawa, McEvoy, and Butcher.
Matsuzawa, S.-i. *See* Haraguchi, Torii, Matsuzawa, Xie, Kitada, Krajewski, Yoshida, Mak, and Reed.
Matthews, D.J. *See* Townsend, Fallon, Matthews, Jolin, and McKenzie.
Matthews, S.A., Rozengurt, E., and Cantrell, D. Protein kinase D: a selective target for antigen receptors and a downstream target for protein kinase C in lymphocytes. 2075.
Matza, D. *See* Pierre, Shachar, Matza, Gatti, Flavell, and Mellman.
Maverakis, E., Beech, J.T., Wilson, S.S., Quinn, A., Pedersen, B., and Sercarz, E.E. T cell receptor complementarity determining region 3 length analysis reveals the absence of a characteristic public T cell repertoire in neonatal tolerance: the response in the "tolerant" mouse within the residual repertoire is quantitatively similar but qualitatively different. 695.
Mayhew, M. *See* Castellino, Boucher, Eichelberg, Mayhew, Rothman, Houghton, and Germain.
McAdam, S.N. *See* Arentz-Hansen, Körner, Molberg, Quarsten, Vader, Kooy, Lundin, Koning, Roepstorff, Sollid, and McAdam.
McClary, H. *See* Guidotti, McClary, Loudis, and Chisari.
McEvoy, L.M. *See* Warnock, Campbell, Dorf, Matsuzawa, McEvoy, and Butcher.
McFadden, G. *See* Everett, Barry, Lee, Sun, Graham, Stone, Bleackley, and McFadden.
McGregor, J.M. *See* Kelly, Young, McGregor, Seed, Potten, and Walker.
McHeyzer-Williams, L.J., Cool, M., and McHeyzer-Williams, M.G. Antigen-specific B cell memory: expression and replenishment of a novel $B220^-$ memory B cell compartment. 1149.
McHeyzer-Williams, M.G. *See* McHeyzer-Williams, Cool, and McHeyzer-Williams.
McKenzie, A.N.J. *See* Townsend, Fallon, Matthews, Jolin, and McKenzie.
McMahon-Pratt, D. *See* Kima, Constant, Hannum, Colmenares, Lee, Haberman, Shlomchik, and McMahon-Pratt.
McNeish, J. *See* Allen, Svensson, Roach, Hambor, McNeish, and Gabel.
Meagher, C. *See* Zhang, Gao, Salojin, Shao, Grattan, Meagher, Laird, and Delovitch.
Melby, S.J. *See* Lucas, Kim, Melby, and Gress.
Melchers, F. *See* Rolink, Winkler, Melchers, and Andersson.
Melián, A. *See* Spada, Grant, Peters, Sugita, Melián, Leslie, Lee, van Donselaar, Hanson, Krensky, Majdic, Porcelli, Morita, and Brenner.
Mellman, I. *See* Inaba, Turley, Iyoda, Yamaide, Shimoyama, Reis e Sousa, Germain, Mellman, and Steinman.
— *See* Pierre, Shachar, Matza, Gatti, Flavell, and Mellman.
— *See* Steinman, Turley, Mellman, and Inaba.
Mencacci, A. *See* Fe d'Ostiani, Del Sero, Bacci, Montagnoli, Spreca, Mencacci, Ricciardi-Castagnoli, and Romani.
Meng, F. *See* Fitzer-Attas, Lowry, Crowley, Finn, Meng, DeFranco, and Lowell.
Meredith, S.C. *See* Siegel, Schreiber, Meredith, Beck-Engeser, Lancki, Lazarski, Fu, Rowley, and Schreiber.
Merritt, C. *See* Diehl, Enslen, Fortner, Merritt, Stetson, Charland, Flavell, Davis, and Rincón.
Mesri, E.A. *See* Cesarman, Mesri, and Gershengorn.
Metzner, K.J., Jin, X., Lee, F.V., Gettie, A., Bauer, D.E., Di Mascio, M., Perelson, A.S., Marx, P.A., Ho, D.D., Kostrikis, L.G., and Connor, R.I. Effects of in vivo $CD8^+$ T cell depletion on virus replication in rhesus macaques immunized with a live, attenuated simian immunodeficiency virus vaccine. 1921.
Meyer, A. *See* Chvatchko, Hoogewerf, Meyer, Alouani, Juillard, Buser, Conquet, Proudfoot, Wells, and Power.
Meyerhans, A. *See* Lucchiari-Hartz, van Endert, Lauvau, Maier, Meyerhans, Mann, Eichmann, and Niedermann.
Miki, H. *See* Suzuki, Mimuro, Miki, Takenawa, Sasaki, Nakanishi, Takai, and Sasakawa.
Miller, G.F. *See* Chang, Wickes, Miller, Penoyer, and Kwon-Chung.
Mimuro, H. *See* Suzuki, Mimuro, Miki, Takenawa, Sasaki, Nakanishi, Takai, and Sasakawa.
Min, B. *See* Legge, Min, Bell, Caprio, Li, Gregg, and Zaghouani.
Minato, N. *See* Nishimura, Honjo, and Minato.
Minson, A.C. *See* Parry, Simas, Smith, Stewart, Minson, Efstathiou, and Alcami.
Misulovin, Z. *See* Leteux, Chai, Loveless, Yuen, Uhlin-Hansen, Combarnous, Jankovic, Maric, Misulovin, Nussenzweig, and Feizi.
— *See* Liu, Chirino, Misulovin, Leteux, Feizi, Nussenzweig, and Bjorkman.
Mitchell, T. *See* Teague, Schaefer, Hildeman, Bender, Mitchell, Kappler, and Marrack.
Miura, S. *See* Murata, Ishii, Takano, Miura, Ndhlovu, Nose, Noda, and Sugamura.
Miyahira, Y. *See* Akiba, Miyahira, Atsuta, Takeda, Nohara, Futagawa, Matsuda, Aoki, Yagita, and Okumura.
Mobley, W.C. *See* Villoslada, Hauser, Bartke, Unger, Heald, Rosenberg, Cheung, Mobley, Fisher, and Genain.
Moe, S. *See* Hohlbaum, Moe, and Marshak-Rothstein.
Moffatt, S.L. *See* Proft, Moffatt, Weller, Paterson, Martin, and Fraser.
Molberg, Ø. *See* Arentz-Hansen, Körner, Molberg, Quarsten, Vader, Kooy, Lundin, Koning, Roepstorff, Sollid, and McAdam.
Molesh, D. *See* Alderson, Bement, Day, Zhu, Molesh, Skeiky, Coler, Lewinsohn, Reed, and Dillon.
Montagnoli, C. *See* Fe d'Ostiani, Del Sero, Bacci, Montagnoli, Spreca, Mencacci, Ricciardi-Castagnoli, and Romani.
Montecucco, C. *See* Satin, Del Giudice, Della Bianca, Dusi, Laudanna, Tonello, Kelleher, Rappuoli, Montecucco, and Rossi.
Monteiro, R.C. *See* Launay, Grossetête, Arcos-Fajardo, Gaudin, Torres, Beaudoin, Patey-Mariaud de Serre, Lehuen, and Monteiro.
Montenegro, J. *See* Wright, Burton, Hernandez, Hassing, Montenegro, Mundt, Patel, Card, Hermanowski-Vosatka, Bergstrom, Sparrow, Detmers, and Chao.
Moodycliffe, A.M., Shreedhar, V., Ullrich, S.E., Walterscheid, J., Bucana, C., Kripke, M.L., and Flores-Romo, L. CD40–CD40 ligand interactions in vivo regulate migration of antigen-bearing dendritic cells from the skin to draining lymph nodes. 2011.
Mora, C. *See* Green, Wong, Eshima, Mora, and Flavell.
Moreau, J.-L. *See* Eckenberg, Rose, Moreau, Weil, Gesbert, Dubois, Tello, Bossus, Gras, Tartar, Bertoglio, Chouaïb, Goldberg, Jacques, Alzari, and Thèze.

Moreau-Aubry, A., Le Guiner, S., Labarrière, N., Gesnel, M.-C., Jotereau, F., and Breathnach, R. A processed pseudogene codes for a new antigen recognized by a $CD8^+$ T cell clone on melanoma. 1617.

Morgan, B.P. *See* Labéta, Vidal, Rey Nores, Arias, Vita, Morgan, Guillemot, Loyaux, Ferrara, Schmid, Affolter, Borysiewicz, Donnet-Hughes, and Schiffrin.

Morinaga, T. *See* Kobayashi, Takahashi, Jimi, Udagawa, Takami, Kotake, Nakagawa, Kinosaki, Yamaguchi, Shima, Yasuda, Morinaga, Higashio, Martin, and Suda.

Morita, C.T. *See* Spada, Grant, Peters, Sugita, Melián, Leslie, Lee, van Donselaar, Hanson, Krensky, Majdic, Porcelli, Morita, and Brenner.

Morrison, S.L. *See* Rifai, Fadden, Morrison, and Chintalacharuvu.

Morrissey, P.J. *See* Kennedy, Glaccum, Brown, Butz, Viney, Embers, Matsuki, Charrier, Sedger, Willis, Brasel, Morrissey, Stocking, Schuh, Joyce, and Peschon.

Moskophidis, D. Price, Ou, Jiang, Huang, and Moskophidis.

Muegge, K. *See* Schlissel, Durum, and Muegge.

Mufson, R.A. *See* Yin, Tuthill, Mufson, and Shi.

Mulligan, R.C. *See* Dahl, Klein, Andres, London, Lodge, Mulligan, and Abbas.

— *See* Klein, Bueler, and Mulligan.

Mullins, D.W. *See* Colella, Bullock, Russell, Mullins, Overwijk, Luckey, Pierce, Restifo, and Engelhard.

Mundt, S. *See* Wright, Burton, Hernandez, Hassing, Montenegro, Mundt, Patel, Card, Hermanowski-Vosatka, Bergstrom, Sparrow, Detmers, and Chao.

Münz, C., Bickham, K.L., Subklewe, M., Tsang, M.L., Chahroudi, A., Kurilla, M.G., Zhang, D., O'Donnell, M., and Steinman, R.M. Human $CD4^+$ T lymphocytes consistently respond to the latent Epstein-Barr virus nuclear antigen EBNA1. 1649.

— *See* Singh-Jasuja, Toes, Spee, Münz, Hilf, Schoenberger, Ricciardi-Castagnoli, Neefjes, Rammensee, Arnold-Schild, and Schild.

Murata, K., Ishii, N., Takano, H., Miura, S., Ndhlovu, L.C., Nose, M., Noda, T., and Sugamura, K. Impairment of antigen-presenting cell function in mice lacking expression of OX40 ligand. 365.

Müschen, M., Rajewsky, K., Bräuninger, A., Baur, A.S., Oudejans, J.J., Roers, A., Hansmann, M.-L., and Küppers, R. Rare occurrence of classical Hodgkin's disease as a T cell lymphoma. 387.

N

Nagafuchi, H. *See* Kashiwakura, Suzuki, Nagafuchi, Takeno, Takeba, Shimoyama, and Sakane.

Nagai, Y. *See* Asahi, Azuma, Ito, Ito, Suto, Nagai, Tsubokawa, Tohyama, Maeda, Omata, Suzuki, and Sasakawa.

Nagaoka, H., Gonzalez-Aseguinolaza, G., Tsuji, M., and Nussenzweig, M.C. Immunization and infection change the number of recombination activating gene (RAG)-expressing B cells in the periphery by altering immature lymphocyte production. 2113.

Nagata, K. *See* Maki, Nagata, Kitamura, Takemori, and Karasuyama.

Nagata, Y. *See* Jäger, Jäger, Karbach, Chen, Ritter, Nagata, Gnjatic, Stockert, Arand, Old, and Knuth.

Naiki, Y. *See* Nishimura, Yajima, Naiki, Tsunobuchi, Umemura, Itano, Matsuguchi, Suzuki, Ohashi, and Yoshikai.

Nakae, S. *See* Horai, Saijo, Tanioka, Nakae, Sudo, Okahara, Ikuse, Asano, and Iwakura.

Nakagawa, N. *See* Kobayashi, Takahashi, Jimi, Udagawa, Takami, Kotake, Nakagawa, Kinosaki, Yamaguchi, Shima, Yasuda, Morinaga, Higashio, Martin, and Suda.

Nakamura, A., Yuasa, T., Ujike, A., Ono, M., Nukiwa, T., Ravetch, J.V., and Takai, T. Fcγ receptor IIB–deficient mice develop Goodpasture's syndrome upon immunization with type IV collagen: a novel murine model for autoimmune glomerular basement membrane disease. 899.

Nakanishi, H. *See* Suzuki, Mimuro, Miki, Takenawa, Sasaki, Nakanishi, Takai, and Sasakawa.

Nakano, H. *See* Stein, Rot, Luo, Narasimhaswamy, Nakano, Gunn, Matsuzawa, Quackenbush, Dorf, and von Andrian.

Nakayama, T. *See* Kaneko, Harada, Kawano, Yamashita, Shibata, Gejyo, Nakayama, and Taniguchi.

— *See* Yamashita, Katsumata, Iwashima, Kimura, Shimizu, Kamata, Shin, Seki, Suzuki, Taniguchi, and Nakayama.

Naoumov, N.V. *See* Maini, Boni, Lee, Larrubia, Reignat, Ogg, King, Herberg, Gilson, Alisa, Williams, Vergani, Naoumov, Ferrari, and Bertoletti.

Narasimhaswamy, M. *See* Stein, Rot, Luo, Narasimhaswamy, Nakano, Gunn, Matsuzawa, Quackenbush, Dorf, and von Andrian.

Nardi, M., and Karpatkin, S. Antiidiotype antibody against platelet anti-GPIIIa contributes to the regulation of thrombocytopenia in HIV-1–ITP patients. 2093.

Narula, S.K. *See* Yang, Chen, Leach, Manfra, Homey, Wiekowski, Sullivan, Jenh, Narula, Chensue, and Lira.

Nash, A.A. T cells and the regulation of herpes simplex virus latency and reactivation. 1455.

Ndhlovu, L.C. *See* Murata, Ishii, Takano, Miura, Ndhlovu, Nose, Noda, and Sugamura.

Neefjes, J. *See* Singh-Jasuja, Toes, Spee, Münz, Hilf, Schoenberger, Ricciardi-Castagnoli, Neefjes, Rammensee, Arnold-Schild, and Schild.

— *See* van Ham, van Lith, Lillemeier, Tjin, Grüneberg, Rahman, Pastoors, van Meijgaarden, Roucard, Trowsdale, Ottenhoff, Pappin, and Neefjes.

Nemazee, D., and Weigert, M. Revising B cell receptors. 1813.

Netuschil, N. *See* Obst, Netuschil, Klopfer, Stevanović, and Rammensee.

Neuberger, M.S. *See* Ehrenstein, Cook, and Neuberger.

New, S. *See* Ingram, Yang, Travers, Wenning, Hiatt, New, Hood, Shannon, Williams, and Clapp.

Newton, K., and Strasser, A. Ionizing radiation and chemotherapeutic drugs induce apoptosis in lymphocytes in the absence of Fas or FADD/MORT1 signaling: implications for cancer therapy. 195.

Nguyen, L.T. *See* Garza, Chan, Suri, Nguyen, Odermatt, Schoenberger, and Ohashi.

Nguyen, T. *See* Lloyd, Delaney, Nguyen, Tian, Martinez-A, Coyle, and Gutierrez-Ramos.

Nicholson, L.B. *See* Anderson, Nicholson, Legge, Turchin, Zaghouani, and Kuchroo.

Nicklin, M.J.H., Hughes, D.E., Barton, J.L., Ure, J.M., and Duff, G.W. Arterial inflammation in mice lacking the interleukin 1 receptor antagonist gene. 303.

Niedermann, G. *See* Lucchiari-Hartz, van Endert, Lauvau, Maier, Meyerhans, Mann, Eichmann, and Niedermann.

Niiro, H. *See* Marshall, Niiro, Lerner, Yun, Thomas, Disteche, and Clark.

Nishikomori, R., Ehrhardt, R.O., and Strober, W. T helper type 2 cell differentiation occurs in the presence of interleukin 12 receptor β2 chain expression and signaling. 847.

Nishimura, H., Honjo, T., and Minato, N. Facilitation of β selection and modification of positive selection in the thymus of PD-1–deficient mice. 891.

—, **Yajima, T., Naiki, Y., Tsunobuchi, H., Umemura, M., Itano, K., Matsuguchi, T., Suzuki, M., Ohashi, P.S., and Yoshikai, Y.** Differential roles of interleukin 15 mRNA isoforms generated by alternative splicing in immune responses in vivo. 157.

Nishioka, K. *See* Yokozeki, Ghoreishi, Takagawa, Takayama, Satoh, Katayama, Takeda, Akira, and Nishioka.

Noda, T. *See* Murata, Ishii, Takano, Miura, Ndhlovu, Nose, Noda, and Sugamura.

Noelle, R.J. *See* Garceau, Kosaka, Masters, Hambor, Shinkura, Honjo, and Noelle.

Nogaki, F. *See* Fagarasan, Shinkura, Kamata, Nogaki, Ikuta, Tashiro, and Honjo.

Nohara, C. *See* Akiba, Miyahira, Atsuta, Takeda, Nohara, Futagawa, Matsuda, Aoki, Yagita, and Okumura.

Nose, M. *See* Murata, Ishii, Takano, Miura, Ndhlovu, Nose, Noda, and Sugamura.

Nukiwa, T. *See* Nakamura, Yuasa, Ujike, Ono, Nukiwa, Ravetch, and Takai.

Nussenzweig, M.C. *See* Leteux, Chai, Loveless, Yuen, Uhlin-Hansen, Combarnous, Jankovic, Maric, Misulovin, Nussenzweig, and Feizi.
— *See* Liu, Chirino, Misulovin, Leteux, Feizi, Nussenzweig, and Bjorkman.
— *See* Nagaoka, Gonzalez-Aseguinolaza, Tsuji, and Nussenzweig.

O

Obst, R., Netuschil, N., Klopfer, K., Stevanović, S., and Rammensee, H.-G. The role of peptides in T cell alloreactivity is determined by self–major histocompatibility complex molecules. 805.
Ochsenbein, A.F. *See* Ludewig, Ochsenbein, Odermatt, Paulin, Hengartner, and Zinkernagel.
Odermatt, B. *See* Garza, Chan, Suri, Nguyen, Odermatt, Schoenberger, and Ohashi.
— *See* Ludewig, Ochsenbein, Odermatt, Paulin, Hengartner, and Zinkernagel.
— *See* Maloy, Burkhart, Junt, Odermatt, Oxenius, Piali, Zinkernagel, and Hengartner.
O'Donnell, M. *See* Münz, Bickham, Subklewe, Tsang, Chahroudi, Kurilla, Zhang, O'Donnell, and Steinman.
Ogg, G.S. *See* Maini, Boni, Lee, Larrubia, Reignat, Ogg, King, Herberg, Gilson, Alisa, Williams, Vergani, Naoumov, Ferrari, and Bertoletti.
Ohashi, P.S. *See* Garza, Chan, Suri, Nguyen, Odermatt, Schoenberger, and Ohashi.
— *See* Jones, Parsons, Bonnard, Chan, Yeh, Woodgett, and Ohashi.
— *See* Nishimura, Yajima, Naiki, Tsunobuchi, Umemura, Itano, Matsuguchi, Suzuki, Ohashi, and Yoshikai.
Öhlén, C. *See* Glas, Franksson, Une, Eloranta, Öhlén, Örn, and Kärre.
Okahara, A. *See* Horai, Saijo, Tanioka, Nakae, Sudo, Okahara, Ikuse, Asano, and Iwakura.
Okumura, K. *See* Akiba, Miyahira, Atsuta, Takeda, Nohara, Futagawa, Matsuda, Aoki, Yagita, and Okumura.
Old, L.J. *See* Jäger, Jäger, Karbach, Chen, Ritter, Nagata, Gnjatic, Stockert, Arand, Old, and Knuth.
Olson, S. *See* Laky, Lefrançois, Lingenheld, Ishikawa, Lewis, Olson, Suzuki, Tigelaar, and Puddington.
Omata, M. *See* Asahi, Azuma, Ito, Ito, Suto, Nagai, Tsubokawa, Tohyama, Maeda, Omata, Suzuki, and Sasakawa.
Ono, M. *See* Nakamura, Yuasa, Ujike, Ono, Nukiwa, Ravetch, and Takai.
O'Reilly, L.A. *See* Smith, Light, O'Reilly, Ang, Strasser, and Tarlinton.
Örn, A. *See* Glas, Franksson, Une, Eloranta, Öhlén, Örn, and Kärre.
Ottenhoff, T. *See* van Ham, van Lith, Lillemeier, Tjin, Grüneberg, Rahman, Pastoors, van Meijgaarden, Roucard, Trowsdale, Ottenhoff, Pappin, and Neefjes.
Ou, R. *See* Price, Ou, Jiang, Huang, and Moskophidis.
Oudejans, J.J. *See* Müschen, Rajewsky, Bräuninger, Baur, Oudejans, Roers, Hansmann, and Küppers.
Overwijk, W.W. *See* Colella, Bullock, Russell, Mullins, Overwijk, Luckey, Pierce, Restifo, and Engelhard.
Owen, J.J.T. *See* Suniara, Jenkinson, and Owen.
Oxenius, A. *See* Maloy, Burkhart, Junt, Odermatt, Oxenius, Piali, Zinkernagel, and Hengartner.
Ozato, K. *See* Blanco, Contursi, Salkowski, DeWitt, Ozato, and Vogel.

P

Paciorkowski, N., Porte, P., Shultz, L.D., and Rajan, T.V. B1 B lymphocytes play a critical role in host protection against lymphatic filarial parasites. 731.
Packard, B.Z. *See* Komoriya, Packard, Brown, Wu, and Henkart.
Pandey, A. *See* Sosinowski, Pandey, Dixit, and Weiss.
Pandolfi, P.P. *See* Arpaia, Benveniste, Di Cristofano, Gu, Dalal, Kelly, Hershfield, Pandolfi, Roifman, and Cohen.
— *See* Zhong, Salomoni, Ronchetti, Guo, Ruggero, and Pandolfi.
Pappin, D. *See* van Ham, van Lith, Lillemeier, Tjin, Grüneberg, Rahman, Pastoors, van Meijgaarden, Roucard, Trowsdale, Ottenhoff, Pappin, and Neefjes.
Pardoll, D.M. *See* Lu, Yuan, Zhou, Sotomayor, Levitsky, and Pardoll.
Parke, E.A. *See* Churchill, Andersen, Parke, Mariuzza, and Kranz.
Parlato, S. *See* Santini, Lapenta, Logozzi, Parlato, Spada, Di Pucchio, and Belardelli.
Parry, C.M., Simas, J.P., Smith, V.P., Stewart, C.A., Minson, A.C., Efstathiou, S., and Alcami, A. A broad spectrum secreted chemokine binding protein encoded by a herpesvirus. 573.
Parsons, M. *See* Jones, Parsons, Bonnard, Chan, Yeh, Woodgett, and Ohashi.
Pascual, V. *See* Wilson, Wilson, Liu, Banchereau, Pascual, and Capra.
Pastoors, L. *See* van Ham, van Lith, Lillemeier, Tjin, Grüneberg, Rahman, Pastoors, van Meijgaarden, Roucard, Trowsdale, Ottenhoff, Pappin, and Neefjes.
Patel, S. *See* Wright, Burton, Hernandez, Hassing, Montenegro, Mundt, Patel, Card, Hermanowski-Vosatka, Bergstrom, Sparrow, Detmers, and Chao.
Paterson, A. *See* Proft, Moffatt, Weller, Paterson, Martin, and Fraser.
Patey-Mariaud de Serre, N. *See* Launay, Grossetête, Arcos-Fajardo, Gaudin, Torres, Beaudoin, Patey-Mariaud de Serre, Lehuen, and Monteiro.
Paulin, D. *See* Ludewig, Ochsenbein, Odermatt, Paulin, Hengartner, and Zinkernagel.
Paulsson, K.M. *See* Li, Chen, Xu, Sundstedt, Paulsson, Anderson, Karlsson, Sjögren, and Wang.
Pavlištová, D. *See* Brdička, Pavlištová, Leo, Bruyns, Kořínek, Angelisová, Scherer, Shevchenko, Shevchenko, Hilgert, Černý, Drbal, Kuramitsu, Kornacker, Hořejší, and Schraven.
Pedersen, B. *See* Maverakis, Beech, Wilson, Quinn, Pedersen, and Sercarz.
Peirce, M.J. *See* Arudchandran, Brown, Peirce, Song, Zhang, Siraganian, Blank, and Rivera.
Pelikan, S.B. *See* Smyth, Thia, Street, Cretney, Trapani, Taniguchi, Kawano, Pelikan, Crowe, and Godfrey.
Penoyer, L.A. *See* Chang, Wickes, Miller, Penoyer, and Kwon-Chung.
Pepper, M.S. *See* Tenan, Fulci, Albertoni, Diserens, Hamou, El Atifi-Borel, Feige, Pepper, and Van Meir.
Perelson, A.S. *See* Metzner, Jin, Lee, Gettie, Bauer, Di Mascio, Perelson, Marx, Ho, Kostrikis, and Connor.
Peretz, A. *See* Levite, Cahalon, Peretz, Hershkoviz, Sobko, Ariel, Desai, Attali, and Lider.
Perfetto, S.J. *See* Blair, Riley, Harlan, Abe, Tadaki, Hoffmann, White, Francomano, Perfetto, Kirk, and June.
Peschon, J.J. *See* Kennedy, Glaccum, Brown, Butz, Viney, Embers, Matsuki, Charrier, Sedger, Willis, Brasel, Morrissey, Stocking, Schuh, Joyce, and Peschon.
Pestka, S. *See* Ding, Qin, Kotenko, Pestka, and Bromberg.
Peters, P.J. *See* Spada, Grant, Peters, Sugita, Melián, Leslie, Lee, van Donselaar, Hanson, Krensky, Majdic, Porcelli, Morita, and Brenner.
Peterson, P.A. *See* Hwang, Huang, Kishimoto, Brunmark, Peterson, Jackson, Surh, Cai, and Sprent.
Petro, J.B., Rahman, S.M.J., Ballard, D.W., and Khan, W.N. Bruton's tyrosine kinase is required for activation of IκB kinase and nuclear factor κB in response to B cell receptor engagement. 1745.
Phillips, R. *See* Lechner, Wong, Dunbar, Chapman, Chung, Dohrenwend, Robbins, Phillips, Klenerman, and Walker.
Piali, L. *See* Maloy, Burkhart, Junt, Odermatt, Oxenius, Piali, Zinkernagel, and Hengartner.
Picarella, D. *See* Bowman, Campbell, Soler, Dong, Manlongat, Picarella, Hardy, and Butcher.
Pierce, R.A. *See* Colella, Bullock, Russell, Mullins, Overwijk, Luckey, Pierce, Restifo, and Engelhard.
Pierre, P., Shachar, I., Matza, D., Gatti, E., Flavell, R.A., and Mellman, I. Invariant chain controls H2-M proteolysis in mouse splenocytes and dendritic cells. 1057.
Pineault, N. *See* Helgason, Kalberer, Damen, Chappel, Pineault, Krystal, and Humphries.
Pique, C., Ureta-Vidal, A., Gessain, A., Chancerel, B., Gout, O., Tamouza, R., Agis, F., and Dokhélar, M.-C. Evidence for the chronic in vivo production of human T cell leukemia virus type I Rof and Tof proteins from cytotoxic T lymphocytes directed against viral peptides. 567.
Platt, N. *See* Huang, Platt, Wykes, Major, Powell, Jenkins, and MacPherson.

Ploegh, H.L. *See* Shi, Bryant, Riese, Verhelst, Driessen, Li, Bromme, Ploegh, and Chapman.
Pogue, S.L., and Goodnow, C.C. Gene dose–dependent maturation and receptor editing of B cells expressing immunoglobulin (Ig)G1 or IgM/IgG1 tail antigen receptors. 1031.
Porcelli, S.A. *See* Spada, Grant, Peters, Sugita, Melián, Leslie, Lee, van Donselaar, Hanson, Krensky, Majdic, Porcelli, Morita, and Brenner.
Porte, P. *See* Paciorkowski, Porte, Shultz, and Rajan.
Potten, C.S. *See* Kelly, Young, McGregor, Seed, Potten, and Walker.
Potter, J.W. *See* Gresham, Dale, Potter, Chang, Vines, Lowell, Lagenaur, and Willman.
Powell, T.J. *See* Huang, Platt, Wykes, Major, Powell, Jenkins, and MacPherson.
Power, C.A. *See* Chvatchko, Hoogewerf, Meyer, Alouani, Juillard, Buser, Conquet, Proudfoot, Wells, and Power.
Price, G.E., Ou, R., Jiang, H., Huang, L., and Moskophidis, D. Viral escape by selection of cytotoxic T cell–resistant variants in influenza A virus pneumonia. 1853.
Proft, T., Moffatt, S.L., Weller, K.D., Paterson, A., Martin, D., and Fraser, J.D. The streptococcal superantigen SMEZ exhibits wide allelic variation, mosaic structure, and significant antigenic variation. 1765.
Prosper, F. *See* Horita, Andreu, Benito, Arbona, Sanz, Benet, Prosper, and Fernandez-Luna.
Proudfoot, A.E.I. *See* Chvatchko, Hoogewerf, Meyer, Alouani, Juillard, Buser, Conquet, Proudfoot, Wells, and Power.
Puddington, L. *See* Laky, Lefrançois, Lingenheld, Ishikawa, Lewis, Olson, Suzuki, Tigelaar, and Puddington.
Pyrdol, J. *See* Krogsgaard, Wucherpfennig, Canella, Hansen, Svejgaard, Pyrdol, Ditzel, Raine, Engberg, and Fugger.

Q

Qin, L. *See* Ding, Qin, Kotenko, Pestka, and Bromberg.
Quackenbush, E.J. *See* Stein, Rot, Luo, Narasimhaswamy, Nakano, Gunn, Matsuzawa, Quackenbush, Dorf, and von Andrian.
Quarsten, H. *See* Arentz-Hansen, Körner, Molberg, Quarsten, Vader, Kooy, Lundin, Koning, Roepstorff, Sollid, and McAdam.
Quinn, A. *See* Maverakis, Beech, Wilson, Quinn, Pedersen, and Sercarz.

R

Radtke, F., Ferrero, I., Wilson, A., Lees, R., Aguet, M., and MacDonald, H.R. Notch1 deficiency dissociates the intrathymic development of dendritic cells and T cells. 1085.
Rahman, D. *See* van Ham, van Lith, Lillemeier, Tjin, Grüneberg, Rahman, Pastoors, van Meijgaarden, Roucard, Trowsdale, Ottenhoff, Pappin, and Neefjes.
Rahman, S.M.J. *See* Petro, Rahman, Ballard, and Khan.
Raine, C. *See* Krogsgaard, Wucherpfennig, Canella, Hansen, Svejgaard, Pyrdol, Ditzel, Raine, Engberg, and Fugger.
Rajagoplan, S., and Long, E.O. A human histocompatibility leukocyte antigen (HLA)-G–specific receptor expressed on all natural killer cells [189(7):1093]: Correction. 2029.
Rajan, T.V. *See* Paciorkowski, Porte, Shultz, and Rajan.
Rajewsky, K. *See* Jungnickel, Staratschek-Jox, Bräuninger, Spieker, Wolf, Diehl, Hansmann, Rajewsky, and Küppers.
— *See* Müschen, Rajewsky, Bräuninger, Baur, Oudejans, Roers, Hansmann, and Küppers.
Rammensee, H.-G. *See* Obst, Netuschil, Klopfer, Stevanović, and Rammensee.
— *See* Singh-Jasuja, Toes, Spee, Münz, Hilf, Schoenberger, Ricciardi-Castagnoli, Neefjes, Rammensee, Arnold-Schild, and Schild.
Ramos, M. *See* Yagüe, Alvarez, Rognan, Ramos, Vázquez, and López de Castro.
Ranger, A.M., Gerstenfeld, L.C., Wang, J., Kon, T., Bae, H., Gravallese, E.M., Glimcher, M.J., and Glimcher, L.H. The nuclear factor of activated T cells (NFAT) transcription factor NFATp (NFATc2) is a repressor of chondrogenesis. 9.
Ransohoff, R.M., and Trebst, C. Surprising pleiotropy of nerve growth factor in the treatment of experimental autoimmune encephalomyelitis. 1625.
Rappuoli, R. *See* Covacci and Rappuoli.
— *See* Satin, Del Giudice, Della Bianca, Dusi, Laudanna, Tonello, Kelleher, Rappuoli, Montecucco, and Rossi.
Ravagnan, L. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.
Ravetch, J.V. *See* Nakamura, Yuasa, Ujike, Ono, Nukiwa, Ravetch, and Takai.
Reed, J.C. *See* Haraguchi, Torii, Matsuzawa, Xie, Kitada, Krajewski, Yoshida, Mak, and Reed.
— *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.
Reed, S.G. *See* Alderson, Bement, Day, Zhu, Molesh, Skeiky, Coler, Lewinsohn, Reed, and Dillon.
Rehermann, B. Intrahepatic T cells in hepatitis B: viral control versus liver cell injury. 1263.
— *See* Sijts, Ruppert, Rehermann, Schmidt, Koszinowski, and Kloetzel.
Reignat, S. *See* Maini, Boni, Lee, Larrubia, Reignat, Ogg, King, Herberg, Gilson, Alisa, Williams, Vergani, Naoumov, Ferrari, and Bertoletti.
Reininger, L. *See* Fossati-Jimack, Ioan-Facsinay, Reininger, Chicheportiche, Watanabe, Saito, Hofhuis, Gessner, Schiller, Schmidt, Honjo, Verbeek, and Izui.
Reis e Sousa, C. *See* Inaba, Turley, Iyoda, Yamaide, Shimoyama, Reis e Sousa, Germain, Mellman, and Steinman.
Rennebohm, R.M. *See* Blanchong, Zhou, Rupert, Chung, Jones, Sotos, Zipf, Rennebohm, and Yu.
Restifo, N.P. *See* Colella, Bullock, Russell, Mullins, Overwijk, Luckey, Pierce, Restifo, and Engelhard.
Rey Nores, J.E. *See* Labéta, Vidal, Rey Nores, Arias, Vita, Morgan, Guillemot, Loyaux, Ferrara, Schmid, Affolter, Borysiewicz, Donnet-Hughes, and Schiffrin.
Ricciardi-Castagnoli, P. *See* Fe d'Ostiani, Del Sero, Bacci, Montagnoli, Spreca, Mencacci, Ricciardi-Castagnoli, and Romani.
— *See* Singh-Jasuja, Toes, Spee, Münz, Hilf, Schoenberger, Ricciardi-Castagnoli, Neefjes, Rammensee, Arnold-Schild, and Schild.
Richardson, J.A. *See* Zhou, Sayad, Simmons, Jones, Maika, Satumtira, Dorris, Gaskell, Bordoli, Sartor, Slaughter, Richardson, Hammer, and Taurog.
Richmond, J.F.L. *See* Huang, Richmond, Suzue, Eisen, and Young.
Riese, R. *See* Shi, Bryant, Riese, Verhelst, Driessen, Li, Bromme, Ploegh, and Chapman.
Rifai, A., Fadden, K., Morrison, S.L., and Chintalacharuvu, K.R. The *N*-glycans determine the differential blood clearance and hepatic uptake of human immunoglobulin (Ig)A1 and IgA2 isotypes. 2171.
Riley, J.L., Schlienger, K., Blair, P.J., Carreno, B., Craighead, N., Kim, D., Carroll, R.G., and June, C.H. Modulation of susceptibility to HIV-1 infection by the cytotoxic T lymphocyte antigen 4 costimulatory molecule. 1987.
— *See* Blair, Riley, Harlan, Abe, Tadaki, Hoffmann, White, Francomano, Perfetto, Kirk, and June.
Rincón, M. *See* Diehl, Enslen, Fortner, Merritt, Stetson, Charland, Flavell, Davis, and Rincón.
— *See* Weiss, Whitmarsh, Yang, Rincón, Davis, and Flavell.
Rittenberg, M.B. *See* Brown, Schumacher, Wiens, Brennan, and Rittenberg.
Ritter, G. *See* Jäger, Jäger, Karbach, Chen, Ritter, Nagata, Gnjatic, Stockert, Arand, Old, and Knuth.
Rittig, M.G. *See* Bogdan, Donhauser, Döring, Röllinghoff, Diefenbach, and Rittig.
Rivera, J. *See* Arudchandran, Brown, Peirce, Song, Zhang, Siraganian, Blank, and Rivera.
Roach, M. *See* Allen, Svensson, Roach, Hambor, McNeish, and Gabel.
Robbins, G. *See* Lechner, Wong, Dunbar, Chapman, Chung, Dohrenwend, Robbins, Phillips, Klenerman, and Walker.
Roepstorff, P. *See* Arentz-Hansen, Körner, Molberg, Quarsten, Vader, Kooy, Lundin, Koning, Roepstorff, Sollid, and McAdam.
Roers, A. *See* Müschen, Rajewsky, Bräuninger, Baur, Oudejans, Roers, Hansmann, and Küppers.
Rognan, D. *See* Yagüe, Alvarez, Rognan, Ramos, Vázquez, and López de Castro.

Roifman, C.M. *See* Arpaia, Benveniste, Di Cristofano, Gu, Dalal, Kelly, Hershfield, Pandolfi, Roifman, and Cohen.
Rolink, A.G., Winkler, T., Melchers, F., and Andersson, J. Precursor B cell receptor–dependent B cell proliferation and differentiation does not require the bone marrow or fetal liver environment. 23.
Röllinghoff, M. *See* Bogdan, Donhauser, Döring, Röllinghoff, Diefenbach, and Rittig.
— *See* Körner, Cretney, Wilhelm, Kelly, Röllinghoff, Sedgwick, and Smyth.
Romani, L. *See* Fe d'Ostiani, Del Sero, Bacci, Montagnoli, Spreca, Mencacci, Ricciardi-Castagnoli, and Romani.
Ronchetti, S. *See* Zhong, Salomoni, Ronchetti, Guo, Ruggero, and Pandolfi.
Rondeau, E. *See* Cunningham, Rondeau, Chen, Coughlin, Holdsworth, and Tipping.
Roques, B.P. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.
Rose, T. *See* Eckenberg, Rose, Moreau, Weil, Gesbert, Dubois, Tello, Bossus, Gras, Tartar, Bertoglio, Chouaïb, Goldberg, Jacques, Alzari, and Thèze.
Rosenberg, D. *See* Villoslada, Hauser, Bartke, Unger, Heald, Rosenberg, Cheung, Mobley, Fisher, and Genain.
Rosorius, O. *See* Kruse, Rosorius, Krätzer, Bevec, Kuhnt, Steinkasserer, Schuler, and Hauber.
Rossi, F. *See* Satin, Del Giudice, Della Bianca, Dusi, Laudanna, Tonello, Kelleher, Rappuoli, Montecucco, and Rossi.
Rot, A. *See* Stein, Rot, Luo, Narasimhaswamy, Nakano, Gunn, Matsuzawa, Quackenbush, Dorf, and von Andrian.
Rothman, J.E. *See* Castellino, Boucher, Eichelberg, Mayhew, Rothman, Houghton, and Germain.
Rötzschke, O. *See* Falk, Rötzschke, Santambrogio, Dorf, Brosnan, and Strominger.
Roucard, C. *See* van Ham, van Lith, Lillemeier, Tjin, Grüneberg, Rahman, Pastoors, van Meijgaarden, Roucard, Trowsdale, Ottenhoff, Pappin, and Neefjes.
Rowley, D.A. *See* Siegel, Schreiber, Meredith, Beck-Engeser, Lancki, Lazarski, Fu, Rowley, and Schreiber.
Rozengurt, E. *See* Matthews, Rozengurt, and Cantrell.
Ruetsch, N.R., Bosma, G.C., and Bosma, M.J. Unexpected rearrangement and expression of the immunoglobulin λ1 locus in scid mice. 1933.
Ruggero, D. *See* Zhong, Salomoni, Ronchetti, Guo, Ruggero, and Pandolfi.
Rupert, K.L. *See* Blanchong, Zhou, Rupert, Chung, Jones, Sotos, Zipf, Rennebohm, and Yu.
Ruppert, T. *See* Sijts, Ruppert, Rehermann, Schmidt, Koszinowski, and Kloetzel.
Russell, L.B. *See* Colella, Bullock, Russell, Mullins, Overwijk, Luckey, Pierce, Restifo, and Engelhard.

S

Sahu, A. *See* Lubinski, Wang, Mastellos, Sahu, Lambris, and Friedman.
Saijo, S. *See* Horai, Saijo, Tanioka, Nakae, Sudo, Okahara, Ikuse, Asano, and Iwakura.
Saito, T. *See* Fossati-Jimack, Ioan-Facsinay, Reininger, Chicheportiche, Watanabe, Saito, Hofhuis, Gessner, Schiller, Schmidt, Honjo, Verbeek, and Izui.
Sakane, T. *See* Kashiwakura, Suzuki, Nagafuchi, Takeno, Takeba, Shimoyama, and Sakane.
Salcedo, M. *See* Smith, Chuang, Wang, Salcedo, Heusel, and Yokoyama.
Salkowski, C.A. *See* Blanco, Contursi, Salkowski, DeWitt, Ozato, and Vogel.
Salojin, K. *See* Zhang, Gao, Salojin, Shao, Grattan, Meagher, Laird, and Delovitch.
Salomoni, P. *See* Zhong, Salomoni, Ronchetti, Guo, Ruggero, and Pandolfi.
Samelson, L.E. *See* Bosselut, Zhang, Ashe, Kopacz, Samelson, and Singer.
Santambrogio, L. *See* Falk, Rötzschke, Santambrogio, Dorf, Brosnan, and Strominger.
Sant'Angelo, D.B. *See* Blander, Sant'Angelo, Bottomly, and Janeway.
Santini, S.M., Lapenta, C., Logozzi, M., Parlato, S., Spada, M., Di Pucchio, T., and Belardelli, F. Type I interferon as a powerful adjuvant for monocyte-derived dendritic cell development and activity in vitro and in hu-PBL-SCID mice. 1777.
Sanz, C. *See* Horita, Andreu, Benito, Arbona, Sanz, Benet, Prosper, and Fernandez-Luna.
Sarma, S. *See* Josien, Li, Ingulli, Sarma, Wong, Vologodskaia, Steinman, and Choi.
Sartor, R.B. *See* Zhou, Sayad, Simmons, Jones, Maika, Satumtira, Dorris, Gaskell, Bordoli, Sartor, Slaughter, Richardson, Hammer, and Taurog.
Sasakawa, C. *See* Asahi, Azuma, Ito, Ito, Suto, Nagai, Tsubokawa, Tohyama, Maeda, Omata, Suzuki, and Sasakawa.
— *See* Suzuki, Mimuro, Miki, Takenawa, Sasaki, Nakanishi, Takai, and Sasakawa.
Sasaki, T. *See* Suzuki, Mimuro, Miki, Takenawa, Sasaki, Nakanishi, Takai, and Sasakawa.
Satin, B., Del Giudice, G., Della Bianca, V., Dusi, S., Laudanna, C., Tonello, F., Kelleher, D., Rappuoli, R., Montecucco, C., and Rossi, F. The neutrophil-activating protein (HP-NAP) of *Helicobacter pylori* is a protective antigen and a major virulence factor. 1467.
Satoh, T. *See* Yokozeki, Ghoreishi, Takagawa, Takayama, Satoh, Katayama, Takeda, Akira, and Nishioka.
Satumtira, N. *See* Zhou, Sayad, Simmons, Jones, Maika, Satumtira, Dorris, Gaskell, Bordoli, Sartor, Slaughter, Richardson, Hammer, and Taurog.
Sauter, B., Albert, M.L., Francisco, L., Larsson, M., Somersan, S., and Bhardwaj, N. Consequences of cell death: exposure to necrotic tumor cells, but not primary tissue cells or apoptotic cells, induces the maturation of immunostimulatory dendritic cells. 423.
Sayad, A. *See* Zhou, Sayad, Simmons, Jones, Maika, Satumtira, Dorris, Gaskell, Bordoli, Sartor, Slaughter, Richardson, Hammer, and Taurog.
Schaefer, B.C. *See* Teague, Schaefer, Hildeman, Bender, Mitchell, Kappler, and Marrack.
Scharff, M.D. *See* Wiesendanger, Kneitz, Edelmann, and Scharff.
Scherer, J. *See* Brdička, Pavlištová, Leo, Bruyns, Kořínek, Angelisová, Scherer, Shevchenko, Shevchenko, Hilgert, Černý, Drbal, Kuramitsu, Kornacker, Hořejší, and Schraven.
Scherneck, S. *See* Janke, Schlüter, Jandrig, Theile, Kölble, Arnold, Grinstein, Schwartz, Estevéz-Schwarz, Schlag, Jockusch, and Scherneck.
Schiffrin, E.J. *See* Labéta, Vidal, Rey Nores, Arias, Vita, Morgan, Guillemot, Loyaux, Ferrara, Schmid, Affolter, Borysiewicz, Donnet-Hughes, and Schiffrin.
Schild, H. *See* Singh-Jasuja, Toes, Spee, Münz, Hilf, Schoenberger, Ricciardi-Castagnoli, Neefjes, Rammensee, Arnold-Schild, and Schild.
Schiller, C. *See* Fossati-Jimack, Ioan-Facsinay, Reininger, Chicheportiche, Watanabe, Saito, Hofhuis, Gessner, Schiller, Schmidt, Honjo, Verbeek, and Izui.
Schlag, P.M. *See* Janke, Schlüter, Jandrig, Theile, Kölble, Arnold, Grinstein, Schwartz, Estevéz-Schwarz, Schlag, Jockusch, and Scherneck.
Schlesinger, L.S. *See* Allen, Schlesinger, and Kang.
Schlienger, K. *See* Riley, Schlienger, Blair, Carreno, Craighead, Kim, Carroll, and June.
Schlissel, M.S., Durum, S.D., and Muegge, K. The interleukin 7 receptor is required for T cell receptor γ locus accessibility to the V(D)J recombinase. 1045.
Schlüter, K. *See* Janke, Schlüter, Jandrig, Theile, Kölble, Arnold, Grinstein, Schwartz, Estevéz-Schwarz, Schlag, Jockusch, and Scherneck.
Schmid, D. *See* Labéta, Vidal, Rey Nores, Arias, Vita, Morgan, Guillemot, Loyaux, Ferrara, Schmid, Affolter, Borysiewicz, Donnet-Hughes, and Schiffrin.
Schmidt, M. *See* Sijts, Ruppert, Rehermann, Schmidt, Koszinowski, and Kloetzel.
Schmidt, R.E. *See* Fossati-Jimack, Ioan-Facsinay, Reininger, Chicheportiche, Watanabe, Saito, Hofhuis, Gessner, Schiller, Schmidt, Honjo, Verbeek, and Izui.

Schoenberger, S.P. *See* Garza, Chan, Suri, Nguyen, Odermatt, Schoenberger, and Ohashi.
— *See* Singh-Jasuja, Toes, Spee, Münz, Hilf, Schoenberger, Ricciardi-Castagnoli, Neefjes, Rammensee, Arnold-Schild, and Schild.
Schönbeck, U. *See* Young, Sukhova, Foster, Kisiel, Libby, and Schönbeck.
Schraven, B. *See* Brdička, Pavlištová, Leo, Bruyns, Kořínek, Angelisová, Scherer, Shevchenko, Shevchenko, Hilgert, Černý, Drbal, Kuramitsu, Kornacker, Hořejší, and Schraven.
Schreiber, H. *See* Siegel, Schreiber, Meredith, Beck-Engeser, Lancki, Lazarski, Fu, Rowley, and Schreiber.
Schreiber, K. *See* Siegel, Schreiber, Meredith, Beck-Engeser, Lancki, Lazarski, Fu, Rowley, and Schreiber.
Schuh, J.C.L. *See* Kennedy, Glaccum, Brown, Butz, Viney, Embers, Matsuki, Charrier, Sedger, Willis, Brasel, Morrissey, Stocking, Schuh, Joyce, and Peschon.
Schuler, G. *See* Kruse, Rosorius, Krätzer, Bevec, Kuhnt, Steinkasserer, Schuler, and Hauber.
Schumacher, M.A. *See* Brown, Schumacher, Wiens, Brennan, and Rittenberg.
Schwandner, R., Yamaguchi, K., and Cao, Z. Requirement of tumor necrosis factor receptor–associated factor (TRAF)6 in interleukin 17 signal transduction. 1233.
Schwartz, A. *See* Janke, Schlüter, Jandrig, Theile, Kölble, Arnold, Grinstein, Schwartz, Estevéz-Schwarz, Schlag, Jockusch, and Scherneck.
Schwartz, T.W. *See* Lüttichau, Stine, Boesen, Johnsen, Chantry, Gerstoft, and Schwartz.
Schwärzler, C. *See* Wittig, Johansson, Zöller, Schwärzler, and Günthert.
Secor, V.H., Secor, W.E., Gutekunst, C.-A., and Brown, M.A. Mast cells are essential for early onset and severe disease in a murine model of multiple sclerosis. 813.
Secor, W.E. *See* Secor, Secor, Gutekunst, and Brown.
Sedger, L. *See* Kennedy, Glaccum, Brown, Butz, Viney, Embers, Matsuki, Charrier, Sedger, Willis, Brasel, Morrissey, Stocking, Schuh, Joyce, and Peschon.
Sedgwick, J.D. *See* Körner, Cretney, Wilhelm, Kelly, Röllinghoff, Sedgwick, and Smyth.
Seed, P.T. *See* Kelly, Young, McGregor, Seed, Potten, and Walker.
Seidel, C. *See* Song, Chen, Göke, Wilmen, Seidel, Göke, Hilliard, and Chen.
Seki, N. *See* Yamashita, Katsumata, Iwashima, Kimura, Shimizu, Kamata, Shin, Seki, Suzuki, Taniguchi, and Nakayama.
Selz, F. *See* Arstila, Arstila, Calbo, Selz, Malassis-Seris, Vassalli, Kourilsky, and Guy-Grand.
Sen, R. *See* Bajpai, Zhang, Teutsch, Sen, and Wortis.
Sercarz, E.E. *See* Maverakis, Beech, Wilson, Quinn, Pedersen, and Sercarz.
Serhan, C.N. *See* Chiang, Fierro, Gronert, and Serhan.
Shachar, I. *See* Pierre, Shachar, Matza, Gatti, Flavell, and Mellman.
Shahin, R.D. *See* Leef, Elkins, Barbic, and Shahin.
Shanmugam, A., Shi, M.-J., Yauch, L., Stavnezer, J., and Kenter, A.L. Evidence for class-specific factors in immunoglobulin isotype switching. 1365.
Shannon, K. *See* Ingram, Yang, Travers, Wenning, Hiatt, New, Hood, Shannon, Williams, and Clapp.
Shao, Q. *See* Zhang, Gao, Salojin, Shao, Grattan, Meagher, Laird, and Delovitch.
Sherwin, R. *See* Wen, Wong, Tang, Chen, Altieri, David, Flavell, and Sherwin.
Shevchenko, A. *See* Brdička, Pavlištová, Leo, Bruyns, Kořínek, Angelisová, Scherer, Shevchenko, Shevchenko, Hilgert, Černý, Drbal, Kuramitsu, Kornacker, Hořejší, and Schraven.
Shi, G.-P., Bryant, R.A.R., Riese, R., Verhelst, S., Driessen, C., Li, Z., Bromme, D., Ploegh, H.L., and Chapman, H.A. Role for cathepsin F in invariant chain processing and major histocompatibility complex class II peptide loading by macrophages. 1177.
Shi, M.-J. *See* Shanmugam, Shi, Yauch, Stavnezer, and Kenter.
Shi, Y. *See* Yin, Tuthill, Mufson, and Shi.
Shibata, Y. *See* Kaneko, Harada, Kawano, Yamashita, Shibata, Gejyo, Nakayama, and Taniguchi.
Shima, N. *See* Kobayashi, Takahashi, Jimi, Udagawa, Takami, Kotake, Nakagawa, Kinosaki, Yamaguchi, Shima, Yasuda, Morinaga, Higashio, Martin, and Suda.
Shimizu, C. *See* Yamashita, Katsumata, Iwashima, Kimura, Shimizu, Kamata, Shin, Seki, Suzuki, Taniguchi, and Nakayama.
Shimoyama, S. *See* Inaba, Turley, Iyoda, Yamaide, Shimoyama, Reis e Sousa, Germain, Mellman, and Steinman.
Shimoyama, Y. *See* Kashiwakura, Suzuki, Nagafuchi, Takeno, Takeba, Shimoyama, and Sakane.
Shin, T. *See* Yamashita, Katsumata, Iwashima, Kimura, Shimizu, Kamata, Shin, Seki, Suzuki, Taniguchi, and Nakayama.
Shinkai, K., and Locksley, R.M. CD1, tuberculosis, and the evolution of major histocompatibility complex molecules. 907.
Shinkura, R. *See* Fagarasan, Shinkura, Kamata, Nogaki, Ikuta, Tashiro, and Honjo.
— *See* Garceau, Kosaka, Masters, Hambor, Shinkura, Honjo, and Noelle.
Shlomchik, M.J. *See* Kima, Constant, Hannum, Colmenares, Lee, Haberman, Shlomchik, and McMahon-Pratt.
Shokat, K.M. *See* Weintraub, Jun, Bishop, Shokat, Thomas, and Goodnow.
Shreedhar, V. *See* Moodycliffe, Shreedhar, Ullrich, Walterscheid, Bucana, Kripke, and Flores-Romo.
Shultz, L.D. *See* Paciorkowski, Porte, Shultz, and Rajan.
Siegel, C.T., Schreiber, K., Meredith, S.C., Beck-Engeser, G.B., Lancki, D.W., Lazarski, C.A., Fu, Y.-X., Rowley, D.A., and Schreiber, H. Enhanced growth of primary tumors in cancer-prone mice after immunization against the mutant region of an inherited oncoprotein. 1945.
Sijts, A.J.A.M., Ruppert, T., Rehermann, B., Schmidt, M., Koszinowski, U., and Kloetzel, P.-M. Efficient generation of a hepatitis B virus cytotoxic T lymphocyte epitope requires the structural features of immunoproteasomes. 503.
Silverstein, S.C. *See* Thomas, Li, Kodama, Suzuki, Silverstein, and El Khoury.
Simas, J.P. *See* Parry, Simas, Smith, Stewart, Minson, Efstathiou, and Alcami.
Simmons, W.A. *See* Zhou, Sayad, Simmons, Jones, Maika, Satumtira, Dorris, Gaskell, Bordoli, Sartor, Slaughter, Richardson, Hammer, and Taurog.
Singer, A. *See* Bosselut, Zhang, Ashe, Kopacz, Samelson, and Singer.
Singh-Jasuja, H., Toes, R.E.M., Spee, P., Münz, C., Hilf, N., Schoenberger, S.P., Ricciardi-Castagnoli, P., Neefjes, J., Rammensee, H.-G., Arnold-Schild, D., and Schild, H. Cross-presentation of glycoprotein 96 associated antigens on major histocompatibility complex class I molecules requires receptor-mediated endocytosis. 1965.
Siraganian, R.P. *See* Arudchandran, Brown, Peirce, Song, Zhang, Siraganian, Blank, and Rivera.
Sjögren, H.-O. *See* Li, Chen, Xu, Sundstedt, Paulsson, Anderson, Karlsson, Sjögren, and Wang.
Skeiky, Y.A.W. *See* Alderson, Bement, Day, Zhu, Molesh, Skeiky, Coler, Lewinsohn, Reed, and Dillon.
Slaughter, C.A. *See* Zhou, Sayad, Simmons, Jones, Maika, Satumtira, Dorris, Gaskell, Bordoli, Sartor, Slaughter, Richardson, Hammer, and Taurog.
Smart, F.M., and Venkitaraman, A.R. Inhibition of interleukin 7 receptor signaling by antigen receptor assembly. 737.
Smicun, Y. *See* Halaban, Cheng, Smicun, and Germino.
Smith, H.R.C., Chuang, H.H., Wang, L.L., Salcedo, M., Heusel, J.W., and Yokoyama, W.M. Nonstochastic coexpression of activation receptors on murine natural killer cells. 1341.
Smith, K.G.C., Light, A., O'Reilly, L.A., Ang, S.-M., Strasser, A., and Tarlinton, D. *bcl*-2 transgene expression inhibits apoptosis in the germinal center and reveals differences in the selection of memory B cells and bone marrow antibody-forming cells. 475.
Smith, V.P. *See* Parry, Simas, Smith, Stewart, Minson, Efstathiou, and Alcami.
Smyth, M.J., Thia, K.Y.T., Street, S.E.A., Cretney, E., Trapani, J.A., Taniguchi, M., Kawano, T., Pelikan, S.B., Crowe, N.Y., and Godfrey, D.I. Differential tumor surveillance by natural killer (NK) and NKT cells. 661.
— *See* Körner, Cretney, Wilhelm, Kelly, Röllinghoff, Sedgwick, and Smyth.

Sobko, A. *See* Levite, Cahalon, Peretz, Hershkoviz, Sobko, Ariel, Desai, Attali, and Lider.
Soler, D. *See* Bowman, Campbell, Soler, Dong, Manlongat, Picarella, Hardy, and Butcher.
Sollid, L.M. *See* Arentz-Hansen, Körner, Molberg, Quarsten, Vader, Kooy, Lundin, Koning, Roepstorff, Sollid, and McAdam.
Somersan, S. *See* Sauter, Albert, Francisco, Larsson, Somersan, and Bhardwaj.
Song, J.S. *See* Arudchandran, Brown, Peirce, Song, Zhang, Siraganian, Blank, and Rivera.
Song, K., Chen, Y., Göke, R., Wilmen, A., Seidel, C., Göke, A., Hilliard, B., and Chen, Y. Tumor necrosis factor–related apoptosis-inducing ligand (TRAIL) is an inhibitor of autoimmune inflammation and cell cycle progression. 1095.
Song, W., Ma, L., Chen, R., and Stein, D.C. Role of lipooligosaccharide in Opa-independent invasion of *Neisseria gonorrhoeae* into human epithelial cells. 949.
Sosinowski, T., Pandey, A., Dixit, V.M., and Weiss, A. Src-like adaptor protein (SLAP) is a negative regulator of T cell receptor signaling. 463.
Sotomayor, E. *See* Lu, Yuan, Zhou, Sotomayor, Levitsky, and Pardoll.
Sotos, J.F. *See* Blanchong, Zhou, Rupert, Chung, Jones, Sotos, Zipf, Rennebohm, and Yu.
Spada, F.M., Grant, E.P., Peters, P.J., Sugita, M., Melián, A., Leslie, D.S., Lee, H.K., van Donselaar, E., Hanson, D.A., Krensky, A.M., Majdic, O., Porcelli, S.A., Morita, C.T., and Brenner, M.B. Self-recognition of CD1 by γ/δ T cells: implications for innate immunity. 937.
Spada, M. *See* Santini, Lapenta, Logozzi, Parlato, Spada, Di Pucchio, and Belardelli.
Sparrow, C.P. *See* Wright, Burton, Hernandez, Hassing, Montenegro, Mundt, Patel, Card, Hermanowski-Vosatka, Bergstrom, Sparrow, Detmers, and Chao.
Spee, P. *See* Singh-Jasuja, Toes, Spee, Münz, Hilf, Schoenberger, Ricciardi-Castagnoli, Neefjes, Rammensee, Arnold-Schild, and Schild.
Spencer, J.V., and Braciale, T.J. Incomplete $CD8^+$ T lymphocyte differentiation as a mechanism for subdominant cytotoxic T lymphocyte responses to a viral antigen. 1687.
Spieker, T. *See* Jungnickel, Staratschek-Jox, Bräuninger, Spieker, Wolf, Diehl, Hansmann, Rajewsky, and Küppers.
Spreca, A. *See* Fe d'Ostiani, Del Sero, Bacci, Montagnoli, Spreca, Mencacci, Ricciardi-Castagnoli, and Romani.
Sprent, J. *See* Hwang, Huang, Kishimoto, Brunmark, Peterson, Jackson, Surh, Cai, and Sprent.
Staratschek-Jox, A. *See* Jungnickel, Staratschek-Jox, Bräuninger, Spieker, Wolf, Diehl, Hansmann, Rajewsky, and Küppers.
Staudt, L.M. The molecular and cellular origins of Hodgkin's disease. 207.
Stavnezer, J. *See* Shanmugam, Shi, Yauch, Stavnezer, and Kenter.
Stein, D.C. *See* Song, Ma, Chen, and Stein.
Stein, J.V., Rot, A., Luo, Y., Narasimhaswamy, M., Nakano, H., Gunn, M.D., Matsuzawa, A., Quackenbush, E.J., Dorf, M.E., and von Andrian, U.H. The CC chemokine thymus-derived chemotactic agent 4 (TCA-4, secondary lymphoid tissue chemokine, 6Ckine, Exodus-2) triggers lymphocyte function–associated antigen 1–mediated arrest of rolling T lymphocytes in peripheral lymph node high endothelial venules.[o] 61.
Steinkasserer, A. *See* Kruse, Rosorius, Krätzer, Bevec, Kuhnt, Steinkasserer, Schuler, and Hauber.
Steinman, R.M., Turley, S., Mellman, I., and Inaba, K. The induction of tolerance by dendritic cells that have captured apoptotic cells. 411.
— *See* Inaba, Turley, Iyoda, Yamaide, Shimoyama, Reis e Sousa, Germain, Mellman, and Steinman.
— *See* Josien, Li, Ingulli, Sarma, Wong, Vologodskaia, Steinman, and Choi.
— *See* Münz, Bickham, Subklewe, Tsang, Chahroudi, Kurilla, Zhang, O'Donnell, and Steinman.
Stetson, N. *See* Diehl, Enslen, Fortner, Merritt, Stetson, Charland, Flavell, Davis, and Rincón.
Stevanović, S. *See* Obst, Netuschil, Klopfer, Stevanović, and Rammensee.
Stewart, C.A. *See* Parry, Simas, Smith, Stewart, Minson, Efstathiou, and Alcami.
Stine, J. *See* Lüttichau, Stine, Boesen, Johnsen, Chantry, Gerstoft, and Schwartz.
Stockert, E. *See* Jäger, Jäger, Karbach, Chen, Ritter, Nagata, Gnjatic, Stockert, Arand, Old, and Knuth.
Stocking, K. *See* Kennedy, Glaccum, Brown, Butz, Viney, Embers, Matsuki, Charrier, Sedger, Willis, Brasel, Morrissey, Stocking, Schuh, Joyce, and Peschon.
Stone, J. *See* Everett, Barry, Lee, Sun, Graham, Stone, Bleackley, and McFadden.
Strasser, A. *See* Newton and Strasser.
— *See* Smith, Light, O'Reilly, Ang, Strasser, and Tarlinton.
Street, S.E.A. *See* Smyth, Thia, Street, Cretney, Trapani, Taniguchi, Kawano, Pelikan, Crowe, and Godfrey.
Strober, W. *See* Nishikomori, Ehrhardt, and Strober.
Strominger, J.L. *See* Falk, Rötzschke, Santambrogio, Dorf, Brosnan, and Strominger.
Subbarao, S. *See* Frenette, Denis, Weiss, Jurk, Subbarao, Kehrel, Hartwig, Vestweber, and Wagner.
Subklewe, M. *See* Münz, Bickham, Subklewe, Tsang, Chahroudi, Kurilla, Zhang, O'Donnell, and Steinman.
Suda, T. *See* Kobayashi, Takahashi, Jimi, Udagawa, Takami, Kotake, Nakagawa, Kinosaki, Yamaguchi, Shima, Yasuda, Morinaga, Higashio, Martin, and Suda.
Sudo, K. *See* Horai, Saijo, Tanioka, Nakae, Sudo, Okahara, Ikuse, Asano, and Iwakura.
Sugamura, K. *See* Murata, Ishii, Takano, Miura, Ndhlovu, Nose, Noda, and Sugamura.
Sugita, M. *See* Spada, Grant, Peters, Sugita, Melián, Leslie, Lee, van Donselaar, Hanson, Krensky, Majdic, Porcelli, Morita, and Brenner.
Sukhova, G.K. *See* Young, Sukhova, Foster, Kisiel, Libby, and Schönbeck.
Sullivan, L. *See* Yang, Chen, Leach, Manfra, Homey, Wiekowski, Sullivan, Jenh, Narula, Chensue, and Lira.
Sun, X. *See* Everett, Barry, Lee, Sun, Graham, Stone, Bleackley, and McFadden.
Sundstedt, A. *See* Li, Chen, Xu, Sundstedt, Paulsson, Anderson, Karlsson, Sjögren, and Wang.
Suniara, R.K., Jenkinson, E.J., and Owen, J.J.T. An essential role for thymic mesenchyme in early T cell development. 1051.
Sunners, Y. *See* García de Vinuesa, Cook, Ball, Drew, Sunners, Cascalho, Wabl, Klaus, and MacLennan.
Surh, C.D. *See* Hwang, Huang, Kishimoto, Brunmark, Peterson, Jackson, Surh, Cai, and Sprent.
Suri, R. *See* Garza, Chan, Suri, Nguyen, Odermatt, Schoenberger, and Ohashi.
Susin, S.A. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.
Suto, H. *See* Asahi, Azuma, Ito, Ito, Suto, Nagai, Tsubokawa, Tohyama, Maeda, Omata, Suzuki, and Sasakawa.
Suzue, K. *See* Huang, Richmond, Suzue, Eisen, and Young.
Suzuki, H. *See* Thomas, Li, Kodama, Suzuki, Silverstein, and El Khoury.
Suzuki, K. *See* Laky, Lefrançois, Lingenheld, Ishikawa, Lewis, Olson, Suzuki, Tigelaar, and Puddington.
Suzuki, M. *See* Nishimura, Yajima, Naiki, Tsunobuchi, Umemura, Itano, Matsuguchi, Suzuki, Ohashi, and Yoshikai.
Suzuki, N. *See* Kashiwakura, Suzuki, Nagafuchi, Takeno, Takeba, Shimoyama, and Sakane.
Suzuki, S. *See* Yamashita, Katsumata, Iwashima, Kimura, Shimizu, Kamata, Shin, Seki, Suzuki, Taniguchi, and Nakayama.
Suzuki, T., Mimuro, H., Miki, H., Takenawa, T., Sasaki, T., Nakanishi, H., Takai, Y., and Sasakawa, C. Rho family GTPase Cdc42 is essential for the actin-based motility of *Shigella* in mammalian cells. 1905.
— *See* Asahi, Azuma, Ito, Ito, Suto, Nagai, Tsubokawa, Tohyama, Maeda, Omata, Suzuki, and Sasakawa.

[o]The online version of this article contains supplemental material.

Svejgaard, A. *See* Krogsgaard, Wucherpfennig, Canella, Hansen, Svejgaard, Pyrdol, Ditzel, Raine, Engberg, and Fugger.
Svensson, L. *See* Allen, Svensson, Roach, Hambor, McNeish, and Gabel.

T

Tadaki, D.K. *See* Blair, Riley, Harlan, Abe, Tadaki, Hoffmann, White, Francomano, Perfetto, Kirk, and June.
Takagawa, S. *See* Yokozeki, Ghoreishi, Takagawa, Takayama, Satoh, Katayama, Takeda, Akira, and Nishioka.
Takahashi, N. *See* Kobayashi, Takahashi, Jimi, Udagawa, Takami, Kotake, Nakagawa, Kinosaki, Yamaguchi, Shima, Yasuda, Morinaga, Higashio, Martin, and Suda.
Takai, T. *See* Nakamura, Yuasa, Ujike, Ono, Nukiwa, Ravetch, and Takai.
Takai, Y. *See* Suzuki, Mimuro, Miki, Takenawa, Sasaki, Nakanishi, Takai, and Sasakawa.
Takami, M. *See* Kobayashi, Takahashi, Jimi, Udagawa, Takami, Kotake, Nakagawa, Kinosaki, Yamaguchi, Shima, Yasuda, Morinaga, Higashio, Martin, and Suda.
Takano, H. *See* Murata, Ishii, Takano, Miura, Ndhlovu, Nose, Noda, and Sugamura.
Takayama, K. *See* Yokozeki, Ghoreishi, Takagawa, Takayama, Satoh, Katayama, Takeda, Akira, and Nishioka.
Takeba, Y. *See* Kashiwakura, Suzuki, Nagafuchi, Takeno, Takeba, Shimoyama, and Sakane.
Takeda, K. *See* Akiba, Miyahira, Atsuta, Takeda, Nohara, Futagawa, Matsuda, Aoki, Yagita, and Okumura.
— *See* Yokozeki, Ghoreishi, Takagawa, Takayama, Satoh, Katayama, Takeda, Akira, and Nishioka.
Takemori, T. *See* Maki, Nagata, Kitamura, Takemori, and Karasuyama.
Takenawa, T. *See* Suzuki, Mimuro, Miki, Takenawa, Sasaki, Nakanishi, Takai, and Sasakawa.
Takeno, M. *See* Kashiwakura, Suzuki, Nagafuchi, Takeno, Takeba, Shimoyama, and Sakane.
Tamir, I. *See* Brauweiler, Tamir, Dal Porto, Benschop, Helgason, Humphries, Freed, and Cambier.
Tamouza, R. *See* Pique, Ureta-Vidal, Gessain, Chancerel, Gout, Tamouza, Agis, and Dokhélar.
Tan, K. *See* Taraszka, Higgins, Tan, Mandelbrot, Wang, and Brenner.
Tang, J. *See* Wen, Wong, Tang, Chen, Altieri, David, Flavell, and Sherwin.
Taniguchi, M. *See* Kaneko, Harada, Kawano, Yamashita, Shibata, Gejyo, Nakayama, and Taniguchi.
— *See* Smyth, Thia, Street, Cretney, Trapani, Taniguchi, Kawano, Pelikan, Crowe, and Godfrey.
— *See* Yamashita, Katsumata, Iwashima, Kimura, Shimizu, Kamata, Shin, Seki, Suzuki, Taniguchi, and Nakayama.
Tanioka, H. *See* Horai, Saijo, Tanioka, Nakae, Sudo, Okahara, Ikuse, Asano, and Iwakura.
Taraszka, K.S., Higgins, J.M.G., Tan, K., Mandelbrot, D.A., Wang, J.-h., and Brenner, M.B. Molecular basis for leukocyte integrin $\alpha_E\beta_7$ adhesion to epithelial (E)-cadherin. 1555.
Tarlinton, D. *See* Smith, Light, O'Reilly, Ang, Strasser, and Tarlinton.
Tartar, A. *See* Eckenberg, Rose, Moreau, Weil, Gesbert, Dubois, Tello, Bossus, Gras, Tartar, Bertoglio, Chouaïb, Goldberg, Jacques, Alzari, and Thèze.
Tashiro, K. *See* Fagarasan, Shinkura, Kamata, Nogaki, Ikuta, Tashiro, and Honjo.
Taurog, J.D. *See* Zhou, Sayad, Simmons, Jones, Maika, Satumtira, Dorris, Gaskell, Bordoli, Sartor, Slaughter, Richardson, Hammer, and Taurog.
Taylor, M.J., Cross, H.F., and Bilo, K. Inflammatory responses induced by the filarial nematode *Brugia malayi* are mediated by lipopolysaccharide-like activity from endosymbiotic *Wolbachia* bacteria. 1429.
Teague, T.K., Schaefer, B.C., Hildeman, D., Bender, J., Mitchell, T., Kappler, J.W., and Marrack, P. Activation-induced inhibition of interleukin 6–mediated T cell survival and signal transducer and activator of transcription 1 signaling. 915.
Tello, D. *See* Eckenberg, Rose, Moreau, Weil, Gesbert, Dubois, Tello, Bossus, Gras, Tartar, Bertoglio, Chouaïb, Goldberg, Jacques, Alzari, and Thèze.
Tenan, M., Fulci, G., Albertoni, M., Diserens, A.-C., Hamou, M.-F., El Atifi-Borel, M., Feige, J.-J., Pepper, M.S., and Van Meir, E.G. Thrombospondin-1 is downregulated by anoxia and suppresses tumorigenicity of human glioblastoma cells. 1789.
Teutsch, M. *See* Bajpai, Zhang, Teutsch, Sen, and Wortis.
Teyton, L. *See* Benlagha, Weiss, Beavis, Teyton, and Bendelac.
Tezuka, T. *See* Yasuda, Maeda, Kurosaki, Tezuka, Hironaka, Yamamoto, and Kurosaki.
Theile, M. *See* Janke, Schlüter, Jandrig, Theile, Kölble, Arnold, Grinstein, Schwartz, Estevéz-Schwarz, Schlag, Jockusch, and Scherneck.
Thèze, J. *See* Eckenberg, Rose, Moreau, Weil, Gesbert, Dubois, Tello, Bossus, Gras, Tartar, Bertoglio, Chouaïb, Goldberg, Jacques, Alzari, and Thèze.
Thia, K.Y.T. *See* Smyth, Thia, Street, Cretney, Trapani, Taniguchi, Kawano, Pelikan, Crowe, and Godfrey.
Thomas, C.A., Li, Y., Kodama, T., Suzuki, H., Silverstein, S.C., and El Khoury, J. Protection from lethal gram-positive infection by macrophage scavenger receptor–dependent phagocytosis. 147.
Thomas, M.L. *See* Weintraub, Jun, Bishop, Shokat, Thomas, and Goodnow.
Thomas, S. *See* Marshall, Niiro, Lerner, Yun, Thomas, Disteche, and Clark.
Tian, J. *See* Lloyd, Delaney, Nguyen, Tian, Martinez-A, Coyle, and Gutierrez-Ramos.
Tigelaar, R.E. *See* Laky, Lefrançois, Lingenheld, Ishikawa, Lewis, Olson, Suzuki, Tigelaar, and Puddington.
Tipping, P.G. *See* Cunningham, Rondeau, Chen, Coughlin, Holdsworth, and Tipping.
Tjin, E. *See* van Ham, van Lith, Lillemeier, Tjin, Grüneberg, Rahman, Pastoors, van Meijgaarden, Roucard, Trowsdale, Ottenhoff, Pappin, and Neefjes.
Toes, R.E.M. *See* Singh-Jasuja, Toes, Spee, Münz, Hilf, Schoenberger, Ricciardi-Castagnoli, Neefjes, Rammensee, Arnold-Schild, and Schild.
Tohyama, Y. *See* Asahi, Azuma, Ito, Ito, Suto, Nagai, Tsubokawa, Tohyama, Maeda, Omata, Suzuki, and Sasakawa.
Tonello, F. *See* Satin, Del Giudice, Della Bianca, Dusi, Laudanna, Tonello, Kelleher, Rappuoli, Montecucco, and Rossi.
Torii, S. *See* Haraguchi, Torii, Matsuzawa, Xie, Kitada, Krajewski, Yoshida, Mak, and Reed.
Torres, S.P. *See* Launay, Grossetête, Arcos-Fajardo, Gaudin, Torres, Beaudoin, Patey-Mariaud de Serre, Lehuen, and Monteiro.
Townsend, M.J., Fallon, P.G., Matthews, D.J., Jolin, H.E., and McKenzie, A.N.J. T1/ST2-deficient mice demonstrate the importance of T1/ST2 in developing primary T helper cell type 2 responses. 1069.
Trapani, J.A. *See* Smyth, Thia, Street, Cretney, Trapani, Taniguchi, Kawano, Pelikan, Crowe, and Godfrey.
Travers, J.B. *See* Ingram, Yang, Travers, Wenning, Hiatt, New, Hood, Shannon, Williams, and Clapp.
Trebst, C. *See* Ransohoff and Trebst.
Trowsdale, J. *See* van Ham, van Lith, Lillemeier, Tjin, Grüneberg, Rahman, Pastoors, van Meijgaarden, Roucard, Trowsdale, Ottenhoff, Pappin, and Neefjes.
Tsang, M.L. *See* Münz, Bickham, Subklewe, Tsang, Chahroudi, Kurilla, Zhang, O'Donnell, and Steinman.
Tsubokawa, M. *See* Asahi, Azuma, Ito, Ito, Suto, Nagai, Tsubokawa, Tohyama, Maeda, Omata, Suzuki, and Sasakawa.
Tsuji, M. *See* Nagaoka, Gonzalez-Aseguinolaza, Tsuji, and Nussenzweig.
Tsunobuchi, H. *See* Nishimura, Yajima, Naiki, Tsunobuchi, Umemura, Itano, Matsuguchi, Suzuki, Ohashi, and Yoshikai.
Turchin, V. *See* Anderson, Nicholson, Legge, Turchin, Zaghouani, and Kuchroo.
Turley, S. *See* Inaba, Turley, Iyoda, Yamaide, Shimoyama, Reis e Sousa, Germain, Mellman, and Steinman.
— *See* Steinman, Turley, Mellman, and Inaba.
Tuthill, D. *See* Yin, Tuthill, Mufson, and Shi.
Tze, L.E. *See* Hippen, Tze, and Behrens.

U

Udagawa, N. *See* Kobayashi, Takahashi, Jimi, Udagawa, Takami, Kotake, Nakagawa, Kinosaki, Yamaguchi, Shima, Yasuda, Morinaga, Higashio, Martin, and Suda.

Uhlin-Hansen, L. *See* Leteux, Chai, Loveless, Yuen, Uhlin-Hansen, Combarnous, Jankovic, Maric, Misulovin, Nussenzweig, and Feizi.
Ujike, A. *See* Nakamura, Yuasa, Ujike, Ono, Nukiwa, Ravetch, and Takai.
Ullrich, S.E. *See* Moodycliffe, Shreedhar, Ullrich, Walterscheid, Bucana, Kripke, and Flores-Romo.
Umemura, M. *See* Nishimura, Yajima, Naiki, Tsunobuchi, Umemura, Itano, Matsuguchi, Suzuki, Ohashi, and Yoshikai.
Une, C. *See* Glas, Franksson, Une, Eloranta, Öhlén, Örn, and Kärre.
Unger, J. *See* Villoslada, Hauser, Bartke, Unger, Heald, Rosenberg, Cheung, Mobley, Fisher, and Genain.
Ure, J.M. *See* Nicklin, Hughes, Barton, Ure, and Duff.
Ureta-Vidal, A. *See* Pique, Ureta-Vidal, Gessain, Chancerel, Gout, Tamouza, Agis, and Dokhélar.

V

Vader, W. *See* Arentz-Hansen, Körner, Molberg, Quarsten, Vader, Kooy, Lundin, Koning, Roepstorff, Sollid, and McAdam.
van der Slik, A. *See* Koopman, Corver, van der Slik, Giphart, and Fleuren.
van Donselaar, E. *See* Spada, Grant, Peters, Sugita, Melián, Leslie, Lee, van Donselaar, Hanson, Krensky, Majdic, Porcelli, Morita, and Brenner.
van Endert, P.M. *See* Lucchiari-Hartz, van Endert, Lauvau, Maier, Meyerhans, Mann, Eichmann, and Niedermann.
van Ham, M., van Lith, M., Lillemeier, B., Tjin, E., Grüneberg, U., Rahman, D., Pastoors, L., van Meijgaarden, K., Roucard, C., Trowsdale, J., Ottenhoff, T., Pappin, D., and Neefjes, J. Modulation of the major histocompatibility complex class II–associated peptide repertoire by human histocompatibility leukocyte antigen (HLA)-DO. 1127.
van Lith, M. *See* van Ham, van Lith, Lillemeier, Tjin, Grüneberg, Rahman, Pastoors, van Meijgaarden, Roucard, Trowsdale, Ottenhoff, Pappin, and Neefjes.
van Meijgaarden, K. *See* van Ham, van Lith, Lillemeier, Tjin, Grüneberg, Rahman, Pastoors, van Meijgaarden, Roucard, Trowsdale, Ottenhoff, Pappin, and Neefjes.
Van Meir, E.G. *See* Tenan, Fulci, Albertoni, Diserens, Hamou, El Atifi-Borel, Feige, Pepper, and Van Meir.
van Oers, N. *See* Witherden, van Oers, Waltzinger, Weiss, Benoist, and Mathis.
Vassalli, P. *See* Arstila, Arstila, Calbo, Selz, Malassis-Seris, Vassalli, Kourilsky, and Guy-Grand.
Vázquez, J. *See* Yagüe, Alvarez, Rognan, Ramos, Vázquez, and López de Castro.
Velji, R. *See* Collins, Velji, Guevara, Hicks, Chan, and Beaudet.
Venkitaraman, A.R. *See* Smart and Venkitaraman.
Verbeek, J.S. *See* Fossati-Jimack, Ioan-Facsinay, Reininger, Chicheportiche, Watanabe, Saito, Hofhuis, Gessner, Schiller, Schmidt, Honjo, Verbeek, and Izui.
Vergani, D. *See* Maini, Boni, Lee, Larrubia, Reignat, Ogg, King, Herberg, Gilson, Alisa, Williams, Vergani, Naoumov, Ferrari, and Bertoletti.
Verhelst, S. *See* Shi, Bryant, Riese, Verhelst, Driessen, Li, Bromme, Ploegh, and Chapman.
Vestweber, D. *See* Frenette, Denis, Weiss, Jurk, Subbarao, Kehrel, Hartwig, Vestweber, and Wagner.
Vidal, K. *See* Labéta, Vidal, Rey Nores, Arias, Vita, Morgan, Guillemot, Loyaux, Ferrara, Schmid, Affolter, Borysiewicz, Donnet-Hughes, and Schiffrin.
Vieira, H.L.A. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.
Villoslada, P., Hauser, S.L., Bartke, I., Unger, J., Heald, N., Rosenberg, D., Cheung, S.W., Mobley, W.C., Fisher, S., and Genain, C.P. Human nerve growth factor protects common marmosets against autoimmune encephalomyelitis by switching the balance of T helper cell type 1 and 2 cytokines within the central nervous system. 1799.
Vines, C.M. *See* Gresham, Dale, Potter, Chang, Vines, Lowell, Lagenaur, and Willman.
Viney, J.L. *See* Kennedy, Glaccum, Brown, Butz, Viney, Embers, Matsuki, Charrier, Sedger, Willis, Brasel, Morrissey, Stocking, Schuh, Joyce, and Peschon.
Vita, N. *See* Labéta, Vidal, Rey Nores, Arias, Vita, Morgan, Guillemot, Loyaux, Ferrara, Schmid, Affolter, Borysiewicz, Donnet-Hughes, and Schiffrin.
Vogel, S.N. *See* Blanco, Contursi, Salkowski, DeWitt, Ozato, and Vogel.
Vologodskaia, M. *See* Josien, Li, Ingulli, Sarma, Wong, Vologodskaia, Steinman, and Choi.
von Andrian, U.H. *See* Stein, Rot, Luo, Narasimhaswamy, Nakano, Gunn, Matsuzawa, Quackenbush, Dorf, and von Andrian.

W

Wabl, M. *See* García de Vinuesa, Cook, Ball, Drew, Sunners, Cascalho, Wabl, Klaus, and MacLennan.
Wagner, D.D. *See* Frenette, Denis, Weiss, Jurk, Subbarao, Kehrel, Hartwig, Vestweber, and Wagner.
Walker, B.D. *See* Lechner, Wong, Dunbar, Chapman, Chung, Dohrenwend, Robbins, Phillips, Klenerman, and Walker.
Walker, S.L. *See* Kelly, Young, McGregor, Seed, Potten, and Walker.
Walterscheid, J. *See* Moodycliffe, Shreedhar, Ullrich, Walterscheid, Bucana, Kripke, and Flores-Romo.
Waltzinger, C. *See* Witherden, van Oers, Waltzinger, Weiss, Benoist, and Mathis.
Wang, J. *See* Ranger, Gerstenfeld, Wang, Kon, Bae, Gravallese, Glimcher, and Glimcher.
Wang, J.-h. *See* Taraszka, Higgins, Tan, Mandelbrot, Wang, and Brenner.
Wang, L. *See* Lubinski, Wang, Mastellos, Sahu, Lambris, and Friedman.
Wang, L.L. *See* Smith, Chuang, Wang, Salcedo, Heusel, and Yokoyama.
Wang, P. *See* Li, Chen, Xu, Sundstedt, Paulsson, Anderson, Karlsson, Sjögren, and Wang.
Wang, X. *See* Lin, Longo, Wang, Hewitt, and Abraham.
Warnock, R.A., Campbell, J.J., Dorf, M.E., Matsuzawa, A., McEvoy, L.M., and Butcher, E.C. The role of chemokines in the microenvironmental control of T versus B cell arrest in Peyer's patch high endothelial venules. 77.
Watanabe, N. *See* Fossati-Jimack, Ioan-Facsinay, Reininger, Chicheportiche, Watanabe, Saito, Hofhuis, Gessner, Schiller, Schmidt, Honjo, Verbeek, and Izui.
Weigert, M. *See* Nemazee and Weigert.
Weil, R. *See* Eckenberg, Rose, Moreau, Weil, Gesbert, Dubois, Tello, Bossus, Gras, Tartar, Bertoglio, Chouaïb, Goldberg, Jacques, Alzari, and Thèze.
Weintraub, B.C., Jun, J.E., Bishop, A.C., Shokat, K.M., Thomas, M.L., and Goodnow, C.C. Entry of B cell receptor into signaling domains is inhibited in tolerant B cells. 1443.
Weiss, A. *See* Benlagha, Weiss, Beavis, Teyton, and Bendelac.
— *See* Sosinowski, Pandey, Dixit, and Weiss.
— *See* Witherden, van Oers, Waltzinger, Weiss, Benoist, and Mathis.
Weiss, L., Whitmarsh, A.J., Yang, D.D., Rincón, M., Davis, R.J., and Flavell, R.A. Regulation of *c-Jun* NH_2-terminal kinase (*Jnk*) gene expression during T cell activation. 139.
— *See* Frenette, Denis, Weiss, Jurk, Subbarao, Kehrel, Hartwig, Vestweber, and Wagner.
Weissman, I.L. *See* Domen, Cheshier, and Weissman.
Weller, K.D. *See* Proft, Moffatt, Weller, Paterson, Martin, and Fraser.
Wells, T.N.C. *See* Chvatchko, Hoogewerf, Meyer, Alouani, Juillard, Buser, Conquet, Proudfoot, Wells, and Power.
Wen, L., Wong, F.S., Tang, J., Chen, N.-Y., Altieri, M., David, C., Flavell, R., and Sherwin, R. In vivo evidence for the contribution of human histocompatibility leukocyte antigen (HLA)-DQ molecules to the development of diabetes. 97.
Wendel, A. *See* Latta, Künstle, Leist, and Wendel.
Wenning, M.J. *See* Ingram, Yang, Travers, Wenning, Hiatt, New, Hood, Shannon, Williams, and Clapp.
White, H., and Gray, D. Analysis of immunoglobulin (Ig) isotype diversity and IgM/D memory in the response to phenyloxazolone. 2209.

White, L. *See* Blair, Riley, Harlan, Abe, Tadaki, Hoffmann, White, Francomano, Perfetto, Kirk, and June.
Whitmarsh, A.J. *See* Weiss, Whitmarsh, Yang, Rincón, Davis, and Flavell.
Wick, M.J. *See* Yrlid and Wick.
Wickes, B.L. *See* Chang, Wickes, Miller, Penoyer, and Kwon-Chung.
Wiekowski, M. *See* Yang, Chen, Leach, Manfra, Homey, Wiekowski, Sullivan, Jenh, Narula, Chensue, and Lira.
Wiens, G.D. *See* Brown, Schumacher, Wiens, Brennan, and Rittenberg.
Wiesendanger, M., Kneitz, B., Edelmann, W., and Scharff, M.D. Somatic hypermutation in MutS homologue (MSH)3-, MSH6-, and MSH3/MSH6-deficient mice reveals a role for the MSH2–MSH6 heterodimer in modulating the base substitution pattern. 579.
Wilhelm, P. *See* Körner, Cretney, Wilhelm, Kelly, Röllinghoff, Sedgwick, and Smyth.
Williams, D.A. *See* Ingram, Yang, Travers, Wenning, Hiatt, New, Hood, Shannon, Williams, and Clapp.
Williams, R. *See* Maini, Boni, Lee, Larrubia, Reignat, Ogg, King, Herberg, Gilson, Alisa, Williams, Vergani, Naoumov, Ferrari, and Bertoletti.
Willis, C.R. *See* Kennedy, Glaccum, Brown, Butz, Viney, Embers, Matsuki, Charrier, Sedger, Willis, Brasel, Morrissey, Stocking, Schuh, Joyce, and Peschon.
Willman, C.L. *See* Gresham, Dale, Potter, Chang, Vines, Lowell, Lagenaur, and Willman.
Wilmen, A. *See* Song, Chen, Göke, Wilmen, Seidel, Göke, Hilliard, and Chen.
Wilson, A. *See* Radtke, Ferrero, Wilson, Lees, Aguet, and MacDonald.
Wilson, K. *See* Wilson, Wilson, Liu, Banchereau, Pascual, and Capra.
Wilson, P.C., Wilson, K., Liu, Y.-J., Banchereau, J., Pascual, V., and Capra, J.D. Receptor revision of immunoglobulin heavy chain variable region genes in normal human B lymphocytes. 1881.
Wilson, S.S. *See* Maverakis, Beech, Wilson, Quinn, Pedersen, and Sercarz.
Winkler, T. *See* Rolink, Winkler, Melchers, and Andersson.
Witherden, D., van Oers, N., Waltzinger, C., Weiss, A., Benoist, C., and Mathis, D. Tetracycline-controllable selection of $CD4^+$ T cells: half-life and survival signals in the absence of major histocompatibility complex class II molecules. 355.
Wittig, B.M., Johansson, B., Zöller, M., Schwärzler, C., and Günthert, U. Abrogation of experimental colitis correlates with increased apoptosis in mice deficient for CD44 variant exon 7 (CD44v7). 2053.
Wolf, J. *See* Jungnickel, Staratschek-Jox, Bräuninger, Spieker, Wolf, Diehl, Hansmann, Rajewsky, and Küppers.
Wong, B.R. *See* Josien, Li, Ingulli, Sarma, Wong, Vologodskaia, Steinman, and Choi.
Wong, D.K.H. *See* Lechner, Wong, Dunbar, Chapman, Chung, Dohrenwend, Robbins, Phillips, Klenerman, and Walker.
Wong, F.S. *See* Green, Wong, Eshima, Mora, and Flavell.
— *See* Wen, Wong, Tang, Chen, Altieri, David, Flavell, and Sherwin.
Wood, C.R. *See* Li, Zhang, Kovacic, Long, Bourque, Wood, and Choi.
Woodgett, J.R. *See* Jones, Parsons, Bonnard, Chan, Yeh, Woodgett, and Ohashi.
Wortis, H.H. *See* Bajpai, Zhang, Teutsch, Sen, and Wortis.
Wright, S.D., Burton, C., Hernandez, M., Hassing, H., Montenegro, J., Mundt, S., Patel, S., Card, D.J., Hermanowski-Vosatka, A., Bergstrom, J.D., Sparrow, C.P., Detmers, P.A., and Chao, Y.-S. Infectious agents are not necessary for murine atherogenesis. 1437.
Wu, G.E. *See* Lewis and Wu.
Wu, M.-L. *See* Komoriya, Packard, Brown, Wu, and Henkart.
Wucherpfennig, K.W. *See* Krogsgaard, Wucherpfennig, Canella, Hansen, Svejgaard, Pyrdol, Ditzel, Raine, Engberg, and Fugger.
Wykes, M. *See* Huang, Platt, Wykes, Major, Powell, Jenkins, and MacPherson.

X

Xie, Z. *See* Haraguchi, Torii, Matsuzawa, Xie, Kitada, Krajewski, Yoshida, Mak, and Reed.
Xie, Z.H. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.
Xu, X. *See* Li, Chen, Xu, Sundstedt, Paulsson, Anderson, Karlsson, Sjögren, and Wang.

Y

Yagita, H. *See* Akiba, Miyahira, Atsuta, Takeda, Nohara, Futagawa, Matsuda, Aoki, Yagita, and Okumura.
Yagüe, J., Alvarez, I., Rognan, D., Ramos, M., Vázquez, J., and López de Castro, J.A. An *N*-acetylated natural ligand of human histocompatibility leukocyte antigen (HLA)-B39: classical major histocompatibility complex class I proteins bind peptides with a blocked NH_2 terminus in vivo. 2083.
Yajima, T. *See* Nishimura, Yajima, Naiki, Tsunobuchi, Umemura, Itano, Matsuguchi, Suzuki, Ohashi, and Yoshikai.
Yamaguchi, K. *See* Kobayashi, Takahashi, Jimi, Udagawa, Takami, Kotake, Nakagawa, Kinosaki, Yamaguchi, Shima, Yasuda, Morinaga, Higashio, Martin, and Suda.
— *See* Schwandner, Yamaguchi, and Cao.
Yamaide, F. *See* Inaba, Turley, Iyoda, Yamaide, Shimoyama, Reis e Sousa, Germain, Mellman, and Steinman.
Yamamoto, T. *See* Yasuda, Maeda, Kurosaki, Tezuka, Hironaka, Yamamoto, and Kurosaki.
Yamashita, M., Katsumata, M., Iwashima, M., Kimura, M., Shimizu, C., Kamata, T., Shin, T., Seki, N., Suzuki, S., Taniguchi, M., and Nakayama, T. T cell receptor–induced calcineurin activation regulates T helper type 2 cell development by modifying the interleukin 4 receptor signaling complex. 1869.
— *See* Kaneko, Harada, Kawano, Yamashita, Shibata, Gejyo, Nakayama, and Taniguchi.
Yang, D.D. *See* Weiss, Whitmarsh, Yang, Rincón, Davis, and Flavell.
Yang, F.-C. *See* Ingram, Yang, Travers, Wenning, Hiatt, New, Hood, Shannon, Williams, and Clapp.
Yang, T.-Y., Chen, S.-C., Leach, M.W., Manfra, D., Homey, B., Wiekowski, M., Sullivan, L., Jenh, C.-H., Narula, S.K., Chensue, S.W., and Lira, S.A. Transgenic expression of the chemokine receptor encoded by human herpesvirus 8 induces an angioproliferative disease resembling Kaposi's sarcoma. 445.
Yasuda, H. *See* Kobayashi, Takahashi, Jimi, Udagawa, Takami, Kotake, Nakagawa, Kinosaki, Yamaguchi, Shima, Yasuda, Morinaga, Higashio, Martin, and Suda.
Yasuda, T., Maeda, A., Kurosaki, M., Tezuka, T., Hironaka, K., Yamamoto, T., and Kurosaki, T. Cbl suppresses B cell receptor–mediated phospholipase C (PLC)-γ2 activation by regulating B cell linker protein–PLC-γ2 binding. 641.
Yauch, L. *See* Shanmugam, Shi, Yauch, Stavnezer, and Kenter.
Yeh, W.-C. *See* Jones, Parsons, Bonnard, Chan, Yeh, Woodgett, and Ohashi.
Yin, D., Tuthill, D., Mufson, R.A., and Shi, Y. Chronic restraint stress promotes lymphocyte apoptosis by modulating CD95 expression. 1423.
Yokoyama, W.M. *See* Smith, Chuang, Wang, Salcedo, Heusel, and Yokoyama.
Yokozeki, H., Ghoreishi, M., Takagawa, S., Takayama, K., Satoh, T., Katayama, I., Takeda, K., Akira, S., and Nishioka, K. Signal transducer and activator of transcription 6 is essential in the induction of contact hypersensitivity. 995.
Yoshida, H. *See* Haraguchi, Torii, Matsuzawa, Xie, Kitada, Krajewski, Yoshida, Mak, and Reed.
Yoshikai, Y. *See* Nishimura, Yajima, Naiki, Tsunobuchi, Umemura, Itano, Matsuguchi, Suzuki, Ohashi, and Yoshikai.
Young, A.R. *See* Kelly, Young, McGregor, Seed, Potten, and Walker.
Young, J.L., Sukhova, G.K., Foster, D., Kisiel, W., Libby, P., and Schönbeck, U. The serpin proteinase inhibitor 9 is an endogenous inhibitor of interleukin 1β–converting enzyme (caspase-1) activity in human vascular smooth muscle cells. 1535.
Young, R.A. *See* Huang, Richmond, Suzue, Eisen, and Young.
Yrlid, U., and Wick, M.J. *Salmonella*-induced apoptosis of infected macrophages results in presentation of a bacteria-encoded antigen after uptake by bystander dendritic cells. 613.

Yu, C.Y. *See* Blanchong, Zhou, Rupert, Chung, Jones, Sotos, Zipf, Rennebohm, and Yu.
Yuan, L. *See* Lu, Yuan, Zhou, Sotomayor, Levitsky, and Pardoll.
Yuasa, T. *See* Nakamura, Yuasa, Ujike, Ono, Nukiwa, Ravetch, and Takai.
Yuen, C.-T. *See* Leteux, Chai, Loveless, Yuen, Uhlin-Hansen, Combarnous, Jankovic, Maric, Misulovin, Nussenzweig, and Feizi.
Yun, T.J. *See* Marshall, Niiro, Lerner, Yun, Thomas, Disteche, and Clark.

Z

Zaghouani, H. *See* Anderson, Nicholson, Legge, Turchin, Zaghouani, and Kuchroo.
— *See* Legge, Min, Bell, Caprio, Li, Gregg, and Zaghouani.
Zamzami, N. *See* Jacotot, Ravagnan, Loeffler, Ferri, Vieira, Zamzami, Costantini, Druillennec, Hoebeke, Briand, Irinopoulou, Daugas, Susin, Cointe, Xie, Reed, Roques, and Kroemer.
Zhang, D. *See* Münz, Bickham, Subklewe, Tsang, Chahroudi, Kurilla, Zhang, O'Donnell, and Steinman.
Zhang, J., Gao, J.-X., Salojin, K., Shao, Q., Grattan, M., Meagher, C., Laird, D.W., and Delovitch, T.L. Regulation of Fas ligand expression during activation-induced cell death in T cells by p38 mitogen-activated protein kinase and c-Jun NH_2-terminal kinase. 1017.
— *See* Arudchandran, Brown, Peirce, Song, Zhang, Siraganian, Blank, and Rivera.
Zhang, K. *See* Bajpai, Zhang, Teutsch, Sen, and Wortis.
Zhang, W. *See* Bosselut, Zhang, Ashe, Kopacz, Samelson, and Singer.
Zhang, X. *See* Li, Zhang, Kovacic, Long, Bourque, Wood, and Choi.
Zhong, G., Liu, L., Fan, T., Fan, P., and Ji, H. Degradation of transcription factor RFX5 during the inhibition of both constitutive and interferon γ–inducible major histocompatibility complex class I expression in chlamydia-infected cells. 1525.
Zhong, S., Salomoni, P., Ronchetti, S., Guo, A., Ruggero, D., and Pandolfi, P.P. Promyelocytic leukemia protein (PML) and Daxx participate in a novel nuclear pathway for apoptosis. 631.
Zhou, B. *See* Blanchong, Zhou, Rupert, Chung, Jones, Sotos, Zipf, Rennebohm, and Yu.
Zhou, M., Sayad, A., Simmons, W.A., Jones, R.C., Maika, S.D., Satumtira, N., Dorris, M.L., Gaskell, S.J., Bordoli, R.S., Sartor, R.B., Slaughter, C.A., Richardson, J.A., Hammer, R.E., and Taurog, J.D. The specificity of peptides bound to human histocompatibility leukocyte antigen (HLA)-B27 influences the prevalence of arthritis in HLA-B27 transgenic rats [188(5):877]: Correction. 749.
Zhou, X. *See* Lu, Yuan, Zhou, Sotomayor, Levitsky, and Pardoll.
Zhu, L. *See* Alderson, Bement, Day, Zhu, Molesh, Skeiky, Coler, Lewinsohn, Reed, and Dillon.
Zinkernagel, R.M. *See* Ludewig, Ochsenbein, Odermatt, Paulin, Hengartner, and Zinkernagel.
— *See* Maloy, Burkhart, Junt, Odermatt, Oxenius, Piali, Zinkernagel, and Hengartner.
Zipf, W.B. *See* Blanchong, Zhou, Rupert, Chung, Jones, Sotos, Zipf, Rennebohm, and Yu.
Zöller, M. *See* Wittig, Johansson, Zöller, Schwärzler, and Günthert.

SUBJECT INDEX VOLUME 191

Absorption, of cell surface molecules from antigen presenting cells by T cells, 1137
Acquired immunity, CD40–CD40 ligand interactions regulate dendritic cell migration, 2011
Actin, Cdc42 triggers polymerization induced by intracellular *Shigella*, 1905
Actin filament, breast cancer cells suppressed by microfilament protein profilin 1, 1675
Acute infection, analysis of successful immune responses to hepatitis C virus, 1499
Adaptor molecule, role of Cbl protein in B cell receptor signaling, 641
Adaptor protein
  novel Bam32 regulates antigen receptor signaling, 1319
  PAG binds Csk and regulates T cell activation, 1591
  receptors and signaling pathways involved in natural killer cell activation, 1259
  SLAP negatively regulates T cell receptor signaling, 463
Adhesion
  basis for integrin $\alpha_E\beta_7$ recognition of epithelial cadherin, 1555
  deficiency for P-selectin or ICAM-1 reduces atherosclerosis, 189
  P-selectin glycoprotein ligand mediates platelet–endothelial interactions, 1413
  role of chemokines in T versus B cell arrest in high endothelial venules, 77
  TCA-4 triggers sticking of T cells in lymph node high endothelial venules, 61
Affinity maturation, structural basis of repertoire shift in immune response to phosphocholine, 2101
AIDS, antiidiotype antibody versus platelet anti-GPIIIa in HIV thrombocytopenia, 2093
Allelic exclusion
  development of B cells expressing IgG B cell receptors, 1031
  immunoglobulin β signaling regulates Ig gene rearrangements, 1333
Allelic variation, streptococcal superantigen SMEZ exhibits antigenic and, 1765
Allergic airway disease, CCR3/eotaxin and CCR4/MDC mediate T helper 2 cell recruitment to the lung, 265
Alymphoplasia, causes defects in chemokine receptor signaling and homing, 1477
Anemia, immunoglobulin G isotype dependence of autoimmune hemolytic, 1293
Anergy
  B cell receptor signaling domains in naive and tolerant cells, 1443
  CD5 maintains tolerance in anergic B cells, 883
  different origins of T helper 2 cells depending on antigen exposure, 683
  incomplete differentiation of subdominant cytotoxic T lymphocytes, 1687
  induction and suppression of experimental autoimmune encephalomyelitis by T cell epitopes, 717
  T cell repertoires and tolerance induction, 695
Angiogenesis
  role of viral G protein–coupled receptor in pathogenesis of Kaposi's sarcoma, 445
  thrombospondin-1 is downregulated by anoxia and reduces glioblastoma tumorigenicity, 1789
Angioproliferative diseases
  role of viral G protein–coupled receptor in Kaposi's sarcoma, 417
  role of viral G protein–coupled receptor in pathogenesis of Kaposi's sarcoma, 445
Anoxia, thrombospondin-1 is downregulated by, 1789
Antibody responses
  B cell selection in, 475
  germinal centers without T cells, 485
Antigen
  melanoma pseudogene codes for new, recognized by $CD8^+$ T cells, 1617
  SHIP regulates B cell signaling, maturation, activation and death, 1545
Antigen presentation
  cytoplasmic processing is a prerequisite for, by MHC class II proteins, 1513
  HLA-DO modulates MHC class II-associated peptide repertoire, 1127
  identification of glycolipid antigen–specific T cells using CD1, 1895
  internalization of *Leishmania* amastigotes via Fc receptor, 1063
  role of cathepsin F in invariant chain processing and peptide loading, 1177
  Salmonella-induced apoptosis and, 613
  T cell expression cloning of *Mycobacterium tuberculosis* antigens, 551
  tumor necrosis factor α bypasses CD154 signals to induce diabetes, 225
  two pathways for heat shock protein-dependent, 1957
  visualization of myelin basic protein T cell epitopes in multiple sclerosis lesions, 1395
Antigen presenting cells
  role in mediating tolerance and autoimmunity, 2021
  role of OX40 ligand in function of, 365
  T cell absorption of cell surface molecules from, 1137
Antigen processing
  generation of hepatitis B virus CTL epitope requires immunoproteasomes, 503
  N-acetylated ligand of class I HLA antigens, 2083
  proteasomal generation of HIV-1 Nef epitopes, 239
Antigen receptors
  inhibition of interleukin 7 receptor signaling by, 737
  protein kinase D is target for, and protein kinase C, 2075
Antigen recognition, by T cell receptor, mapping the energy of, 1355
Antigen response, role of SHIP in B cell development and function, 781
Antigen uptake, role of aquaporins in dendritic cell macropinocytosis, 743
Antigenic variation, streptococcal superantigen SMEZ exhibits allelic and, 1765
Antigen-specific immunity, expression and replenishment of B cell memory, 1149
Antigen-specific repertoire, different origins of T helper 2 cells depending on antigen exposure, 683
Anti-inflammatory response, broad spectrum chemokine binding protein encoded by herpesvirus, 573
Aorta
  deficiency for P-selectin or ICAM-1 reduces atherosclerosis, 189
  role of interleukin 1 in arterial inflammation, 303
Apoptosis
  activation of p38 MAP kinase arrests T cell development, 321
  bcl-2 expression inhibits, in germinal center, 475
  Bcr-Abl kinase activates Stat5/Bcl-x_L antiapoptotic pathway in chronic myelogenous leukemia cells, 977
  caspase activities in intact apoptotic thymocytes, 1819
  CD44 required for experimental colitis and protects against, 2053
  cell death suppression by Bcl-2 independent of apoptotic protease activating factor 1, 1709
  dendritic cell maturation induced by necrosis but not, 423
  dendritic cells transport epithelial remnants to mesenteric lymph nodes, 435
  generalized lymphoproliferative disorder phenotype requires tumor necrosis factor, 89
  of hepatocytes, controlled by ATP depletion, 1975
  HIV-1 Vpr targets mitochondria to induce, 33
  immune deficiency in purine nucleoside phosphorylase–deficient mice, 2197
  induction and suppression of experimental autoimmune encephalomyelitis by T cell epitopes, 717
  induction of tolerance by dendritic cells that have captured cells undergoing, 411
  of lymphocytes, promoted by chronic restraint stress, 1423
  mechanisms of CD40 ligand-induced allograft acceptance, 651
  novel myxoma virus protein that blocks, 1487
  opposing effects of transmembrane and soluble Fas ligand, 1209
  p38 MAPK and JNK control Fas ligand expression during activation-induced cell death in T cells, 1017
  promyelocytic leukemia protein and Daxx in novel nuclear body pathway for, 631
  protein kinase B regulates T cell survival, nuclear factor κB activation and Bcl-X_L levels, 1721
  role in hematopoietic stem cell homeostasis, 253
  Salmonella-induced, and antigen presentation, 613
  signaled by ionizing radiation and cytotoxic drugs in absence of Fas or FADD, 195
  γδ T cells induce macrophage cell death, 2145
  TRAIL inhibits autoimmune inflammation and cell cycle progression, 1095
Apoptotic protease activating factor 1, cell death suppression by Bcl-2 independent of, 1709
Aquaporins, role in dendritic cell macropinocytosis, 743
Arthritis
  Fc receptor-dependent induction and suppression of collagen-induced, 1611
  role of interleukin 1 receptor antagonist in development of, 313
Aspirin-triggered lipoxins, activation of lipoxin A_4 receptors by select peptides and, 1197
Atherosclerosis
  deficiency for P-selectin or ICAM-1 reduces, 189

infectious agents are not necessary for, 1437
role of interleukin 1 in arterial inflammation, 303
serpin proteinase inhibitor 9 inhibits caspase-1 activity in smooth muscle cells, 1535
ATP, depletion controls hepatic apoptosis, 1975
Autoantibody, immunoglobulin G isotype dependence of autoimmune hemolytic anemia, 1293
Autoimmune disease
autoimmunity and tumor immunity induced by dendritic cells, 795
development of Goodpasture's syndrome in absence of Fcγ receptor, 899
endogenous T cell reactivity to proteolipid protein in EAE, 761
essential role of mast cells in EAE, 813
expression and tolerance of myelin proteins in EAE, 757
induction and suppression by T cell epitopes, 717
nerve growth factor protects marmosets against encephalomyelitis, 1799
role of PD-1 expression in β and positive selection in thymus, 891
Autoimmune hemolytic anemia, immunoglobulin G isotype dependence of, 1293
Autoimmunity
antiidiotype antibody versus platelet anti-GPIIIa in HIV thrombocytopenia, 2093
coupling tolerance to interleukin 10 calms autoreactive T cells in EAE, 2039
HLA-DO modulates MHC class II-associated peptide repertoire, 1127
induction and suppression of collagen-induced arthritis depends on distinct Fc receptors, 1611
role of antigen presenting cells in mediating tolerance and, 2021
role of interleukin 4 in concanavalin A-induced hepatitis, 105
in secretory IgM-deficient mice, 1253
TRAIL inhibits inflammation and cell cycle progression, 1095
visualization of myelin basic protein T cell epitopes in multiple sclerosis lesions, 1395
B cell antigen receptor
immunoglobulin β signaling regulates Ig gene rearrangements, 1333
novel adaptor protein Bam32 regulates signaling, 1319
B cell receptor
Bruton's tyrosine kinase links, to nuclear factor κB activation, 1735
Bruton's tyrosine kinase mediates nuclear factor κB activation directed by, 1745
role of Cbl protein in signaling of, 641
selection and somatic evolution of immune specificity, 1813
SHIP regulates B cell signaling, maturation, activation and death, 1545
signaling by bone marrow microenvironment in development of B cells, 5
signaling domains in naive and tolerant cells, 1443
B cells
antigen-specific memory of, 1149
B cell receptor signaling domains in naive and tolerant cells, 1443
bone marrow or fetal liver environment not required for pre-BCR–dependent differentiation of, 23
CD5 maintains tolerance in anergic, 883
development with IgG B cell receptors, 1031
developmental switches in chemokine response profiles during differentiation and maturation of, 1303
identification of follicular dendritic cell molecule that stimulates growth of, 1077
immunization and infection affect number of RAG-expressing, by altering lymphocyte production, 2113
immunoglobulin isotype diversity and IgM/D memory in oxazolone response, 2209
interleukin 7 receptor signaling inhibited by antigen receptor in, 737
novel adaptor protein Bam32 regulates antigen receptor signaling, 1319
protective immunity to *Bordetella pertussis* requires both T and, 1841
receptor revision of immunoglobulin heavy chain genes in normal human, 1881
role of bone marrow microenvironment in development of, 5
role of chemokines in arrest of T versus, in high endothelial venules, 77
role in host protection against lymphatic filarial parasites, 731
role of secretory IgM in development of immune response, 1253
role of SHIP in development and function of, 781
selection in the antibody response, 475
SHIP regulates signaling, maturation, activation and death of, 1545
signaling function of nuclear factor κB–inducing kinase via CD40 in, 381
unexpected rearrangement and expression of immunoglobulin λ1 in scid mice, 1933
Bacterial infections, are not necessary for atherosclerosis, 1437
Bacterial pathogens, tyrosine phosphorylation and secretion systems of, 587
Bacterial protein, tyrosine phosphorylation of *Helicobacter pylori* CagA protein in gastric epithelium, 593
Bam32, novel adaptor protein regulates antigen receptor signaling, 1319
BCL-2, in apoptosis regulation of hematopoietic stem cell homeostasis, 253
bcl-2, inhibits apoptosis in germinal center and reveals differences in selection, 475
Bcl-2, protects cell death by caspase-independent mechanism, 1709
Bcl-X_L
protein kinase B regulates levels of, 1721
role in cell survival in CD28-deficient T cells, 2031
Bcr-Abl kinase, activates Stat5/Bcl-x_L antiapoptotic pathway in chronic myelogenous leukemia cells, 977
Berger's disease, CD89 mediates development of immunoglobulin A nephropathy, 1999
Blood, role of *N*-glycans in clearance of, 2171
Bone, tumor necrosis factor α induces osteoclast differentiation independent of ODF/RANK interaction, 275
Bone marrow
Bcl-X_L in cell survival in CD28-deficient T cells, 2031
developmental switches in chemokine response profiles during B cell maturation, 1303
pre-BCR–dependent B cell development does not require, 23
role of microenvironment in B cell development, 5
Bordetella pertussis, protective immunity requires both B and T cells, 1841
Breast cancer, tumor cells suppressed by microfilament protein profilin 1, 1675
Breast-feeding, innate recognition of bacteria in human milk mediated by CD14, 1807
Brugia, role of B cells in host protection against lymphatic filarial parasites, 731
Bruton's tyrosine kinase
links B cell receptor to nuclear factor κB activation, 1735
mediates B cell receptor-directed nuclear factor κB activation, 1745
Cadherins, basis for leukocyte integrin $\alpha_L\beta_2$-adhesion to epithelial, 1555
CagA
tyrosine phosphorylation of *Helicobacter pylori* protein, 593
tyrosine phosphorylation and secretion systems of, 587
Calcineurin, activation regulates T helper 2 cell development, 1869
Calcium
defective macrophage signaling in tuberculosis, 287
role of CD8 in T cell receptor binding to MHC/peptide multimers, 335
Calpain, role in MHC class II–restricted antigen presentation, 1513
Cancer
apoptosis signaling by ionizing radiation and cytotoxic drugs in absence of Fas or FADD, 195
breast, tumor cells suppressed by microfilament protein profilin 1, 1675
comparison of dendritic cell and tumor cell-based vaccines, 1699
enhanced growth of primary tumors after immunization to mutant oncoprotein, 1945
genetic basis of HLA class I loss in cervical, 961
IκBα mutations in malignant cells in Hodgkin's disease, 395
identification of NY-ESO-1 epitopes presented by HLA and recognized by $CD4^+$ T cells, 625
rare occurrence of Hodgkin's disease as a T cell lymphoma, 387
Candida albicans, dendritic cells discriminate between yeasts and hyphae of, 1661
Carcinogens, differential tumor surveillance by natural killer T cells, 661
Cartilage, NFAT transcription factor represses chondrogenesis, 9
Caspase
activities in intact apoptotic thymocytes, 1819
Bcl-2 protects cell death by mechanism independent of, 1709
Caspase-1, inhibited by serpin proteinase inhibitor 9 in smooth muscle cells, 1535
Cathepsin F, role in invariant chain processing and peptide loading, 1177
Caucasians, gene dosage of complement C4 in, 2183
Cbl, role in B cell receptor signaling, 641
CCR3, and CCR4 mediate T helper 2 cell recruitment to the lung, 265
CCR4
and CCR3 mediate T helper 2 cell recruitment to the lung, 265
role in lipopolysaccharide-induced endotoxic shock, 1755
CD1
identification of glycolipid antigen–specific T cells using, 1895
self-recognition by γ/δ T cells, 937
tuberculosis and the evolution of major histocompatibility complex molecules, 907
CD4, hsp70 fusion proteins elicit cytotoxic T lymphocytes independent of, via discrete domain, 403
CD4 T cells
altered T cell receptor causes differentiation into T helper 2 effectors, 2065

different origins of T helper 2 cells depending on antigen exposure, 683
role of OX40 signals in coordinating selection and migration of, 201
subsets during virus infection, 2159
CD4+ T cells
consistently respond to Epstein-Barr virus nuclear antigen EBNA1, 1649
NY-ESO-1 epitopes presented by HLA and recognized by, 625
CD5, maintains tolerance in anergic B cells, 883
CD8, role in T cell receptor binding to MHC/peptide multimers, 335
CD8 cells, role in liver damage and viral control during persistent hepatitis B infection, 1269
CD8 T cells
differential roles of interleukin 15 mRNA isoforms in immune responses, 157
role of interleukin 15 in development of natural killer and memory, 771
tumor necrosis factor α bypasses CD154 signals to induce diabetes, 225
CD8+ T cells
incomplete differentiation of subdominant cytotoxic T lymphocytes, 1687
suppression of live and attenuated SIV by, in macaques, 1921
CD14, innate recognition of bacteria in human milk mediated by, 1807
CD28
Bcl-X_L in T cell survival in absence of, 2031
cytotoxic T lymphocyte antigen 4 blocks antiviral effect of, 1987
role of OX40 signals in coordinating CD4 T cell selection, migration and cytokine differentiation, 201
T cell absorption of cell surface molecules from antigen presenting cells, 1137
CD40
interactions with ligand regulate dendritic cell migration, 2011
pathways of T cell help for cytotoxic T lymphocyte priming independent of, 541
role in germinal centers without T cells, 485
signaling function of nuclear factor κB–inducing kinase via, 381
CD40 ligand, mechanisms of allograft acceptance induced by, 651
CD83, inhibition of surface expression in dendritic cells, 1581
CD89, mediates development of immunoglobulin A nephropathy, 1999
CD95
chronic restraint stress promotes lymphocyte apoptosis via, 1423
depletion of ATP controls hepatic apoptosis mediated by, 1975
CD154, tumor necrosis factor α bypasses, to induce diabetes, 225
Cdc42, essential for actin-based motility of *Shigella* in mammalian cells, 1905
Celiac disease, recognition of α-gliadins by intestinal T cells in, 603
Cell cycle, activation of p38 MAP kinase arrests progression of, in T cell development, 321
Cell death
activation-induced inhibition of interleukin 6–mediated T cell survival, 915
Bcr-Abl kinase activates Stat5/Bcl-x_L antiapoptotic pathway in chronic myelogenous leukemia cells, 977
HIV-1 Vpr targets mitochondria to induce apoptosis, 33
of macrophages, induced by γδ T cells, 2145
necrotic tumor cells induce dendritic cell maturation, 423
p38 MAPK and JNK control Fas ligand expression during activation-induced, 1017
suppressed by Bcl-2 independent of apoptotic protease activating factor 1, 1709
Central nervous system
nerve growth factor protects marmosets against autoimmune encephalomyelitis, 1799
pleiotropy of nerve growth factor in treatment of experimental autoimmune encephalomyelitis, 1625
Cervical cancer, genetic basis of HLA class I loss in, 961
Chemokine binding protein, broad spectrum, encoded by herpesvirus, 573
Chemokine receptor 4, role in lipopolysaccharide-induced endotoxic shock, 1755
Chemokine receptor 8, MC148 is highly selective antagonist encoded by MCV, 171
Chemokine receptors, CCR3/eotaxin and CCR4/MDC mediate T helper 2 cell recruitment to the lung, 265
Chemokines
alymphoplasia causes defects in receptor signaling and homing, 1477
CCR3/eotaxin and CCR4/MDC mediate T helper 2 cell recruitment to the lung, 265
CD4 T cell subsets during virus infection, 2159
cytotoxic T lymphocyte antigen 4 blocks CD28 antiviral effect, 1987
developmental switches in response profiles during B cell differentiation and maturation, 1303
MC148 is highly selective CCR8 antagonist encoded by MCV, 171
role of CCR4 in lipopolysaccharide-induced endotoxic shock, 1755
role in recruitment of distinct subsets of Peyer's Patch dendritic cells, 1381
role of T versus B cell arrest in high endothelial venules, 77
TCA-4 triggers sticking of T cells in lymph node high endothelial venules, 61
Chemotaxis
alymphoplasia causes defects in chemokine receptor signaling and homing, 1477
developmental switches in chemokine response profiles during B cell maturation, 1303
Helicobacter pylori neutrophil-activating protein is protective antigen and virulence factor, 1467
opposing effects of transmembrane and soluble Fas ligand, 1209
Chlamydia, inhibits major histocompatibility complex class I expression, 1525
Cholesterol
deficiency for P-selectin or ICAM-1 reduces atherosclerosis, 189
infectious agents are not necessary for atherosclerosis, 1437
Chondroitin sulfates, macrophage mannose receptor binds, 1117
Chondrosarcoma, NFAT transcription factor represses chondrogenesis, 9
Chronic myelogenous leukemia cells, Bcr-Abl kinase activates Stat5/Bcl-x_L antiapoptotic pathway in, 977
Class switch recombination, class-specific factors in, 1365
Clonal expansion, different origins of T helper 2 cells depending on antigen exposure, 683
Coagulation, proinflammatory effects of protease-activated receptor 1 in immune renal injury, 455
Colitis, role of CD44 in protection against apoptosis in experimental, 2053
Collagen
Fc receptor-dependent induction and suppression of arthritis induced by, 1611
role of Fcγ receptor in Goodpasture's syndrome upon immunization with, 899
Complement C4, gene dosage in Caucasians, 2183
Complementarity determining region, mapping the energy of T cell receptor antigen recognition, 1355
Concanavalin A, role of interleukin 4 in hepatitis induced by, 105
Congenital adrenal hyperplasia, gene dosage of complement C4 in Caucasians, 2183
Contact hypersensitivity
CD40–CD40 ligand interactions regulate dendritic cell migration, 2011
essential role of Stat6 in induction of, 995
sunburn associated with ultraviolet radiation–induced immunosuppression, 561
Cross-priming, CD40-independent pathways of T cell help for, 541
Cryptococcus neoformans, *STE12α* regulates virulence but not essential for mating in, 871
Crystal structure, of cysteine-rich domain of mannose receptor, 1105
Csk, adaptor protein PAG binds, and regulates T cell activation, 1591
Cyclins, in deregulated E2F transcriptional activity in melanomas, 1005
Cyclooxygenase 2, interferon regulatory factors regulate expression of, 2131
Cytokine-induced SH2 protein, regulates T cell activation, 985
Cytokines
activation-induced inhibition of interleukin 6–mediated T cell survival, 915
coupling peripheral tolerance to interleukin 10 calms autoreactive T cells in EAE, 2039
dendritic cells discriminate between yeasts and hyphae of *Candida albicans*, 1661
interferon regulatory factors regulate Cox-2 gene expression, 2131
interleukin 7 receptor signaling inhibited by antigen receptor, 737
mechanisms of CD40 ligand-induced allograft acceptance, 651
nitric oxide inhibits hepatitis B virus and lymphocytic choriomeningitis virus replication, 1247
pleiotropic roles of interleukin 15 unique from interleukin 2, 753
role of interleukin 1 in arterial inflammation, 303
role of interleukin 1 receptor antagonist in development of chronic inflammatory arthropathy, 313
role of interleukin 12 receptor β2 expression and signaling in T helper cell differentiation, 847
role of interleukin 15 in development of natural killer and memory CD8 T cells, 771
role of MAP kinase p38 in stress response of embryonic stem cells, 859
role of OX40 ligand in antigen-presenting cell function, 365
role of OX40 signals in coordinating CD4 T cell selection and migration and differentiation of, 201
role in T cell receptor-altered CD4 differentiation into T helper 2 effectors, 2065
role of T1/ST2 in developing primary T helper cell type 2 responses, 1069

roles of interleukins 4 and 13 and Stat6 in contact hypersensitivity, 995
single amino acid determines immunostimulatory activity of interleukin 10, 213
TRAF6 requirement in interleukin 17 signaling, 1233
TRAIL inhibits autoimmune inflammation and cell cycle progression, 1095
Cytolysis, self-recognition of CD1 by γ/δ T cells, 937
Cytoplasm, antigen presentation requires processing in, 1513
Cytoskeleton, breast cancer cells suppressed by microfilament protein profilin 1, 1675
Cytotoxic drugs, apoptosis signaling by, in absence of Fas or FADD, 195
Cytotoxic T lymphocyte antigen 4, blocks CD28 antiviral effect and determines susceptibility of HIV infection, 1987
Cytotoxic T lymphocytes
analysis of successful immune responses to hepatitis C virus, 1499
CD40-independent pathways of T cell help for priming of, 541
directed to human T cell leukemia virus Rof and Tof peptides, 567
generation of hepatitis B virus epitope requires immunoproteasomes, 503
hepatitis B viral control versus liver cell injury, 1263
hsp70 fusion proteins elicit CD4-independent, via discrete domain, 403
incomplete differentiation of subdominant, 1687
influenza A viral escape by selection of variants resistant to, 1853
melanoma pseudogene antigen recognized by $CD8^+$ T cells, 1617
proteasomal generation of HIV-1 Nef epitopes, 239
role of antigen presenting cells in mediating tolerance and autoimmunity, 2021
role of CD8 in T cell receptor binding to MHC/peptide multimers, 335
role in liver damage and viral control during persistent hepatitis B infection, 1269
role in receptor-mediated cross-presentation of heat shock protein-associated peptides, 1965
Cytotoxicity
nonstochastic coexpression of activation receptors on natural killer cells, 1341
regulating polarization of lipid rafts during cell-mediated killing, 347
Daxx, and promyelocytic leukemia protein in novel nuclear body pathway for apoptosis, 631
Death receptors, apoptosis signaling by ionizing radiation and cytotoxic drugs, 195
Dendritic cells
autoimmunity and tumor immunity induced by, 795
CD40–CD40 ligand interactions regulate migration of, 2011
CD40-independent pathways of T cell help for cytotoxic T lymphocyte priming, 541
chemokine recruitment of distinct subsets of, 1381
comparison of vaccines based on tumor cells and, 1699
discriminate between yeasts and hyphae of *Candida albicans*, 1661
induction of tolerance by, 411
inhibition of CD83 surface expression in, 1581
invariant chain controls H2-M proteolysis in splenocytes and, 1057
necrotic tumor cells induce maturation of, 423
Notch1 deficiency dissociates intrathymic development of T cells and, 1085
regulation of T cell receptor ligand formation in lysosomes of, 927
role of aquaporins in macropinocytosis, 743
role in $CD4^+$ T cell response to Epstein-Barr virus nuclear antigen EBNA1, 1649
role of nuclear factor κB–inducing kinase in signaling in, 381
role in receptor-mediated cross-presentation of heat shock protein-associated peptides, 1965
role in *Salmonella*-induced apoptosis and antigen presentation, 613
TRANCE enhances adjuvant capacity of, 495
transport apoptotic epithelial cells to mesenteric lymph nodes, 435
type I interferon is powerful adjuvant for development of monocyte-derived, 1777
Diabetes
human histocompatibility leukocyte antigen DQ molecules in development of, 97
role of antigen presenting cells in mediating tolerance and autoimmunity, 2021
tumor necrosis factor α bypasses CD154 signals to induce, 225
DNA mismatch repair, role of MutS homologues in somatic hypermutation, 579
DQ molecules, role of HLA in development of diabetes, 97
Dysentery, Cdc42 essential for actin-based motility of *Shigella* in mammalian cells, 1905
EBNA1, $CD4^+$ T cells consistently respond to Epstein-Barr virus nuclear antigen, 1649
E-cadherin, basis for leukocyte integrin $\alpha_E\beta_7$ adhesion to, 1555
E2F, deregulated transcriptional activity in melanomas, 1005
Effector T cells, differentiating between memory and, via changes in O-glycosylation, 1241
Endocytosis
receptor-mediated cross-presentation of heat shock protein-associated peptides, 1965
role of aquaporins in dendritic cell macropinocytosis, 743
Endogenous opioids, stress promotes CD95-mediated apoptosis dependent on, 1423
Endothelium
integrin signaling induces neutrophil-dependent alteration in vascular permeability, 1829
P-selectin glycoprotein ligand mediates interactions between platelets and, 1413
Endotoxic shock, role of CCR4 in lipopolysaccharide-induced, 1755
Epidermis, CD40–CD40 ligand interactions regulate dendritic cell migration, 2011
Epithelial cells, role of lipooligosaccharide in *Neisseria gonorrhoeae* invasion into, 949
Epstein-Barr virus, $CD4^+$ T cells consistently respond to Epstein-Barr virus nuclear antigen EBNA1, 1649
Evolution, genesis of V(D)J recombination, 1631
Experimental allergic encephalomyelitis
coupling tolerance to interleukin 10 calms autoreactive T cells, 2039
essential role of mast cells in, 813
expression and tolerance of myelin proteins, 757
Experimental autoimmune encephalomyelitis
endogenous T cell reactivity to proteolipid protein, 761
induction and suppression by T cell epitopes, 717
pleiotropy of nerve growth factor in treatment of, 1625
Experimental colitis, role of CD44 in protection against apoptosis in, 2053
Experimental leishmaniasis, contribution of OX40 ligand to T helper 2 cell development in, 375
Expression cloning, of *Mycobacterium tuberculosis* antigens, 551
Extracellular matrix, role for thymic mesenchyme in early T cell development, 1051
Fas, apoptosis signaling by ionizing radiation and cytotoxic drugs in absence of, 195
Fas ligand
opposing effects of transmembrane and soluble, 1209
p38 MAPK and JNK control expression of, during activation-induced cell death in T cells, 1017
role in generalized lymphoproliferative disorder, 89
Fc receptor
CD89 mediates development of immunoglobulin A nephropathy, 1999
induction and suppression of collagen-induced arthritis depends on distinct, 1611
internalization of *Leishmania* amastigotes via, 1063
role in immunoglobulin G isotype dependence of autoimmune hemolytic anemia, 1293
Fcγ receptor
development of Goodpasture's syndrome in absence of, 899
role of Src family kinases in macrophage phagocytosis mediated by, 669
Fcε receptor, Vav localization to plasma membrane, 47
Fgr, role of Src tyrosine kinase in negative regulation of phagocytosis, 515
Fibroblasts
as host cells in latent leishmaniasis, 2121
role for thymic mesenchyme in early T cell development, 1051
Filariasis, *Wolbachia* lipopolysaccharide mediates inflammation in nematode disease, 1429
Fluorogenic caspase substrates, assessment of caspase activities in intact apoptotic thymocytes using, 1819
Follicular dendritic cells, identification of molecule that stimulates B cell growth, 1077
G protein-coupled receptor
role in pathogenesis of Kaposi's sarcoma, 445
role in Kaposi's sarcoma-associated herpesvirus, 417
Gastric epithelium, tyrosine phosphorylation of *Helicobacter pylori* CagA protein in, 593
Gastric mucosa
Helicobacter pylori neutrophil-activating protein is protective antigen and virulence factor, 1467
phagocyte recruitment and activation in response to *Helicobacter pylori*, 1451
Gastric ulcers, phagocytosis of *Helicobacter pylori* and phagosome fusion in macrophages, 115
Gene dosage, of complement C4 in Caucasians, 2183
Gene expression, of JNK, regulated during T cell activation, 139
Gene therapy, comparison of dendritic cell and tumor cell-based vaccines, 1699

Gene transfer, Bcl-X_L in T cell survival in CD28-deficient T cells, 2031
Generalized lymphoproliferative disorder, phenotype requires tumor necrosis factor, 89
Genes, genetic basis of HLA class I loss in cervical cancer, 961
Genetic diversity, gene dosage of complement C4 in Caucasians, 2183
Germ-free, infectious agents are not necessary for atherosclerosis, 1437
Germinal center
  B cell receptor editing and revision, 1813
  enterocyte expression of interleukin 7 induces development of T cells and Peyer's patches, 1569
  identification of follicular dendritic cell molecule that stimulates B cell growth, 1077
Germinal centers, without T cells, 485
Gi protein, role for signaling in interleukin 12 production and T helper 1 cell responses, 1605
Gliadins, recognition by intestinal T cells in celiac disease, 603
Glioblastoma, thrombospondin-1 reduces tumorigenicity of, 1789
Glomerulonephritis
  CD89 mediates development of immunoglobulin A nephropathy, 1999
  development of Goodpasture's syndrome in absence of Fcγ receptor, 899
  proinflammatory effects of protease-activated receptor 1 in immune renal injury, 455
Gluten, recognition of α-gliadins by intestinal T cells in celiac disease, 603
Glycolipid antigen, identification of T cells specific to, using CD1, 1895
Glycosylation, role of *N*-glycans in blood clearance and hepatic uptake of IgA, 2171
Goodpasture's syndrome, development in absence of Fcγ receptor, 899
Gram-positive bacteria, protection from infection by macrophage scavenger-dependent phagocytosis, 147
Granulysin, role in self-recognition of CD1 by γ/δ T cells, 937
Gut epithelium, identical T cell clones in thoracic duct lymph and, 823
Haploid fruiting, *STE12*α regulates virulence but not essential for mating in *Cryptococcus neoformans*, 871
Heat shock protein
  receptor-mediated cross-presentation of peptides associated with, 1965
  two pathways for antigen presentation dependent on, 1957
Heat shock protein 70, fusion proteins elicit CD4-independent cytotoxic T lymphocytes via discrete domain, 403
Helicobacter pylori
  neutrophil-activating protein is protective antigen and major virulence factor, 1467
  phagocyte recruitment and activation in response to, 1451
  phagocytosis and phagosome fusion in macrophages, 115
  tyrosine phosphorylation and secretion systems of, 587
  tyrosine phosphorylation of CagA protein in gastric epithelium, 593
Hematopoiesis, developmental switches in chemokine response profiles during B cell maturation, 1303
Hematopoietic stem cells, role of apoptosis in regulation of, 253
Hepatitis, role of interleukin 4 in concanavalin A-induced, 105
Hepatitis B virus
  MHC class I antigen processing by immunoproteasomes, 503
  nitric oxide inhibits replication of, 1247
  role of virus-specific CD8 cells during persistent infection of, 1269
  viral control versus liver cell injury, 1263
Hepatitis C virus, analysis of successful immune responses to, 1499
Hepatocytes, depletion of ATP controls apoptosis of, 1975
Herpes simplex virus
  regulation of latency and reactivation, 1455
  T cells block reactivation from latency in sensory neurons, 1459
Herpesvirus
  broad spectrum chemokine binding protein encoded by, 573
  highly selective CCR8 antagonist encoded by MCV, 171
High endothelial venules
  role of chemokines in T versus B cell arrest in, 77
  TCA-4 triggers T cell sticking in peripheral lymph node, 61
HIV-1
  antiidiotype antibody versus platelet anti-GPIIIa in, 2093
  cytotoxic T lymphocyte antigen 4 blocks CD28 antiviral effect, 1987
  Vpr targets mitochondria to induce apoptosis, 33
HIV-1 Nef, proteasomal generation of epitopes of, 239
HLA
  DQ molecules in development of diabetes, 97
  identification of NY-ESO-1 epitopes presented by, 625
HLA class I, genetic basis of loss of, in cervical cancer, 961
HLA-B39, *N*-acetylated ligand of, 2083
HLA-DO, modulates MHC class II-associated peptide repertoire, 1127
HLA-DQ, recognition of α-gliadins by intestinal T cells in celiac disease, 603
HLA-DR2, visualization of myelin basic protein T cell epitopes in multiple sclerosis lesions via, 1395
H2-M, invariant chain controls proteolysis of, in splenocytes and dendritic cells, 1057
Hodgkin/Reed-Sternberg cells
  IκBα mutations in malignant cells in Hodgkin's disease, 395
  in molecular and cellular origins of Hodgkin's disease, 207
  rare occurrence of Hodgkin's disease as a T cell lymphoma, 387
Hodgkin's disease
  IκBα mutations in malignant cells in, 395
  molecular and cellular origins of, 207
  rare occurrence as a T cell lymphoma, 387
Homeostasis
  role of apoptosis in regulation of hematopoietic stem cells, 253
  of T cells, critical role of TGF-β in maintaining, 1187
Homing
  role of chemokines in T versus B cell arrest in high endothelial venules, 77
  TCA-4 triggers sticking of T cells in lymph node high endothelial venules, 61
Host defense
  by B cells against lymphatic filarial parasites, 731
  CD1, tuberculosis and the evolution of major histocompatibility complex molecules, 907
  role of Fgr tyrosine kinase in negative regulation of phagocytosis, 515
Human herpesvirus 8
  role of viral G protein-coupled receptor in Kaposi's Kaposi's sarcoma, 417
  role of viral G protein-coupled receptor in pathogenesis of Kaposi's sarcoma, 445
Human T cell leukemia virus, identification of cytotoxic T lymphocytes directed to Rof and Tof peptides, 567
Hyphae, dendritic cells discriminate between yeasts and, of *Candida albicans*, 1661
Hypusine, role in inhibition of CD83 surface expression in dendritic cells by interference with nuclear export, 1581
IκBα gene, mutations in malignant cells in Hodgkin's disease, 395
IgA nephropathy, CD89 mediates development of, 1999
Immune deficiency, in purine nucleoside phosphorylase-deficient mice, 2197
Immune evasion, broad spectrum chemokine binding protein encoded by herpesvirus, 573
Immune response
  differential roles of interleukin 15 mRNA isoforms in, 157
  hepatitis B viral control versus liver cell injury, 1263
  to hepatitis C virus, analysis of successful, 1499
  HLA-DO modulates MHC class II-associated peptide repertoire, 1127
  pleiotropic roles of interleukin 15 unique from interleukin 2, 753
  role of virus-specific CD8 cells during persistent hepatitis B infection, 1269
  Salmonella-induced apoptosis and antigen presentation, 613
  single amino acid determines immunostimulatory activity of interleukin 10, 213
  structural basis of repertoire shift in, 2101
  T cells and regulation of herpes simplex virus latency and reactivation, 1455
Immunity
  antigen-specific B cell memory, 1149
  CD1, tuberculosis and the evolution of major histocompatibility complex molecules, 907
  dendritic cells discriminate between yeasts and hyphae of *Candida albicans*, 1661
  differential tumor surveillance by natural killer T cells, 661
  differentiating between memory and effector T cells via changes in O-glycosylation, 1241
  innate recognition of bacteria in human milk mediated by CD14, 1807
  protection against *Bordetella pertussis* requires both B and T cells, 1841
  self-recognition of CD1 by γ/δ T cells, 937
  type I interferon is powerful adjuvant for monocyte-derived dendritic cell development, 1777
Immunization
  enhanced growth of primary tumors after, 1945
  and infection affect number of RAG-expressing B cells by altering lymphocyte production, 2113
  TRANCE enhances adjuvant capacity of dendritic cells, 495
Immunodominance, incomplete differentiation of subdominant cytotoxic T lymphocytes, 1687
Immunoglobulin λ1, unexpected rearrangement and expression of, in scid mice, 1933
Immunoglobulin A, CD89 mediates development of Berger's disease, 1999
Immunoglobulin A nephropathy, role of *N*-glycans in blood clearance and hepatic uptake of IgA, 2171
Immunoglobulin G
  development of B cells expressing receptors for, 1031
  induction and suppression of collagen-induced arthritis depends on distinct Fc receptors, 1611

isotype dependence of autoimmune hemolytic anemia, 1293
Immunoglobulin genes
rearrangement in shark germ cells, 1637
role of MutS homologues in somatic hypermutation, 579
Immunoglobulin heavy chain, receptor revision of genes in normal human B cells, 1881
Immunoglobulins
antiidiotype antibody versus platelet anti-GPIIIa in HIV thrombocytopenia, 2093
class-specific factors in isotype switching, 1365
isotype diversity and memory in oxazolone response, 2209
role of N-glycans in blood clearance and hepatic uptake of, 2171
role of secretory IgM in development of immune response, 1253
role of T1/ST2 in developing primary T helper cell type 2 responses, 1069
β signaling regulates Ig gene rearrangements, 1333
structural basis of repertoire shift in immune response to phosphocholine, 2101
Immunologic memory, B cell selection in the antibody response, 475
Immunoproteasomes, generation of hepatitis B virus cytotoxic T lymphocyte epitope requires, 503
Immunosuppression, sensitivity to sunburn associated with ultraviolet radiation-induced, 561
Immunotherapy
autoimmunity and tumor immunity induced by dendritic cells, 795
self-tolerance to homologue of tyrosinase-derived melanoma antigen, 1221
Inflammation
CD44 required for experimental colitis and protects against apoptosis, 2053
effects of protease-activated receptor 1 in immune renal injury, 455
essential role of mast cells in EAE, 813
inhibited by TRAIL, 1095
integrin signaling induces neutrophil-dependent alteration in endothelial barrier function, 1829
interferon regulatory factors regulate Cox-2 gene expression, 2131
lipid mediators and peptide ligands of lipoxin A_4 receptors, 1197
novel antiapoptotic myxoma virus protein localized in mitochondria, 1487
opposing effects of transmembrane and soluble Fas ligand on, 1209
phagocyte recruitment and activation in response to *Helicobacter pylori*, 1451
P-selectin glycoprotein ligand mediates platelet–endothelial interactions, 1413
regulation of T cell receptor ligand formation in dendritic cell lysosomes, 927
role of interleukin 1 in arterial, 303
role of interleukin 1 receptor antagonist in development of rheumatoid arthritis, 313
role of MAP kinase p38 in stress response of embryonic stem cells, 859
γδ T cells induce macrophage cell death, 2145
TRAF6 requirement in interleukin 17 signaling, 1233
Inflammatory bowel disease, CD44 required for experimental colitis and protects against apoptosis, 2053
Influenza A virus, viral escape by selection of cytotoxic T cell-resistant variants, 1853
Inhibitory receptors, lipid mediators and peptide ligands of lipoxin A_4 receptors, 1197
Innate immunity, nonstochastic coexpression of activation receptors on natural killer cells, 1341
Integrins
basis for leukocyte integrin $\alpha_E\beta_7$ adhesion to epithelial cadherin, 1555
gating of potassium channels regulates activation of, 1167
signaling induces neutrophil-dependent alteration in endothelial barrier function, 1829
Intercellular adhesion molecule 1, deficiency reduces atherosclerosis, 189
Interferon, Rel induction of IRF-4 modulates responsiveness of, 1281
Interferon γ
chlamydial infection inhibits MHC class I expression induced by, 1525
role in MHC class I–regulated activation and migration of natural killer cells, 129
role in nerve growth factor protection against autoimmune encephalomyelitis in marmosets, 1799
Interferon regulatory factor, regulates Cox-2 gene expression, 2131
Interferon regulatory factor 4, induced by Rel, modulates interferon responsiveness, 1281
Interferons, powerful adjuvant for monocyte-derived dendritic cell development, 1777
Interleukin 1
role in arterial inflammation, 303
role in development of chronic inflammatory arthropathy, 313
role in TNF-α–induced osteoclast differentiation, 275
Interleukin 1 receptor antagonist
role in arterial inflammation, 303
role in development of chronic inflammatory arthropathy, 313
Interleukin 2
acts as agonist of IL-2 receptor β chain and induces lymphokine-activated killer cells, 529
pleiotropic roles of interleukin 15 unique from, 753
Interleukin 2 receptor, β chain, interleukin 2 acts as agonist of, 529
Interleukin 4
role in concanavalin A-induced hepatitis, 105
T helper cell differentiation in presence of interleukin 12 receptor β2, 847
Interleukin 4 receptor, role in calcineurin-activated regulation of T helper 2 cell development, 1869
Interleukin 6, activation-induced inhibition of T cell survival and Stat1 signaling mediated by, 915
Interleukin 7
controls recombination at T cell receptor γ locus by regulating accessibility, 1045
enterocyte expression induces development of γδ T cells and Peyer's patches, 1569
role of bone marrow microenvironment in B cell development, 5
role in pre-BCR–dependent B cell differentiation, 23
Interleukin 7 receptor, signaling inhibited by antigen receptor, 737
Interleukin 10
coupled with tolerance calms autoreactive T cells in EAE, 2039
role in nerve growth factor protection against autoimmune encephalomyelitis in marmosets, 1799
single amino acid determines immunostimulatory activity of, 213
Interleukin 12
natural killer T cell antitumor immunity in absence of, 661
role for Gi protein signaling in regulation of production of, 1605
Interleukin 12 receptor, role of expression and signaling in T helper cell differentiation, 847
Interleukin 13, role in molecular and cellular origins of Hodgkin's disease, 207
Interleukin 15
differential roles of mRNA isoforms in immune responses, 157
pleiotropic roles unique from interleukin 2, 753
role in development of natural killer and memory CD8 T cells, 771
Interleukin 17, TRAF6 requirement in signaling of, 1233
Interleukin 1β–converting enzyme, inhibited by serpin proteinase inhibitor 9 in smooth muscle cells, 1535
Intestine
discrete dendritic cells transport apoptotic epithelial cells to mesenteric lymph nodes, 435
enterocyte expression of interleukin 7 induces development of T cells and Peyer's patches, 1569
innate recognition of bacteria in human milk mediated by CD14, 1807
Invariant chain
controls H2-M proteolysis in splenocytes and dendritic cells, 1057
role of cathepsin F in processing of, 1177
Ionizing radiation, apoptosis signaling by, in absence of Fas or FADD, 195
Isotype switch, class-specific factors in, 1365
Isotype switching, development of B cells expressing IgG B cell receptors, 1031
JNK
controls Fas ligand expression during activation-induced cell death in T cells, 1017
regulation of gene expression during T cell activation, 139
Vav localizes to plasma membrane and activates, 47
Kaposi's sarcoma, role of viral G protein-coupled receptor in pathogenesis of, 445
Kaposi's sarcoma-associated herpesvirus
role of viral G protein-coupled receptor in Kaposi's sarcoma, 417
role of viral G protein-coupled receptor in pathogenesis of Kaposi's sarcoma, 445
Kidney, proinflammatory effects of protease-activated receptor 1 in immune renal injury, 455
Langerhans cells, CD40–CD40 ligand interactions regulate dendritic cell migration, 2011
Lck, domains differentially influence thymopoietic efficiency, 703
Lectin receptor
crystal structure of cysteine-rich domain of mannose receptor, 1105
macrophage mannose receptor binds chondroitin sulfates, 1117
Leishmania, internalization of amastigotes via Fc receptor, 1063
Leishmania major, fibroblasts as host cells for, 2121
Leishmaniasis, role for Gi protein signaling in interleukin 12 production and T helper 1 cell responses, 1605
Leukemia, Bcr-Abl kinase activates Stat5/Bcl-x_L antiapoptotic pathway in chronic myelogenous leukemia cells, 977
Leukocytes
basis for integrin $\alpha_E\beta_7$ adhesion to epithelial cadherin, 1555
integrin signaling induces neutrophil-dependent alteration in endothelial barrier function, 1829
lipid mediators and peptide ligands of lipoxin A_4 receptors, 1197

Lipid rafts, regulating polarization during cell-mediated cytotoxicity, 347
Lipooligosaccharide, role in *Neisseria gonorrhoeae* invasion into epithelial cells, 949
Lipopolysaccharide
bacterial endotoxin mediates inflammation in filarial nematode disease, 1429
role of CCR4 in endotoxic shock induced by, 1755
Lipoxin, lipid mediators and peptide ligands of A_4 receptors, 1197
Liver
ATP and hepatocyte apoptosis, 1975
intrahepatic T cells in hepatitis B virus, 1263
nitric oxide inhibits hepatitis B virus replication in, 1247
role of hepatitis B virus-specific CD8 cells during persistent infection, 1269
role of N-glycans in blood clearance and hepatic uptake of IgA, 2171
Lung, CCR3/eotaxin and CCR4/MDC mediate T helper 2 cell recruitment to the, 265
Ly-49, nonstochastic coexpression of activation receptors on natural killer cells, 1341
Lymph node, MHC-dependent survival of naive T cells, 355
Lymph nodes
discrete dendritic cells transport apoptotic epithelial cells to mesenteric, 435
induction of tolerance by dendritic cells that have captured apoptotic cells, 411
Lymphatic filariasis, role of B cells in host protection against, 731
Lymphocyte circulation, identical T cell clones in gut wall and thoracic duct lymph, 823
Lymphocytes
immunization and infection affect number of RAG-expressing B cells by altering production of, 2113
Rel induction of IRF-4 modulates interferon responsiveness, 1281
stress promotes CD95-mediated apoptosis of, 1423
Lymphocytic choriomeningitis virus, nitric oxide inhibits replication of, 1247
Lymphoid tissue
alymphoplasia causes defects in chemokine receptor signaling and homing, 1477
TCA-4 triggers sticking of T cells in high endothelial venules, 61
Lymphokines, interleukin 2 induces natural killer cells activated by, 529
Lymphoma
opposing effects of transmembrane and soluble Fas ligand on survival of, 1209
T cell, rare occurrence of Hodgkin's disease as a, 387
Lymphomas
molecular and cellular origins of Hodgkin's disease, 207
role of viral G protein-coupled receptor in Kaposi's sarcoma-associated herpesvirus, 417
Lymphopoiesis, immunization and infection affect number of RAG-expressing B cells by altering lymphocyte production, 2113
Lymphoproliferation, generalized lymphoproliferative disorder phenotype requires tumor necrosis factor, 89
Lymphoproliferative disorder, critical role of TGF-β in maintaining T cell homeostasis, 1187
Lysosomes, of dendritic cells, regulation of T cell receptor ligand formation in, 927
Macaques, suppression of live and attenuated SIV by $CD8^+$ T cells in, 1921
Macrophage colony-stimulating factor, role in TNF-α–induced osteoclast differentiation, 275
Macrophage inflammatory protein, chemokine recruitment of distinct subsets of dendritic cells, 1381
Macrophage receptor
crystal structure of cysteine-rich domain of mannose receptor, 1105
mannose receptor binds chondroitin sulfates, 1117
Macrophages
defective Ca^{2+} signaling in tuberculosis, 287
fibroblasts as host cells in latent leishmaniasis, 2121
internalization of *Leishmania* amastigotes via Fc receptor, 1063
phagocytosis of *Helicobacter pylori* and phagosome fusion in, 115
protection from gram-positive infection by scavenger-dependent phagocytosis, 147
role of cathepsin F in invariant chain processing and peptide loading by, 1177
role of Src family kinases in Fcγ receptor-mediated phagocytosis of, 669
Salmonella-induced apoptosis of, and antigen presentation, 613
γδ T cells induce cell death of, 2145
two pathways for heat shock protein-dependent antigen presentation, 1957
Major histocompatibility complex
CD1, tuberculosis and the evolution of, 907
mapping the energy of T cell receptor antigen recognition, 1355
N-acetylated ligand of class I HLA antigens, 2083
role of cathepsin F in invariant chain processing and peptide loading, 1177
self-tolerance to homologue of tyrosinase-derived melanoma antigen, 1221
two pathways for heat shock protein-dependent antigen presentation by, 1957
Major histocompatibility complex, class I
antigen processing by immunoproteasomes, 503
chlamydial infection inhibits expression of, 1525
Major histocompatibility complex, class II, cytoplasmic processing is a prerequisite for antigen presentation, 1513
Major histocompatibility complex, class II molecules, survival of naive T cells dependent on, 355
Malaria, immunization and infection affect number of RAG-expressing B cells by altering lymphocyte production, 2113
Mannose receptor
crystal structure of cysteine-rich domain, 1105
macrophage receptor binds chondroitin sulfates, 1117
Mast cells
essential role in experimental allergic encephalomyelitis, 813
heterozygosity of *Nf1* tumor suppressor modulates fates of melanocytes and, 181
Vav localization to plasma membrane, 47
Mating, *STE12*α regulates virulence but not essential for, in *Cryptococcus neoformans*, 871
Maturation, regulation of T cell receptor ligand formation in dendritic cell lysosomes, 927
Melanocytes, heterozygosity of *Nf1* tumor suppressor modulates fates of mast cells and, 181
Melanoma
deregulated E2F transcriptional activity in, 1005
pseudogene antigen recognized by $CD8^+$ T cells on, 1617
self-tolerance to homologue of tyrosinase-derived antigen, 1221
Membrane proteins, role of lipooligosaccharide in *Neisseria gonorrhoeae* invasion into epithelial cells, 949
Memory, antigen-specific, of B cells, 1149
Memory T cells
differential roles of interleukin 15 mRNA isoforms in immune responses, 157
differentiating between effector and, via changes in O-glycosylation, 1241
Mesenchymal stem cells
NFAT transcription factor regulated in, 9
role of research network in NFAT studies, 1
Mesenchyme, thymic, role in early T cell development, 1051
MHC class I molecules, regulate activation and migration of natural killer cells, 129
MHC/peptide multimers, role of CD8 in T cell receptor binding to, 335
Migration
alymphoplasia causes defects in chemokine receptor signaling and homing, 1477
CD4 T cell subsets during virus infection, 2159
chemokine recruitment of distinct subsets of Peyer's Patch dendritic cells, 1381
of dendritic cells, regulated by CD40–CD40 ligand interactions, 2011
developmental switches in chemokine response profiles during B cell maturation, 1303
Milk, innate recognition of bacteria in human, 1807
Mismatch repair, role of MutS homologues in somatic hypermutation, 579
Mitochondria
HIV-1 Vpr induces apoptosis by direct effect on, 33
immune deficiency in purine nucleoside phosphorylase-deficient mice, 2197
novel antiapoptotic myxoma virus protein localized in, 1487
Mitogen-activated protein kinase, role of p38 in stress response of embryonic stem cells, 859
Mitosis, activation of p38 MAP kinase arrests cell cycle progression and differentiation of T cells, 321
M11L, novel antiapoptotic myxoma virus protein localized in mitochondria, 1487
Monocytes
MC148 is highly selective CCR8 antagonist encoded by MCV, 171
type I interferon is powerful adjuvant for development of dendritic cells derived from, 1777
Mucosal immunity
chemokine recruitment of distinct subsets of Peyer's Patch dendritic cells, 1381
recognition of α-gliadins by intestinal T cells in celiac disease, 603
Multiple sclerosis
essential role of mast cells in EAE, 813
nerve growth factor protects marmosets against autoimmune encephalomyelitis, 1799
pleiotropy of nerve growth factor in treatment of experimental autoimmune encephalomyelitis, 1625
visualization of myelin basic protein T cell epitopes in lesions, 1395
Muscle cells, serpin proteinase inhibitor 9 inhibits caspase-1 activity in smooth, 1535
Mutant ras gene, enhanced growth of primary tumors after immunization to mutant oncoprotein, 1945
Mutation
genetic basis of HLA class I loss in cervical cancer, 961
structural basis of repertoire shift in immune response to phosphocholine, 2101

MutS, role of homologues in somatic hypermutation, 579
Mycobacterium tuberculosis
antigens, T cell expression cloning of, 551
defective macrophage Ca^{2+} signaling in, 287
Myelin
nerve growth factor protects marmosets against autoimmune encephalomyelitis, 1799
pleiotropy of nerve growth factor in treatment of experimental autoimmune encephalomyelitis, 1625
Myelin basic protein
expression and tolerance of, in EAE, 757
visualization of T cell epitopes in multiple sclerosis lesions, 1395
Myxoma virus, novel antiapoptotic protein localized in mitochondria, 1487
Natural killer cells
identification of glycolipid antigen–specific T cells using CD1, 1895
interleukin 2 induces lymphokine-activated, 529
MHC class I molecules regulate activation and migration of, 129
nonstochastic coexpression of activation receptors on, 1341
receptors and signaling pathways involved in activation of, 1259
regulating polarization of lipid rafts during cell-mediated cytotoxicity, 347
role of interleukin 15 in development of memory CD8 T cells and, 771
Natural killer T cells, differential tumor surveillance by, 661
Necrosis, dendritic cell maturation induced by, 423
Neisseria gonorrhoeae, role of lipooligosaccharide in invasion of, into epithelial cells, 949
Nematode, *Wolbachia* lipopolysaccharide mediates inflammation in filariasis, 1429
Neonatal immunity, innate recognition of bacteria in human milk mediated by CD14, 1807
Nerve growth factor
pleiotropy in treatment of experimental autoimmune encephalomyelitis, 1625
protects marmosets against autoimmune encephalomyelitis, 1799
Nervous system
T cells block herpes simplex virus reactivation from latency in sensory neurons, 1459
T cells and regulation of herpes simplex virus latency and reactivation, 1455
Neurofibromatosis, heterozygosity of *Nf1* modulates melanocyte and mast cell fates, 181
Neuroimmunomodulation, gating of potassium channels regulates T cell integrin activation, 1167
Neutrophil-activating protein
of *Helicobacter pylori* is protective antigen and major virulence factor, 1467
phagocyte recruitment and activation in response to *Helicobacter pylori*, 1451
Nf1 tumor suppressor, heterozygosity modulates melanocyte and mast cell fates, 181
NFAT
role of research network in studies of, 1
transcription factor represses chondrogenesis, 9
N-glycans, role in blood clearance and hepatic uptake of IgA, 2171
Nitric oxide
fibroblasts as host cells in latent leishmaniasis, 2121
inhibits hepatitis B virus and lymphocytic choriomeningitis virus replication, 1247
Notch1, role in developmental dissociation of thymic dendritic cells and T cells, 1085
Nuclear body, promyelocytic leukemia protein and Daxx in novel pathway for apoptosis, 631
Nuclear export, inhibition of CD83 surface expression in dendritic cells by interference with, 1581
Nuclear factor κB
Bruton's tyrosine kinase links B cell receptor to activation of, 1735
Bruton's tyrosine kinase mediates B cell receptor-directed activation of, 1745
IκBα mutations in malignant cells in Hodgkin's disease, 395
in molecular and cellular origins of Hodgkin's disease, 207
protein kinase B regulates activation of, 1721
Nuclear factor κB–inducing kinase, signaling via CD40 in B cells, 381
NY-ESO-1, identification of epitopes presented by HLA and recognized by $CD4^+$ T cells, 625
O-glycosylation, differentiating between memory and effector T cells via changes in, 1241
Osteoclasts, tumor necrosis factor α induces differentiation of, 275
OX40 ligand
contribution to T helper 2 cell development in experimental leishmaniasis, 375
role in antigen-presenting cell function, 365
role in coordinating CD4 T cell selection, migration and cytokine differentiation, 201
Oxazolone, immunoglobulin isotype diversity and IgM/D memory in response to, 2209
p38, role of MAP kinase in stress response of embryonic stem cells, 859
p38 MAP kinase, activation arrests T cell development, 321
p38 MAPK, controls Fas ligand expression during activation-induced cell death in T cells, 1017
Paracrine neoplasia, role of viral G protein-coupled receptor in Kaposi's sarcoma, 417
Parasitic infection
fibroblasts as host cells in latent leishmaniasis, 2121
role of B cells in host protection against lymphatic filariasis, 731
PD-1, role in β and positive selection in thymus, 891
Peptide binding, *N*-acetylated ligand of class I HLA antigens, 2083
Peptides
receptor-mediated cross-presentation of heat shock protein-associated, 1965
role in T cell alloreactivity, 805
T cell receptor-altered CD4 differentiation into T helper 2 effectors, 2065
two pathways for heat shock protein-dependent antigen presentation, 1957
Peritoneal cavity, alymphoplasia causes defects in chemokine receptor signaling and homing, 1477
Pertussis, protective immunity to *Bordetella* requires both B and T cells, 1841
Pertussis toxin, role for Gi protein signaling in interleukin 12 production and T helper 1 cell responses, 1605
Peyer's patches
chemokine recruitment of distinct subsets of dendritic cells, 1381
enterocyte expression of interleukin 7 induces development of, 1569
Phagocytes, recruitment and activation in response to *Helicobacter pylori*, 1451
Phagocytosis
of *Helicobacter pylori* in macrophages, 115
protection from gram-positive infection by macrophage scavenger-dependent, 147
role of Fgr tyrosine kinase in negative regulation of, 515
role of Src family kinases in Fcγ receptor-mediated phagocytosis, 669
Phosphocholine, structural basis of repertoire shift in immune response to, 2101
Phospholipase C, role of Cbl protein in B cell receptor signaling, 641
Pituitary hormones
crystal structure of cysteine-rich domain of mannose receptor, 1105
macrophage mannose receptor binds chondroitin sulfates, 1117
Plasma cells, B cell selection in the antibody response, 475
Plasma membrane
regulating polarization of lipid rafts during cell-mediated cytotoxicity, 347
Vav localization to, 47
Platelets
antiidiotype antibody versus anti-GPIIIa in HIV thrombocytopenia, 2093
P-selectin glycoprotein ligand expressed on, mediates platelet–endothelial interactions, 1413
Pleckstrin homology domain, novel adaptor protein Bam32 regulates antigen receptor signaling, 1319
Pneumonia, influenza A viral escape by selection of cytotoxic T cell-resistant variants, 1853
Potassium channels, gating regulates T cell integrin activation, 1167
Poxvirus
MC148 is highly selective CCR8 antagonist encoded by molluscum contagiosum, 171
novel antiapoptotic myxoma virus protein localized in mitochondria, 1487
Precursor B cell receptor
B cell proliferation and differentiation dependent on, 23
role of bone marrow microenvironment in B cell development, 5
Profilin 1, breast cancer cells suppressed by microfilament protein, 1675
Promyelocytic leukemia, and Daxx in novel nuclear body pathway for apoptosis, 631
Protease inhibitor
invariant chain controls H2-M proteolysis in splenocytes and dendritic cells, 1057
role of cathepsin F in invariant chain processing and peptide loading, 1177
Protease-activated receptor 1, proinflammatory effects in immune renal injury, 455
Proteasomes
generation of HIV-1 Nef epitopes by, 239
RFX5 degrades during chlamydial inhibition of MHC class I expression, 1525
role in MHC class II-restricted antigen presentation, 1513
Protein binding, basis for integrin $\alpha_E\beta_7$ adhesion to epithelial cadherin, 1555
Protein kinase B, regulates T cell survival, nuclear factor κB activation and Bcl-X_L levels, 1721
Protein kinase C, activates protein kinase D, 2075
Protein kinase D, activated by protein kinase C, 2075
Proteolipid protein
endogenous T cell reactivity to, 761
expression and tolerance of, in EAE, 757
P-selectin
deficiency reduces atherosclerosis, 189
platelet glycoprotein ligand mediates platelet–endothelial interactions, 1413
Pulmonary inflammation, role of T1/ST2 in developing primary T helper cell type 2 responses, 1069

Purine, mitochondrial basis for immune deficiency, 2197
RAG
  B cell receptor editing and revision, 1813
  genesis of V(D)J recombination, 1631
  immunization and infection affect number of B cells expressing, by altering lymphocyte production, 2113
  rearrangement of immunoglobulin genes in shark germ cells, 1637
Rearrangement
  B cell receptor editing and revision, 1813
  genesis of V(D)J recombination, 1631
  of immunoglobulin genes in shark germ cells, 1637
  unexpected recombination and expression of immunoglobulin λ1 in scid mice, 1933
Receptor revision, of immunoglobulin heavy chain genes in normal human B cells, 1881
Receptors
  nonstochastic coexpression on natural killer cells, 1341
  and signaling pathways involved in natural killer cell activation, 1259
Recombination
  class-specific factors in immunoglobulin isotype switching, 1365
  genesis of V(D)J, 1631
  immunoglobulin β signaling regulates Ig gene rearrangements, 1333
  interleukin 7 receptor required for T cell receptor γ locus accessibility, 1045
  receptor revision of immunoglobulin heavy chain genes in normal human B cells, 1881
Regulatory proteins, cytotoxic T lymphocytes directed to human T cell leukemia virus Rof and Tof peptides, 567
Rel, induces interferon regulatory factor 4 to modulate interferon responsiveness, 1281
Renal injury, proinflammatory effects of protease-activated receptor 1 in, 455
Repertoire, immunoglobulin isotype diversity and IgM/D memory in oxazolone response, 2209
Repertoire shift, structural basis in immune response to phosphocholine, 2101
Research network, role in NFAT studies, 1
Respiratory infection, influenza A viral escape by selection of cytotoxic T cell-resistant variants, 1853
RFX5, degrades during chlamydial inhibition of MHC class I expression, 1525
Rheumatoid arthritis, role of interleukin 1 receptor antagonist in development of, 313
Rho family, Cdc42 essential for actin-based motility of *Shigella* in mammalian cells, 1905
Salmonella
  apoptosis and antigen presentation induced by, 613
  differential roles of interleukin 15 mRNA isoforms in immune responses to, 157
Scavenger receptor, protection from gram-positive infection by phagocytosis dependent on, 147
Secretion systems, of tyrosine-phosphorylated bacterial proteins, 587
Secretory immunoglobulin M, role in development of immune response, 1253
Selection
  B cell receptor editing and revision, 1813
  HLA-DO modulates MHC class II-associated peptide repertoire, 1127
  MHC-dependent survival of naive T cells, 355
  role of PD-1 expression in β and positive, 891
  role of peptides in T cell alloreactivity, 805
Sensory neurons, T cells block herpes simplex virus reactivation from latency in, 1459
Septic shock
  interferon regulatory factors regulate Cox-2 gene expression, 2131
  superantigen *Staphylococcus* enterotoxin C3–T cell receptor interactions, 835
Serpin proteinase inhibitor 9, inhibits caspase-1 activity in smooth muscle cells, 1535
Severe combined immunodeficiency
  immune deficiency in purine nucleoside phosphorylase–deficient mice, 2197
  type I interferon is powerful adjuvant for dendritic cell development in, 1777
  unexpected rearrangement and expression of immunoglobulin λ1 in, 1933
SH2 domain, novel adaptor protein Bam32 regulates antigen receptor signaling, 1319
Shark, rearrangement of immunoglobulin genes in germ cells of, 1637
Shigella, Cdc42 essential for actin-based motility of, 1905
SHIP
  regulates B cell signaling, maturation, activation and death, 1545
  role in B cell development and function, 781
Signal transducer and activator of transcription 1, activation-induced inhibition of interleukin 6-mediated signaling, 915
Signal transducer and activator of transcription 5, role in Bcr-Abl kinase induction of antiapoptotic pathway in chronic myelogenous leukemia cells, 977
Signal transducer and activator of transcription 6, essential role in induction of contact hypersensitivity, 995
Signaling
  adaptor protein PAG binds Csk and regulates T cell activation, 1591
  of B cell receptor, role of Cbl protein in, 641
  B cell receptor domains in naive and tolerant cells, 1443
  calcineurin activation regulates T helper 2 cell development, 1869
  CD5 maintains tolerance in anergic B cells, 883
  cytokine-induced SH2 protein regulates T cell activation, 985
  essential role of Stat6 in induction of contact hypersensitivity, 995
  gating of potassium channels regulates T cell integrin activation, 1167
  identification of follicular dendritic cell molecule that stimulates B cell growth, 1077
  IL-2 as IL-2R agonist and inducer of lymphokine-activated killer cells, 529
  of immunoglobulin β, regulates Ig gene rearrangements, 1333
  integrins induce neutrophil-dependent alteration in endothelial barrier function, 1829
  of interleukin 7 receptor, inhibited by antigen receptor, 737
  of interleukin 17, TRAF6 requirement in, 1233
  Lck domains differentially influence thymopoietic efficiency, 703
  negative regulation of T cell receptor by Src-like adaptor protein, 463
  novel adaptor protein Bam32 regulates B cell antigen receptor signaling, 1319
  protein kinase D is target for antigen receptors and protein kinase C, 2075
  receptors and pathways involved in natural killer cell activation, 1259
  regulating polarization of lipid rafts during cell-mediated cytotoxicity, 347
  regulation of JNK gene expression during T cell activation, 139
  role of Fgr tyrosine kinase in negative regulation of phagocytosis, 515
  role for Gi protein in interleukin 12 production and T helper 1 cell responses, 1605
  role of interleukin 12 receptor β2 expression and, in T helper cell differentiation, 847
  role of MAP kinase p38 in stress response of embryonic stem cells, 859
  role of OX40 in coordinating CD4 T cell selection, migration and cytokine differentiation, 201
  role of SHIP in B cell development and function, 781
  SHIP regulates b cell development, activation and death, 1545
  single amino acid determines immunostimulatory activity of interleukin 10, 213
  of Stat1, activation-induced inhibition of interleukin 6-mediated T cell survival and, 915
  tyrosine phosphorylation of *Helicobacter pylori* CagA protein in gastric epithelium, 593
  tyrosine phosphorylation and secretion systems of bacterial proteins, 587
Simian immunodeficiency virus, effects of $CD8^+$ T cell depletion on virus replication in macaques immunized with, 1921
Skin
  sensitivity to sunburn associated with ultraviolet radiation-induced immunosuppression, 561
  T cells and regulation of herpes simplex virus latency and reactivation, 1455
Skin cancer, sensitivity to sunburn associated with ultraviolet radiation-induced immunosuppression, 561
SMEZ, streptococcal superantigen exhibits allelic and antigenic variation, 1765
Smooth muscle cells, serpin proteinase inhibitor 9 inhibits caspase-1 activity in, 1535
Somatic hypermutation
  rare occurrence of Hodgkin's disease as a T cell lymphoma, 387
  role of MutS homologues in, 579
Splenocytes, invariant chain controls H2-M proteolysis in dendritic cells and, 1057
Spontaneous diabetes, role of HLA-DQ molecules in development of, 97
Src family kinases
  adaptor protein PAG binds Csk and regulates T cell activation, 1591
  role in Fcγ receptor-mediated macrophage phagocytosis, 669
  role of Fgr in negative regulation of phagocytosis, 515
Src homology 2
  cytokine-induced protein of, regulates T cell activation, 985
  role of SHIP in B cell development and function, 781
Src-like adaptor protein, negatively regulates T cell receptor signaling, 463
Staphylococcus
  protection from infection by macrophage scavenger-dependent phagocytosis, 147
  superantigen–T cell receptor interactions, 835
STAT5, role in calcineurin-activated regulation of T helper 2 cell development, 1869
STE12α, regulates virulence but not essential for mating in *Cryptococcus neoformans*, 871

Stem cells
role for thymic mesenchyme in early T cell development, 1051
role of MAP kinase p38 in stress response of embryonic, 859
Streptococcus, superantigen SMEZ exhibits allelic and antigenic variation, 1765
Stress, promotes lymphocyte apoptosis via CD95, 1423
Sunburn, sensitivity associated with ultraviolet radiation-induced immunosuppression, 561
Superantigens
Staphylococcus enterotoxin C3–T cell receptor interactions, 835
streptococcal SMEZ exhibits allelic and antigenic variation, 1765
Switch recombination, class-specific factors in, 1365
Symbiosis, bacterial endotoxin mediates inflammation in filarial nematode disease, 1429
T cell leukemia, cytotoxic T lymphocytes directed to HTLV Rof and Tof peptides, 567
T cell lymphoma, rare occurrence of Hodgkin's disease as a, 387
T cell receptor
alteration changes differentiation of CD4 T cells into T helper 2 effectors, 2065
critical role of TGF-β in maintaining T cell homeostasis, 1187
cytokine-induced SH2 protein regulates T cell activation, 985
interactions of superantigen *Staphylococcus* enterotoxin C3 with, 835
Lck domains differentially influence thymopoietic efficiency, 703
γ locus, interleukin 7 receptor required for accessibility, 1045
mapping the energy of antigen recognition, 1355
regulation of ligand formation in dendritic cell lysosomes, 927
role of CD8 in binding, to MHC/peptide multimers, 335
Src-like adaptor protein negatively regulates signaling of, 463
T cell absorption of cell surface molecules from antigen presenting cells, 1137
T cell repertoire
role of PD-1 to affect, 891
role of peptides in T cell alloreactivity, 805
and tolerance induction, 695
T cell selection, endogenous T cell reactivity to proteolipid protein in EAE, 761
T cells
absorption of cell surface molecules from antigen presenting cells, 1137
activation of p38 MAP kinase arrests development of, 321
activation-induced inhibition of interleukin 6-mediated survival of, 915
adaptor protein PAG binds Csk and regulates activation of, 1591
Bcl-X_L in cell survival in absence of CD28, 2031
block herpes simplex virus reactivation from latency in sensory neurons, 1459
CD1, tuberculosis and the evolution of major histocompatibility complex molecules, 907
CD1 used to identify glycolipid antigen–specific, 1895
CD4 subsets during virus infection, 2159
$CD4^+$, consistently respond to Epstein-Barr virus nuclear antigen EBNA1, 1649
$CD8^+$, melanoma pseudogene antigen recognized by, 1617
CD40 ligand mediates activation response of, 651
CD40-independent pathways of help for cytotoxic T lymphocyte priming, 541
coupling peripheral tolerance to interleukin 10 calms autoreactive, 2039
critical role of TGF-β in maintaining homeostasis of, 1187
cytokine-induced SH2 protein regulates activation of, 985
cytotoxic T lymphocyte antigen 4 blocks CD28 antiviral effect, 1987
differentiating between memory and effector cells via changes in O-glycosylation, 1241
expression cloning of *Mycobacterium tuberculosis* antigens by, 551
gating of potassium channels regulates integrin activation, 1167
germinal centers without, 485
identical clones in gut wall and thoracic duct lymph, 823
incomplete differentiation of subdominant cytotoxic, 1687
induction and suppression of experimental autoimmune encephalomyelitis by epitope multimers, 717
interleukin 7 controls recombination at T cell receptor γ locus by regulating accessibility, 1045
intrahepatic, in hepatitis B virus, 1263
memory CD8, role of interleukin 15 in development of natural killer and, 771
MHC-dependent survival of naive, 355
mitochondrial basis for immune deficiency, 2197
Notch1 deficiency dissociates intrathymic development of dendritic cells and, 1085
p38 MAPK and JNK control Fas ligand expression during activation-induced cell death in, 1017
pleiotropic roles of interleukin 15 unique from interleukin 2, 753
protective immunity to *Bordetella pertussis* requires both B and, 1841
protein kinase B enhances survival of, 1721
recognize α-gliadins in celiac disease, 603
and regulation of herpes simplex virus latency and reactivation, 1455
regulation of JNK gene expression during activation of, 139
repertoires and tolerance induction, 695
role of chemokines in arrest of B versus, in high endothelial venules, 77
role of OX40 ligand in antigen-presenting cell function and responses of, 365
role of peptides in alloreactivity, 805
role for thymic mesenchyme in early development of, 1051
TCA-4 triggers sticking of, in lymph node high endothelial venules, 61
TRANCE enhances adjuvant capacity of dendritic cells, 495
two pathways for heat shock protein-dependent antigen presentation, 1957
T cells γ/δ
enterocyte expression of interleukin 7 induces development of, 1569
induce macrophage cell death, 2145
self-recognition of CD1 by, 937
T helper cells
analysis of successful immune responses to hepatitis C virus, 1499
CD4 T cell subsets during virus infection, 2159
role of interleukin 12 receptor β2 expression and signaling in differentiation of, 847
role of OX40 signals in CD4 T cell selection, migration and cytokine differentiation in, 201
T helper 1 cells, role for Gi protein signaling in differentiation of, 1605
T helper 2 cells
altered T cell receptor causes differentiation of CD4 T cells into, 2065
calcineurin activation regulates development of, 1869
CCR3/eotaxin and CCR4/MDC mediate recruitment to the lung, 265
contribution of OX40 ligand to development of, in experimental leishmaniasis, 375
different origins depending on antigen exposure, 683
role of interleukins 4 and 13 and Stat6 in contact hypersensitivity, 995
role of T1/ST2 in developing primary responses, 1069
TCA-4, triggers T cell sticking in lymph node high endothelial venules, 61
Thoracic duct lymph, identical T cell clones in gut wall and, 823
Thrombocytopenia, antiidiotype antibody versus platelet anti-GPIIIa in HIV, 2093
Thrombospondin-1, downregulated by anoxia and reduces glioblastoma tumorigenicity, 1789
Thymocytes, caspase activities in intact apoptotic, 1819
Thymopoiesis, Lck domains differentially contribute to, 703
Thymus
germinal centers independent of, 485
Lck domains differentially influence thymopoietic efficiency, 703
Notch1 deficiency dissociates development of dendritic cells and T cells, 1085
role of PD-1 expression in β and positive selection in, 891
Tolerance
B cell receptor signaling domains in naive and tolerant cells, 1443
coupled with interleukin 10 calms autoreactive T cells in EAE, 2039
discrete dendritic cells transport apoptotic epithelial cells to mesenteric lymph nodes, 435
to homologue of tyrosinase-derived melanoma antigen, 1221
induction by dendritic cells that have captured apoptotic cells, 411
induction and suppression of experimental autoimmune encephalomyelitis by T cell epitopes, 717
maintained by CD5 in anergic B cells, 883
of myelin proteins in experimental allergic encephalomyelitis, 757
N-acetylated ligand of class I HLA antigens, 2083
role of antigen presenting cells in mediating, 2021
T cell repertoires and induction of, 695
TRAF6, requirement in interleukin 17 signaling, 1233
TRAIL, inhibits autoimmune inflammation and cell cycle progression, 1095
TRANCE, enhances adjuvant capacity of dendritic cells, 495
Transcription, TRAF6 requirement in interleukin 17 signaling, 1233
Transcription factors
Bruton's tyrosine kinase links B cell receptor to nuclear factor κB activation, 1735
Bruton's tyrosine kinase mediates B cell receptor-directed nuclear factor κB activation, 1745
deregulated E2F activity in melanomas, 1005
Rel induction of IRF-4 modulates interferon responsiveness, 1281
RFX5 degrades during chlamydial inhibition of MHC class I expression, 1525

role of research network in NFAT studies, 1
Transforming growth factor, critical role in maintaining T cell homeostasis, 1187
Transplantation
mechanisms of CD40 ligand-induced allograft acceptance, 651
role of peptides in T cell alloreactivity, 805
β-trefoil proteins, crystal structure of cysteine-rich domain of mannose receptor, 1105
T1/ST2, role in developing primary T helper cell type 2 responses, 1069
Tuberculosis
CD1 and the evolution of major histocompatibility complex molecules, 907
defective macrophage Ca^{2+} signaling in, 287
T cell expression cloning of *Mycobacterium tuberculosis* antigens, 551
Tumor antigen, identification of NY-ESO-1 epitopes presented by HLA and recognized by $CD4^+$ T cells, 625
Tumor necrosis factor
depletion of ATP controls hepatic apoptosis mediated by, 1975
generalized lymphoproliferative disorder phenotype requires, 89
TRAF6 requirement in interleukin 17 signaling, 1233
TRAIL inhibits autoimmune inflammation and cell cycle progression, 1095
Tumor necrosis factor α
bypasses CD154 signals to induce diabetes, 225
induces osteoclast differentiation independent of ODF/RANK interaction, 275
Tumor necrosis factor family, TRANCE enhances adjuvant capacity of dendritic cells, 495
Tumor necrosis factor receptor family
contribution of OX40 ligand to T helper 2 cell development, 375
nuclear factor κB–inducing kinase signaling via CD40 in B cells, 381
Tumor suppression
heterozygosity of *Nf1* modulates melanocyte and mast cell fates, 181
NFAT transcription factor represses chondrogenesis, 9
promyelocytic leukemia protein and Daxx in novel nuclear body pathway for apoptosis, 631
Tumors
breast cancer cells suppressed by microfilament protein profilin 1, 1675
comparison of vaccines based on dendritic cells and cells of, 1699
deregulated E2F transcriptional activity in melanomas, 1005
differential surveillance of, by natural killer T cells, 661
enhanced growth after immunization to mutant oncoprotein, 1945
immunity induced by dendritic cells, 795
melanoma pseudogene antigen recognized by $CD8^+$ T cells, 1617
MHC class I molecules regulate activation and migration of natural killer cells, 129
opposing effects of transmembrane and soluble Fas ligand on survival of, 1209
self-tolerance to homologue of tyrosinase-derived melanoma antigen, 1221
thrombospondin-1 is downregulated by anoxia and reduces glioblastoma tumorigenicity, 1789
Tyrosinase, self-tolerance to homologue of melanoma antigen derived from, 1221
Tyrosine phosphorylation
of *Helicobacter pylori* CagA protein in gastric epithelium, 593
and secretion systems of bacterial proteins, 587
Ulcer, phagocyte recruitment and activation in response to *Helicobacter pylori*, 1451
Ultraviolet radiation, sensitivity to sunburn associated with immunosuppression induced by, 561
Vα14 natural killer T cells, role of interleukin 4 and, in concanavalin A-induced hepatitis, 105
Vaccination
autoimmunity and tumor immunity induced by dendritic cells, 795
comparison of dendritic cell and tumor cell-based vaccines, 1699
effects of $CD8^+$ T cell depletion on virus replication in macaques immunized with live SIV, 1921
type I interferon is powerful adjuvant for monocyte-derived dendritic cell development, 1777
Vaccines
Helicobacter pylori neutrophil-activating protein is protective antigen and virulence factor, 1467
hsp70 fusion proteins elicit CD4-independent cytotoxic T lymphocytes via discrete domain, 403
T cell expression cloning of *Mycobacterium tuberculosis* antigens, 551
two pathways for heat shock protein-dependent antigen presentation, 1957
Vascular permeability, integrin signaling induces neutrophil-dependent alteration in endothelial barrier function, 1829
Vasculitis, role of interleukin 1 in arterial inflammation, 303
Vav, localization to plasma membrane of, 47
V(D)J rearrangement, receptor revision of immunoglobulin heavy chain genes in normal human B cells, 1881
V(D)J recombination
genesis of, 1631
interleukin 7 receptor required for T cell receptor γ locus accessibility, 1045
rearrangement of immunoglobulin genes in shark germ cells, 1637
unexpected rearrangement and expression of immunoglobulin λ1 in scid mice, 1933
Vesicular stomatitis virus, CD4 T cell subsets during virus infection, 2159
Viral escape, by selection of cytotoxic T cell-resistant variants in influenza A pneumonia, 1853
Viral infections, are not necessary for atherosclerosis, 1437
Viral protein R, targets mitochondria to induce apoptosis, 33
Virulence factors
Helicobacter pylori neutrophil-activating protein is protective antigen and major, 1467
phagocyte recruitment and activation in response to *Helicobacter pylori*, 1451
role of lipooligosaccharide in *Neisseria gonorrhoeae* invasion into epithelial cells, 949
*STE12*α regulates virulence but not essential for mating in *Cryptococcus neoformans*, 871
Virus replication, effects of $CD8^+$ T cell depletion on, in macaques immunized with live SIV, 1921
Wiskott-Aldrich syndrome, Cdc42 essential for actin-based motility of *Shigella* in mammalian cells, 1905
Wolbachia, lipopolysaccharide mediates inflammation in filarial nematode disease, 1429
X-linked immunodeficiency
Bruton's tyrosine kinase links B cell receptor to nuclear factor κB activation, 1735
Bruton's tyrosine kinase mediates B cell receptor-directed nuclear factor κB activation, 1745
Yeasts, dendritic cells discriminate between hyphae and, of *Candida albicans*, 1661